


# KÖGEL

NOVUM: LIGHT & STRONG



KÖGEL SPARE PARTS CATALOGUE



# CONTENTS

This catalogue only contains a selection of products from our range. You can also ask for our spare parts catalogue for Kögel Cool – PurFerro quality or download it from <https://parts.koegel.com/>.

Quality and speed to your advantage! .....	3	Canopy Edscha Lite .....	64
Your ordering options .....	4	Tool boxes / water tank / document box/tube .....	65
Rear lights/Tracking lights ASS .....	5	Door fastener .....	67
Rear lights/Tracking lights Truck Lite .....	9	Protective bumpers .....	68
Rear lights/Tracking lights HTS .....	16	Wheel chocks .....	70
Side marker/contour/clearance lamps .....	20	Canopy operating rod .....	71
License plate lights .....	22	Lashing rings / lashing eyelets .....	72
Interior lights, working/reversing lights .....	23	King pins .....	74
Sockets / Lorry / Trailer connection cable/LED controller .....	24	Drawbar attachment / bridge stop .....	75
Repair plugs / sockets .....	25	Guide rollers / container locks .....	76
ASS adapter / feed lines .....	26	Drawbars .....	77
ASS spare plug .....	28	Ball turning bearings .....	80
HTS adapter / feed lines EasyConn .....	29	Extra-wide warning signs .....	81
HTS spare plug EasyConn .....	33	Signs .....	82
HTS combined distributor, HTS spare plug .....	34	Side guards .....	83
Lamp mounting / underride guard .....	35	Spare wheel brackets .....	80
Rear portal door locks.....	37	Pallet storage boxes .....	89
Rear portal door hinges .....	38	Pallets with tarpaulin .....	90
Double level beams / load-securing beams .....	41	Storage box .....	91
Lashing straps .....	41	Landing gear .....	92
Load-securing slats .....	42	Support legs .....	95
Wood/aluminium slats .....	43	Mudguards .....	96
Plywood panels .....	44	TRAX axle .....	99
Steel combination anchor rails .....	45	Kögel Trailer Axle KTA .....	101
Screw-type pallet limiting rail .....	47	Toolbox .....	105
Hook-in profiles .....	48	ABS sensors .....	106
Roller blades for centre stake .....	49	Shock absorbers .....	107
Slat bags / storage .....	50	Air bellows .....	108
Lift system Liftmaster 770 Hesterberg .....	51	Brake disks .....	110
Lift system Hydraman Versus .....	52	Compressed air tanks .....	114
Tarpaulin-stretching ratchets .....	54	Air line connections/couplings Raufoss RBK .....	115
Tarpaulin-stretching gears / quick-stretch devices .....	55	Steel rims .....	118
Tarpaulin accessories .....	56	Alloy rims .....	119
Contour markings .....	58	Valves / modulators / clutch heads .....	121
Tarpaulin patches .....	60	Brake cylinders .....	124
Side tarpaulins / full tarpaulins .....	61		
Canopy add-on parts .....	62		
Canopy Versus/ Canopy Autocar Magnum.....	63		

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

## QUALITY AND SPEED TO YOUR ADVANTAGE! KÖGEL SPARE PARTS



Quality and speed are the pillars that form the basis of efficient transportation. Our Kögel spare parts division offers you all the spare parts and accessories that you need first hand. Whether it's for your Kögel product or your product from another commercial vehicle manufacturer – we are ideally prepared to meet your needs with our extensive product portfolio.

Our central spare parts warehouse in Ulm has 7,000 m<sup>2</sup> of storage space and is ideally set up to cater for your needs as well as guaranteeing maximum availability of all spare parts throughout Europe. Our sales department keeps approximately 8,500 different items in stock. Orders for items that are kept in stock are dispatched the same day. Delivery is tailored to suit your preferences, either via an overnight express service, parcel post or forwarding company.

Whether it's wear parts for the bogie and body or accessories, Kögel spare parts are impressive with a perfect fit and maximum security, and increase the resale value of your trailer.

### First-class service when you order a spare part

So make use of the most direct way to get your spare parts: The Kögel spare parts team would be glad to help you select the right item.

Telephone	+49 1805 563435 36
Fax	+49 731 9454-23679
E-mail	<a href="mailto:parts@koegel.com">parts@koegel.com</a>

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

## Quick and easy order placement via the Kögel Parts online shop

You can purchase any spare parts you need quickly and at any time from our “Kögel Parts” online shop. There are three ways of placing an order quickly.




1. Order from the digital spare parts catalogue: Enter your vehicle identification number (VIN) into the input field at the top left to display all the spare parts for your trailer. Corresponding item drawing and images will support your search.
2. Order via the shopping basket: Simply enter the Kögel item number in the shopping basket with the required quantity
3. Find your parts via the keyword search: Enter a search criterion and get an overview of matching spare parts.

Sign up now to our online shop and take advantage of our fast and simple order process:

[www.koegel-parts.com](http://www.koegel-parts.com)

## Kögel Parts spare parts shop at the logistics centre in Ulm

From Monday to Friday between 8 a.m. and 5 p.m., you also have the opportunity to purchase any items you need or collect ordered items directly from our “Kögel Parts” shop in Ulm. It is not just Kögel-specific parts that are available: you can also find common accessories such as axle and brake consumables and load-securing materials.



# LIGHTING ACCESSORIES

## Rear lights/tracking lights ASS



### Left-hand rear light

Incandescent bulb version with plug, including tracking light

Item no. 6606872



### Right-hand rear light

Incandescent bulb version with plug, including tracking light

Item no. 6606873



### Left-hand tracking light

Incandescent bulb version

Item no. 6503127



### Right-hand tracking light

Incandescent bulb version

Item no. 6503128



### Left-hand rear light Hybrid

Incandescent tracking light LED

Item no. 6611489



### Right-hand rear light Hybrid

Incandescent tracking light LED

Item no. 6611490



### Left-hand tracking light LED

Item no. 90011053



### Right-hand tracking light LED

Item no. 90011054



### Left-hand lighting panel

For rear lights ID 6606872

Item no. 6503125



### Right-hand lighting panel

For rear lights ID 6606873


Item no. 6503126



### Left and right-hand lighting cover panel

For tracking light ID 6503127, 6503128

Item no. 6609171



<b>Left-hand rear light</b> LED version with white light cover panel and plug including tracking light <b>Item no. 6606445</b>	<b>Right-hand rear light</b> LED version with white light cover panel and plug including tracking light <b>Item no. 6606444</b>	<b>Left-hand tracking light</b> LED version with cable for ID 6606445 <b>Item no. 6503124</b>	<b>Right-hand tracking light</b> LED version with cable for ID 6606444 <b>Item no. 6503123</b>	<b>Left-hand tracking light</b> Red/white glass for ID 6603167 <b>Item no. 6000010</b>	<b>Right-hand tracking light</b> Red/white glass for ID 6603166 <b>Item no. 6000011</b>	<b>Left and right-hand lighting cover panel</b> Light cover for left and right use f or ID 6603167, 6603166 <b>Item no. 6500139</b>	<b>Left and right-hand lighting cover panel</b> Can be used for tracking light for ID 6603166, 6603167, 6000010, 6000011 <b>Item no. 6500140</b>
--	---	---	--	--	---	---	--










<b>Left-hand rear light</b> Version as for ID 6606445 but without tracking light <b>Item no. 6503313</b>	<b>Right-hand rear light</b> Version as for ID 6606444 but without tracking light <b>Item no. 6503314</b>	<b>Left-hand rear light</b> Incandescent bulb version with plug, without tracking light <b>Item no. 6503311</b>	<b>Right-hand rear light</b> Incandescent bulb version with plug, without tracking light <b>Item no. 6503312</b>	<b>Round three-light cluster</b> LED version, with cable and 7-pin ASS2 plug <b>Item no. 6503787</b>	<b>Round reversing/fog light combination</b> LED version, with cable and 7-pin ASS2 plug <b>Item no. 6503788</b>	<b>Rear fog light - round</b> LED version, with cable and 7-pin ASS2 plug <b>Item no. 6607515</b>	<b>Reversing light - round</b> LED version, with cable and 7-pin ASS2 plug <b>Item no. 6611140</b>
--	---	---	--	--	--	---	--













<b>Rear light Europoint II</b> Left-hand version without tracking light and cable with 7-pin plug <b>Item no. 6608266</b>	<b>Rear light Europoint II</b> Right-hand version without tracking light and cable with 7-pin plug <b>Item no. 6608265</b>	<b>Left-hand rear light</b> Version including tracking light <b>Item no. 6603167</b>	<b>Right-hand rear light</b> Version including tracking light <b>Item no. 6603166</b>	<b>Connecting line</b> connecting line for round three-light cluster, 2 x 7 pol. ASS2, 1000mm <b>Item no. 6503348</b>	<b>Round three-light cluster</b> Bulb version, with cable and 7-pin ASS2 plug <b>Item no. 6607617</b>	<b>Rear fog light - round</b> Bulb version, with cable and 7-pin ASS2 plug <b>Item no. 6607619</b>	<b>Reversing light - round</b> Bulb version, with cable and 7-pin ASS2 plug <b>Item no. 6607618</b>
---	--	--	---	---	---	--	---

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Rear lights/Tracking lights Truck Lite							
							
<b>Adapter cable</b> Reversing light, brake light, con- tour lights, 2 x 7-pin, 4 x 2-pin ASS2, 1000 mm	<b>Lock set</b> 7-pin ASS2 pin	<b>Protective cap for rear light connection</b> Can be used for ID 6606872, 6606873, 6606444, 6606445, 6608265, 6608266, 6352383, 6352384		<b>Left-hand rear light</b> Bulb version incl. tracking light	<b>Right-hand rear light</b> Bulb version incl. tracking light	<b>Left-hand rear light</b> Bulb version without tracking light	<b>Right-hand rear light</b> Bulb version without tracking light
<b>Item no. 6607544</b>	<b>Item no. 6503196</b>	<b>Item no. 6604837</b>		<b>Item no. 90018396</b>	<b>Item no. 90018397</b>	<b>Item no. 6612803</b>	<b>Item no. 6612804</b>

						
<b>Warning light LED</b> Diameter: 122mm; Height: 98mm; 12 watts; 9-30 volts; IP67; Flash Pattern: Rotation, Single Flash, Double Flash, Rapid Flash	<b>Extension bar</b>		<b>Left-hand rear light</b> Bulb version including LED tracking light	<b>Right-hand rear light</b> LED version incl. tracking light	<b>Left-hand rear light</b> LED version without tracking light	<b>Right-hand rear light</b> LED version without tracking light
<b>Item no. 6504540</b>	<b>Item no. 90002676</b>		<b>Item no. 90018398</b>	<b>Item no. 90018399</b>	<b>Item no. 6612807</b>	<b>Item no. 6612808</b>

			
<b>Left-hand tracking light LED</b> Version for rear light	<b>Right-hand tracking light LED</b> Version for rear light	<b>Left-hand replacement glass</b> Bulb version	<b>Right-hand replacement glass</b> Bulb version
<b>Item no. 90011837</b>	<b>Item no. 90011838</b>	<b>Item no. 90016853</b>	<b>Item no. 90016857</b>



Working floodlight

LED version  
2500 mm Superseal  
**Item no. 6612835**



Reversing light

LED version  
2500 mm Superseal  
**Item no. 6612834**



Peripheral light arm,  
left

LED version  
1200 mm Superseal  
**Item no. 6612813**



Peripheral light arm,  
right

LED version  
1200 mm Superseal  
**Item no. 6612814**



Position light, white

2000 mm Superseal  
**Item no. 6612830**



Position light, white

5000 mm Superseal  
**Item no. 6612832**



Licence plate holder

LED version  
1000 mm Superseal  
**Item no. 6612836**



Corner pendant light

LED version  
2500 mm Superseal  
**Item no. 6612815**



Corner pendant light

LED version  
2500 mm Superseal  
**Item no. 6612816**



Side marker light

1500 mm Superseal  
**Item no. 6612825**



Side marker light

- 1500 mm Superseal  
- 2000 mm Superseal  
**Item no. 6612826** – 1500mm cable  
**Item no. 6612827** – 2000mm cable



Adapter cable

for round lights  
**Item no. 6612823**



Round fog light

Bulb version  
2-pin Superseal  
**Item no. 6612819**



3-chamber round light

Bulb version  
7-pin DIN bayonet  
**Item no. 6612817**



Round reversing light

Bulb version  
2-pin Superseal  
**Item no. 6612818**



Side marker light

Mounting angle  
2000 mm Superseal  
**Item no. 6612828**



Side marker light

Pipe mounting  
2000 mm Superseal  
**Item no. 6612829**



Pin-and-socket  
connector 2-pin I  
Socket

**Item no. 6504517**



Pin-and-socket  
connector 2-pin I Pin

**Item no. 6504518**



3-chamber round light

LED version  
7-pin DIN bayonet  
**Item no. 6612820**



Round reversing light

LED version  
2-pin Superseal  
**Item no. 6612821**



Round fog light

LED version  
2-pin Superseal  
**Item no. 6612822**

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.



### Feed line 8m

9-wire  
2x ASS3, 5x Superseal


Item no. 90004674



### Feed line 10m


10-wire  
2x ASS3, 6x Superseal

Item no. 90013707



### Control unit flashing side marker lamps

Item no. 6612887



### Cable harness 8 m for 3 side marker lamps


Item no. 6612888



### Feed line 10m

15-wire  
2x ASS3, 6 Superseal


Item no. 6612880



### Feed line 16m

9-wire  
2x ASS3, 5x Superseal

Item no. 6612881



### Cable harness 11,5 m for 4 side marker lamps

Item no. 6612889



### Extension cable


Item no. 6612906 / 1m  
Item no. 6612907 / 3,5m  
Item no. 6612908 / 6m  
Item no. 6504265 / 14m



### Feed line 16m

15-wire  
2x ASS3, 6x Superseal

Item no. 6612882




### Extension cable 1m Eurotrailer

2x ASS3

Item no. 6607697






Y-distributor for:

- Reversing lights

Item no. 6612895



Y-distributor for:

- Reversing lights
- Working lights
- widening

Item no. 6612896



Adapter rear light

- 7pol ASS to 7 pol bajonett
- for reversing lights


Item no. 6612920



Adapter rear light

- 7pol Bajonett auf 7pol ASS
- for reversing lights

Item no. 6612966



Y-distributor for switch

Item no. 6612895



rotary switch yellow

Item no. 6503897



PIN-changer


Item no. 90009418



Feed line 19m

- for widening



Item no. 6612903



Adapter ASS3

For Working light  
PIN 4/9  
PIN 4/10

Item no. 6612902



Adapter ASS3 extension

- 4/7
- 4/8
- x/15
- 4/5

Item no. 6612893

Rear lights/tracking lights HTS



Left and right-hand rear light

Rear light with bayonet plug, can be used on left and right

Item no. 332788

Left and right-hand rear light

Rear light with cable and bayonet plug, can be used on left and right

Item no. 333423

Left and right-hand light cover

Light cover for left- and right-hand use for ID 333423, 332788

Item no. 324945

Left-hand rear light

Rear light with cable for combination distributor

Item no. 69064

Left-hand light cover

For rear light ID 6603047

Item no. 6604422

Right-hand light cover

For rear light ID 6603747

Item no. 6604423

Left-hand rear light


LED version including bulb tracking light with EasyConn plug (yellow)

Item no. 6604332

Right-hand rear light

LED version including bulb tracking light with EasyConn plug (blue)

Item no. 6604331



Right-hand rear light

Rear light with cable for combination distributor

Item no. 69063

Left-hand rear light

Rear light with cable and EasyConn plug (yellow)

Item no. 6603078

Right-hand rear light

Rear light with cable and EasyConn plug (blue)

Item no. 6603079

Left and right-hand light cover

Light cover for left- and right-hand use for ID 69063, 69064, 6603078, 6603079

Item no. 69062

Left-hand rear light

LED version including LED tracking light with EasyConn plug (yellow)

Item no. 6604569

Right-hand rear light

LED version including LED tracking light with EasyConn plug (blue)

Item no. 6604568

Left-hand light cover

For rear light 6604332, 6604568

Item no. 6502171

Right-hand light cover

For rear light 6604331, 6604569

Item no. 6502172



Left-hand rear light

Bulb version including LED tracking light with EasyConn plug (yellow)

Item no. 6603747

Right-hand rear light

Bulb version including LED tracking light with EasyConn plug (blue)

Item no. 6603746

Left-hand rear light

Bulb version including LED tracking light

Item no. 6609000

Right-hand rear light

Bulb version including LED tracking light

Item no. 6608999

Left-hand tracking light

LED version with cable for ID 6604568, 6604331

Item no. 6503043

Right-hand tracking light

LED version with cable for ID 6604569, 6604332

Item no. 6503042

Round three-light cluster

Bulb version, with cable and EasyConn plug (blue)

Item no. 6603082

Rear fog light - round

Bulb version, with cable and 2-pin EasyConn plug

Item no. 6603083

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.



**Reversing light - round**  
Bulb version, with cable and EasyConn plug (blue)  
**Item no. 6603084**



**Left-hand tracking light**  
Superpoint III LED with cable length 1250 mm, P&R connector  
**Item no. 6503089**



**Right-hand tracking light**  
Superpoint III LED with cable length 1250 mm, P&R connector  
**Item no. 6503088**



**Left-hand tracking light**  
Tracking light with cable  
**Item no. 175691**



**Right-hand tracking light**  
Tracking light with cable  
**Item no. 175690**



**Left and right-hand light cover**  
with bayonet seal, red/white glass for tracking light ID 6603856, 6603857  
**Item no. 6608155**



**Left and right-hand light cover**  
Red/white glass for tracking light ID 6603856, 6603857  
**Item no. 6501875**



**Left-hand tracking light**  
Tracking light with cable and EasyConn Quick-Link  
**Item no. 6603856**



**Right-hand tracking light**  
Tracking light with cable and EasyConn Quick-Link  
**Item no. 6603857**



**Left-hand tracking light**  
Tracking light with cable and 2-pin plug  
**Item no. 333419**



**Right-hand tracking light**  
Tracking light with cable and 2-pin plug  
**Item no. 333420**



**Left-hand tracking light**  
Tracking light with cable and EasyConn Quick-Link  
**Item no. 6603077**



**Right-hand tracking light**  
Tracking light with cable and EasyConn Quick-Link  
**Item no. 6603076**



**Left-hand tracking light**  
LED tracking light with cable length 3000 mm, loose end  
**Item no. 6605008**



**Right-hand tracking light**  
LED tracking light with cable length 3000 mm, loose end  
**Item no. 6605007**



**Left-hand tracking light**  
Superpoint III LED with cable length 4000 mm, loose end  
**Item no. 6607759**



**Right-hand tracking light**  
Superpoint III LED with cable length 4000 mm, loose end  
**Item no. 6607760**



**Red spare glass**  
Coloured glass for tracking light 175690, 175691, 333420, 333419, 6603076, 6603077  
**Item no. 306667**



**White spare glass**  
Coloured glass for tracking light 175690, 175691, 333420, 333419, 6603076, 6603077  
**Item no. 306669**












**Socket**  
For tracking light 175690, 175691, 333420, 333419, 6603076, 6603077 including 5 W bulb  
**Item no. 331599**

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Side marker lights / position/side lights

								
<b>Hella clamping piece</b> For Hella System with Quick-Link	<b>Flat cable</b> 2-wire, 2x1.5mm², for connection of QuickLink consumers	<b>Aspöck clamping piece</b> For Aspöck system with P&R connector	<b>P&amp;R + Quick-Link pliers</b> Lamp repair with Aspöck P&R connection cable and Hella Quick-Link connector		<b>Side marker light</b> Colour orange with angled clip holder	<b>Side marker light</b> Colour orange with angled clip holder	<b>Position light</b> Colour white - reflective	<b>Position light</b> Colour white - reflective
<b>Item no. 6603221</b>	<b>Item no. 6607726</b>	<b>Item no. 6607725</b>	<b>Item no. 6608326</b>		<b>Item no. 333492</b>	<b>Item no. 332789</b>	<b>Item no. 333075</b>	<b>Item no. 333077</b>

							
<b>Side marker light</b> Flatpoint II LED version with double clip bracket and cable length 1500 mm P&R connector	<b>Side marker light</b> Unipoint I LED version without bracket	<b>Side marker light</b> Flatpoint II LED version with double clip bracket and cable length 1500 mm P&R connector	<b>Side marker light</b> Flatpoint II LED version with double clip bracket and cable length 2000 mm P&R connector		<b>Corner marker light</b> Colour red, not reflective	<b>Side marker light</b> LED light orange with angle bracket	<b>Position / side light</b> LED version colour white with loose cable
<b>Item no. 6604838</b>	<b>Item no. 6606516</b>	<b>Item no. 6606446</b>	<b>Item no. 6610473</b>		<b>Item no. 333092</b>	<b>Item no. 349010</b>	<b>Item no. 349602</b>

						
<b>Side marker light</b> Flatpoint II LED version with angle bracket for screws and cable length 1500 mm P&R connector	<b>Side marker light</b> LED version, cable length 1500 mm Quick-Link connector	<b>Side marker light</b> LED version, cable length 1500 mm Quick-Link connector	<b>Side marker light</b> LED version, cable length 1500 mm Quick-Link connector		<b>Position light</b> LED version colour white with cable, built-in version	<b>Position light</b> LED version, colour red, installation version
<b>Item no. 6606518</b>	<b>Item no. 6352518</b>	<b>Item no. 6352517</b>	<b>Item no. 6605196</b>		<b>Item no. 69065</b>	<b>Item no. 6503122</b>

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.



**Position light**  
LED version, cable length 500 mm P&R connector  
  
**Item no. 6503203**



**Position light**  
LED version, cable length 1700 mm P&R connector  
  
**Item no. 6606447**



**Position light**  
LED version, cable length 5000 mm P&R connector  
  
**Item no. 6611161**



**Corner marker light**  
LED installation version, cable length 5000 mm P&R connector  
  
**Item no. 6604038**



**Left licence plate light**  
LED version cable length 600 mm, P&R connector, suitable for lamp mounting 6609689  
  
**Item no. 6609962**



**Right licence plate light**  
LED version cable length 1300 mm, P&R connector, suitable for lamp mounting 6609689  
  
**Item no. 6609963**

Working/reversing floodlight



**Position light**  
Round bulb version 3 W colour white  
  
**Item no. 69057**



**Corner marker light**  
LED spiral cable version, three-pin plug  
  
**Item no. 6353477**



**Corner marker light**  
LED spiral cable version, Superseal  
  
**Item no. 6357704**



**Reversing/working floodlight**  
Version 70 W H3, 24 Volt, cable length 2500 mm 2-pin plug ASS2  
  
**Item no. 6503519**



**Reversing light**  
LED version, 12/24 Volt, 800 lm, cable length 2500 mm, 2-pin plug ASS2, IP69K, approved according to ECE48/ADR  
  
**Item no. 6503714**



**Working floodlight, round, LED**  
LED version, 24 Volt, 500 lm, cable length 2500 mm, 2-pin plug ASS2, IP69K, approved according to ECE48/ADR  
  
**Item no. 6503692**



**Working floodlight, LED**  
LED version, 12/24 Volt, 2880 lm, cable length 1000 mm, 2-pin open strand, IP67  
  
**Item no. 6612012**

Licence plate lights



**Licence plate light**  
Bulb version  
  
**Item no. 325158**



**Licence plate light**  
Bulb version for combination distributor ID 333421, 333422, 336639  
  
**Item no. 80903**



**Licence plate light**  
LED version, cable length 500 mm Quick-Link connector  
  
**Item no. 6602860**



**Licence plate holder**  
Licence plate holder with cable, P&R connector Aspöck with-out 3 brake lights, dimensions 663x150x60  
  
**Item no. 6605413**



**Working floodlight LED**  
12/24 V, 1800 lm, 20mm cable length, 2-pin open strand, IP67  
  
**Item no. 90021797**

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Sockets / Lorry / Trailer connection cable/LED controller

			
<b>Socket distributor</b> Triple, 15-pin / 2 x 7-pin, ASS3 connection	<b>SN socket adapter</b> Front connection 15-pin, 2x 7-pin, EasyConn 15-pin connection	<b>Socket distributor</b> Triple, 15-pin / 2 x 7-pin	<b>LED control device</b> Standard version for Aspöck LED rear lights ASS1/ASS2 with 7-pin plug
<b>Item no. 6606439</b>	<b>Item no. 6603571</b>	<b>Item no. 349037</b>	<b>Item no. 6503086</b>


Repair plugs / sockets

			
<b>Repair plug</b> 7-pin N ISO 1185 (plastic), screw contacts	<b>Repair plug</b> 7-pin S ISO 3731 (plastic), screw contacts	<b>Repair plug</b> 7-pin N ISO 1185 (metal), screw contacts	<b>Repair plug</b> 7-pin S ISO 3731 (metal), screw contacts
<b>Item no. 6611580</b>	<b>Item no. 6611581</b>	<b>Item no. 6611582</b>	<b>Item no. 6611583</b>

			
<b>Noise suppression</b> Tractor units with installation of EcoLED rear lights ID 6503313, 6503314, 6606445, 6606444	<b>Spiral cable</b> EBS cable 7-pin / cable length 4000 mm	<b>Adapter spiral cable</b> 15-pin to 2 x 7-pin	<b>Adapter spiral cable</b> 15-pin (plastic plug) to 2 x 7-pin (metal plug), cable length 4000 mm
<b>Item no. 6503041</b>	<b>Item no. 6611574</b>	<b>Item no. 6611576</b>	<b>Item no. 6611864</b>

			
<b>Repair socket</b> 7-pin N ISO 1185 (plastic), screw contacts	<b>Repair socket</b> 7-pin S ISO 3731 (plastic), screw contacts	<b>Repair socket</b> 7-pin N ISO 1185 (metal), screw contacts	<b>Repair socket</b> 7-pin S ISO 3731 (metal), screw contacts
<b>Item no. 6611584</b>	<b>Item no. 6611585</b>	<b>Item no. 6611586</b>	<b>Item no. 6611587</b>


			
<b>Spiral cable</b> 7-pin S ISO 3731	<b>Spiral cable</b> 7-pin N ISO 1185	<b>Spiral cable</b> 15-pin / cable length 4000 mm	<b>Short adapter</b> 15-pin to 2x 7-pin
<b>Item no. 6611579</b>	<b>Item no. 6611578</b>	<b>Item no. 6611575</b>	<b>Item no. 6611577</b>

			
<b>Repair plug</b> EBS, 7-pin, screw contacts	<b>Repair plug</b> 15-pin, screw contacts	<b>Repair socket</b> EBS, 7-pin, screw contacts	<b>Repair socket</b> 15-pin, screw contacts
<b>Item no. 6611589</b>	<b>Item no. 6611590</b>	<b>Item no. 6611591</b>	<b>Item no. 6611592</b>

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.


## ASS adapter / feed lines



### Front connection (feed line for tarpaulin vehicles with TIR, drop side with full tarpaulin)

15-pin + 7N-7S socket set, 17-pin ASS3 connection


Item no. 6503144



### Front connection (feed line for tarpaulin vehicles with TIR, drop side with full tarpaulin)

2 x 7-pin front connection,  
17-pin ASS3 connection


Item no. 6503185



### Adapter cable

Y-branch, 2x 2-pin ASS2 pin, 1x  
2-pin ASS2 socket


Item no. 6607433



### Rear distributor line

17-pin ASS3 connection, 2x  
2-pin ASS2 pin +24 V supply/  
lifting axle, 2-pin flat cable for  
SMRL


Item no. 6606443



### Front connection (feed line for tarpaulin vehicles with TIR, drop side with full tarpaulin)

15-pin socket ISO 12098, ADR Version, 17-pin ASS3 connection


Item no. 6606440



### Front connection (feed line for swap body trailer)

2 x 7-pin front connection, 17-pin ASS3 connection, 4500 mm


Item no. 6607020



### Feed line for tarpaulin vehicles with TIR, drop side with full tarpaulin

17-pin ASS3 connection, 16000 mm


Item no. 6609414



### Front connection (feed line for swap body trailer)

15-pin front connection, 17-pin ASS3 connection, 4500 mm


Item no. 6607019



### Adapter cable

Y-branch, 2x 17-pin ASS 3 pin,  
1x 17-pin ASS3 socket

Item no. 6607323



### Feed line and swap body trailer

17-pin ASS3 connection, 7500 mm

Item no. 6607018

ASS spare plug

HTS adapter / feed lines EasyConn



Repair plug  
7-pin ASS2, bushing yellow

Item no. 6503060



Repair plug  
7-pin ASS2, bushing green

Item no. 6503061



Repair plug  
2-pin ASS2 coupling, pin, black

Item no. 6503064



Repair plug  
2-pin ASS2 coupling, pin, black

Item no. 6503065



Front connection feed line

15-pin socket ISO 12098, 15-pin EasyConn, 600 mm  
Item no. 6602861



Front connection feed line

15-pin socket, 15-pin EasyConn, 4500 mm  
Item no. 6613113



Repair plug  
17-pin ASS3, pin, black

Item no. 6503055



Repair plug  
17-pin ASS3, bushing, black

Item no. 6503056



Repair plug  
7-pin ASS2, pin yellow

Item no. 6503058



Repair plug  
7-pin ASS2, pin green

Item no. 6503059



Front connection feed line

15-pin + 7N-7S socket set, 15-pin EasyConn, 4500 mm  
Item no. 6603056



Feed line

10-wire, 15-pin EasyConn 16500 mm  
Item no. 6602845



Repair plug  
3-pin ASS3, bushing, black

Item no. 6503062



Repair plug  
3-pin ASS3, pin, black

Item no. 6503063



Feed line

15-wire, 15-pin EasyConn 16500 mm  
Item no. 6602844



Feed line

10-wire, 15-pin EasyConn 7500 mm  
Item no. 6603057

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.



**Rear distributor line**  
15-pin EasyConn, 2 x 7-pin,  
2 x 2-pin angle plug, 3000 mm

Item no. 6604938



**Flat cable**  
Side marker light connec-  
tion, 2-wire, 2-pin EasyConn,  
6000 mm

Item no. 6603058



**Adapter cable**  
Connection to axle lift and  
steering axle, 1x 7-pin, 1x 2-pin,  
15-pin EasyConn

Item no. 6602866



**Adapter cable**  
Connection to axle lift, 1x 2-pin,  
15-pin EasyConn

Item no. 6602864



**Flat cable**  
Side marker light connec-  
tion, 2-wire, 2-pin EasyConn,  
15000 mm

Item no. 6602843



**Adapter cable**  
Connection for reversing/working  
floodlight, rotating beacon,  
2x 7-pin, 15-pin EasyConn

Item no. 6603020



**Connecting line**  
Connection to 7-pin socket,  
1x 7-pin open strand, 1x 7-pin  
EasyConn, 4000 mm

Item no. 6603092



**Connecting line**  
Connection to 3- and 4-pin sock-  
et, 1x 4-pin open strand, 1x 7-pin  
EasyConn, 4000 mm

Item no. 6603091



**Adapter cable**  
Interior light connection, 2-pin  
open strand, 15-pin EasyConn

Item no. 6603239



**Adapter cable**  
Connection to 3-, 4-, 7-pin sock-  
et, 1x 7-pin, 15-pin EasyConn

Item no. 6603021



**Connecting line**  
Connection to steering axle,  
1x 4-pin open strand, 1x 7-pin  
EasyConn, 4000 mm

Item no. 6602869



**Connecting line**  
Connection to working floodlight/  
rotating beacon, 1x 2-pin open  
strand, 1x 7-pin EasyConn,  
4000 mm

Item no. 6603093

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

HTS spare plug EasyConn



Connecting line

Connection to reversing floodlight, 1x 2-pin open strand, 1x 7-pin EasyConn, 4000 mm

Item no. 6603090



Connecting line

Connection to rotating beacon/parking light, 1x 2-pin open strand, 1x 7-pin EasyConn, 4000 mm

Item no. 6603094



Repair plug

2-pin EasyConn, socket housing, black

Item no. 6603186



Repair plug

2-pin EasyConn, pin housing, black

Item no. 6603185



Repair plug

7-pin EasyConn, socket housing, black

Item no. 6603177



Repair plug

7-pin EasyConn, angular socket housing, black

Item no. 6604960



Adapter

2x 15-pin bushing, 1x 15-pin plug EasyConn

Item no. 6603213



Connecting line

Connection to three-light cluster, round, double lighting, 2x 7-pin bushing, 1x 7-pin pin EasyConn, 500 mm

Item no. 6603085



Repair plug

7-pin EasyConn, pin housing, black

Item no. 6603173



Repair plug

15-pin EasyConn, pin housing, black

Item no. 6603180



Repair plug

15-pin EasyConn, socket housing, black

Item no. 6603181



Connecting line

Connection to rear fog light round, 1x 7-pin bushing, 1x 7-pin pin, 1x 2-pin EasyConn, 500 mm

Item no. 6603240



Connecting line

Connection to reversing light, round, 1x 7-pin bushing, 1x 7-pin pin, 1x 2-pin EasyConn, 500 mm

Item no. 6603241

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Combination distributor



Combination distributor

Licence plate holder and combination distributor 24 V Stage 1 Hella

Item no. 333421



Combination distributor

Licence plate holder and combination distributor 24 V Stage 4 Hella

Item no. 333422



Combination distributor

Licence plate holder and combination distributor 24 V Stage 3 Hella

Item no. 336639



Lamp mounting

Plastic version  
Universal for Aspöck and Hella lights. With mounted licence plate lights and licence plate holder

Item no. 6609689

HTS spare plug KV



Repair plug

15-pin for combination distributor, 9-wire

Item no. 333488



Repair plug

15-pin for combination distributor, 15-wire

Item no. 333483



Repair plug

6-pin for combination distributor

Item no. 333476



Repair plug

2-pin for combination distributor

Item no. 333481



Lamp mounting Aluminium silver

Item no. 90015580



Lamp mounting Aluminium black

Item no. 90014713



Lamp mounting Aluminium white

Item no. 90014714

Lamp mounting Aluminium Colour customer preference

Item no. 90013679



Lock set

For 2-pin connecting bushing on combination distributor

Item no. 334515



Lock set

For 6-pin connecting bushing on combination distributor

Item no. 334512



Lamp mounting STEEL, silver

Item no. 6159299



Lamp mounting STEEL, black

Item no. 6159144



Lamp mounting STEEL, white

Item no. 6159137
























Red lamp mounting STEEL

Item no. 6607688

\* In collaboration with Aspöck and Hella, Kögel offers you suitable lighting for your trailer (prices and lead times on request)









# ATTACHED PARTS

Rear portal door locks








								
<b>Underride guard high</b> incl. console / hight 280mm incl. edge protection KTL coated black <b>Item no. 6352722</b>	<b>Edge protector left</b> suitable for underride guard, high  <b>Item no. 6605393</b>	<b>Edge protector right</b> suitable for underride guard, high  <b>Item no. 6605394</b>	<b>Underride guard high</b> incl. console / hight 470mm incl. edge protection KTL coated black <b>Item no. 6352724</b>		<b>Locking hook pocket</b>  <b>Item no. 801010</b>	<b>Locking hook</b>  <b>Item no. 6606737</b>	<b>Latching lock</b>  <b>Item no. 6606736</b>	<b>Locking handle</b>  <b>Item no. 6606735</b>
								
<b>Underride guard, low</b> incl. console / hight 250mm incl. edge protection KTL coated black <b>Item no. 6352723</b>	<b>Edge protector left</b> suitable for underride guard, low  <b>Item no. 6605395</b>	<b>Edge protector right</b> suitable for underride guard, low  <b>Item no. 6605396</b>			<b>Back stop</b>  <b>Item no. 6602169</b>	<b>Lock striker</b>  <b>Item no. 6602170</b>	<b>Brace</b> 6602172 U-Schutzbügel <b>Item no. 6351244</b>	<b>Lever</b>  <b>Item no. 6602171</b>
								
<b>Underride guard high</b> Steel version with plastic rim for combination distributor, white  <b>Item no. 69165</b>	<b>Plastic rim left</b>  <b>Item no. 69161</b>	<b>Plastic rim, right</b>  <b>Item no. 69162</b>	<b>Underride guard high</b> Steel version with plastic rim, silver colour  <b>Item no. 6605263</b>		<b>Locking hook pocket</b>  <b>Item no. 6607926</b>	<b>Locking hook</b>  <b>Item no. 6607925</b>	<b>Handle pocket</b>  <b>Item no. 6607927</b>	<b>Locking handle</b> Feder 6613204 <b>Item no. 6613273</b>

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

								
Back stop	Lock striker	Brace	Lever		Hinge	Plastic sleeve	Knurled nut	Knurled screw
Item no. 6609740	Item no. 6609739	Item no. 6355758	Item no. 6609738		for use on left and right (Kögel mono-joint portal door)	For hinge repair kit 6414424, 6419280	Use for customs-approved threaded connection of the hinge repair kit, 2 units per hinge are required.	Use for customs-approved threaded con- nection of the hinge repair kit, 2 units per hinge are required.
					Item no. 6419280	Item no. 6408896	Item no. 6504248	Item no. 6504247

Rear portal door hinges

							
Hinge repair kit	Plastic sleeve	Hinge repair kit	Hinge repair kit		Sealing ring bolt	Sealing ring	Protective cap
for left-hand and right-hand use (Wihag)	For hinge repair kit 800556	for use on left and right (Wihag SW II)	for left-hand and right-hand use (portal door with 3 alloy profiles)		For hinge 6419280	For hinge 6419280	For hinge 6419280
Item no. 800556	Item no. 801359	Item no. 6609275	Item no. 6501388		Item no. 6504068	Item no. 73918	Item no. 6424925











Hinge repair kit

for left-hand and right-hand use  
(portal door with 4 alloy profiles)







Item no. 6414424

								
<b>Loading bars</b>	<b>Loading bars</b>	<b>Head piece for loading bars</b>	<b>Loading bars</b>		<b>Anti-slip mat</b>	<b>Belt lift system</b>	<b>Edge protector</b>	<b>Anti-abrasion sleeve, red</b>
LC 1000 daN, BC 900 daN, 2440-2670 mm	For max. 1350 kg - LC 1350 daN, BC 1125 daN, 2400-2670 mm	Suitable for 300707, 348684	LC 1000 daN, BC 800 daN, 2420-2550 mm		Dimensions 5000 x 250 x 8 mm	System 501; Belt lift units: 12 pieces only to be used with tension straps; width: 50 m	Dimensions 185 x 145 x 150 mm specially for paper rolls	0.5 m; for lashing straps 50 mm
<b>Item no. 300707</b>	<b>Item no. 348684</b>	<b>Item no. 6352024</b>	<b>Item no. 6501846</b>		<b>Item no. 6607678</b>	<b>Item no. 6357273</b>	<b>Item no. 6612155</b>	<b>Item no. 6613067</b>

Lashing straps

								
<b>Support beam</b>	<b>Head piece for support beam</b>	<b>Loading bars</b>	<b>Support beam</b>		<b>Lashing strap with short lever</b>	<b>Lashing strap with short lever</b>	<b>Lashing strap with long lever</b>	<b>Lashing strap with long lever</b>
For max. 1000 kg - LC 1000 daN, BC 900 daN, 2410-2690 mm	Suitable for 6350971	BC 2800 daN, 2427-2707 mm	For max. 1000 kg - LC 1000 daN, BC 900 daN, 2420-2500 mm		10 m with long lever, LC 2000 daN, STF 320 daN	8 m with long lever, LC 2000 daN, STF 320 daN	10 m with long lever, LC 2500 daN, STF 600 daN	8 m with long lever, LC 2500 daN, STF 600 daN
<b>Item no. 6350971</b>	<b>Item no. 6502456</b>	<b>Item no. 6351355</b>	<b>Item no. 243582</b>		<b>Item no. 6613074</b>	<b>Item no. 6613073</b>	<b>Item no. 6613060</b>	<b>Item no. 6613058</b>

Double level beams / load-securing beams

								
<b>Remote control for support beam</b>	<b>Remote control for support beam</b>				<b>Load-securing beams</b>	<b>Tie beam</b>	<b>Locking beam</b>	<b>Locking beam</b>
Suitable for 6350971	Suitable for 6350971				No BC, 2400 - 2700 mm, for 18-35 mm drop side	BC 1000 daN, 2460-2520 mm, for 18-35 mm drop sides	Toothed rod version 2350 mm - 2700 mm rubber foot	Toothed belt webbing version 2500 mm - 3100 mm rubber foot
<b>Item no. 569306</b>	<b>Item no. 6142469</b>				<b>Item no. 328530</b>	<b>Item no. 6607929</b>	<b>Item no. 304303</b>	<b>Item no. 6609089</b>

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Load-securing slats



Load-securing slat

Steel, length: 3075 mm, suitable for loading bars 348684

Item no. 6603010

Load-securing slat

Steel, length: 3120 mm, suitable for loading bars 348684

Item no. 6121592

Load-securing slat

Steel, length: 3200 mm, suitable for loading bars 348684

Item no. 6603009

Load-securing slat

Steel, length: 3489 mm, suitable for loading bars 348684

Item no. 6603012

Sample illustration



Wooden side slats planed

Dimensions 25 x 96 x 3185mm  
DIN 4073

Item no. 6612442

Wooden side slats planed

Dimensions 25 x 96 x 3395mm

Item no. 90007622

Wooden side slats planed

Dimensions 25 x 100 x 3197 mm  
DIN 4073

Item no. 6419595

Wooden side slats planed

Dimensions 25 x 96 x 3245 mm  
DIN 4073

Item no. 6609364

Wooden side slats planed

Dimensions 25 x 96 x 3555mm  
DIN 4073

Item no. 6609363



Slat support, left

for 16 lattices aluminium/wood, steel load-securing slat

Item no. 6107864

Slat support, right

for 16 lattices aluminium/wood, steel load-securing slat

Item no. 6107865

Mounting kit Mega S24

for slat support


Item no. 566316

Mounting kit

for slat support in P 90/1.110

Item no. 566315

Sample illustration



Aluminium 'V' slats

115 x 25 x 3185 mm

Item no. 6612440

Aluminium 'V' slats

115 x 25 x 3395 mm

Item no. 90009238

Aluminium 'V' slats

115 x 25 x 3075 mm

Item no. 6602159

Aluminium 'V' slats

115 x 25 x 3120 mm

Item no. 6606662

Aluminium 'V' slats

115 x 25 x 3200 mm

Item no. 6602160



Novum Slat support, left

for 16 lattices

Item no. 6156860

Novum Slat support, right

for 16 lattices

Item no. 6156861

Spare plug

to secure the slats

Item no. 6107862

Aluminium 'V' slats

115 x 25 x 3489 mm

Item no. 6602387

Aluminium 'V' slats

140 x 25 x 3200 mm

Item no. 344632

Aluminium 'V' slats

140 x 25 x 3555 mm

Item no. 339498

Aluminium 'V' slats

140 x 25 x 7200 mm

Item no. 339499

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Plywood panels



Plywood panel

Dimensions 9 x 1500 x 2390 mm

Item no. 339781

Plywood panel

Dimensions 12 x 1500 x 2500 mm

Item no. 339785

Plywood panel

Dimensions 21 x 1500 x 2500 mm

Item no. 339805

Steel combination anchor rails



- The pallet limiting strip can also be installed after loading
- Protects tarpaulin from damage by the plate-type bases of the pallet cages
- Bottom rail locked to the external frame for form-locked load-securing of pallets
- Top rail fixed to the bottom rail with a bolt and provides form-locked load securing, e.g. for crates

Plywood panel

Dimensions 27 x 1500 x 2500 mm

Item no. 346352

Plywood panel

Dimensions 30 x 1250 x 2500 mm

Item no. 339832

Plywood panel

Dimensions 30 x 1500 x 3330 mm

Item no. 6603627



Load securing slat as pallet limit stop with bolts and anchoring element for a second load-securing slat; steel, length: 3200 mm

Item no. 6118902

Load securing slat as pallet limit stop with bolts and anchoring element for a second load-securing slat; steel, length: 3075 mm

Item no. 6118903

Load securing slat as pallet limit stop with bolts and anchoring element for a second load-securing slat; steel, length: 2745 mm

Item no. 6118904

Sealing compound brown

in a tubular bag 600ml

Item no. 6504473



Load-securing slat as pallet limit stop with bolts; steel, length: 3489 mm, ENCO

Item no. 6112537

Load-securing slat as pallet limit stop with bolts; steel, length: 3200 mm

Item no. 6111092

Load-securing slat as pallet limit stop with bolts; steel, length: 3075 mm

Item no. 6111093

Load-securing slat as pallet limit stop with bolts; steel, length: 2745 mm

Item no. 6110813

Fastening-parts set for load-securing slat; 3 units are needed per load-securing slat

Item no. 6111000

Screw-type pallet limiting strip



Load securing slat as pallet limit stop with bolts and anchoring element for a second load-securing slat; steel, length: 3120 mm, for lifting roof S24, Daimler 9.5

Item no. 6120403

Load securing slat as pallet limit stop with bolts and anchoring element for a second load-securing slat; steel, length: 3200mm, for lifting roof S24, Daimler 9.5

Item no. 6120402



Hex-head screw  
11 units /3070 mm,  
10 units /2980 mm  
per pallet limiting strip with screw connection

Item no. 346491

Pallet limiting strip, mounted with screw connection  
20 mm pallet limiting edge; steel, length: 3070 mm  
Height: 77 mm, Width: 8 mm

Item no. 6119224

Hex nuts  
11 units /3070 mm,  
10 units /2980 mm  
per pallet limiting strip with screw connection

Item no. 346506

Pallet limiting strip, mounted with screw connection  
20mm pallet limiting edge; steel, length: 2980mm  
Height: 77mm, Width: 8 mm

Item no. 6119242

Washers  
11 units /3070 mm,  
10 units /2980 mm  
per pallet limiting strip with screw connection

Item no. 346508



Mounting bracket for riveting

for load-securing slat with bolts; 3 units are needed per load-securing slat

Item no. 6120398



Mounting bracket for riveting

for load-securing slat with bolts, for lifting roof 1.+ 4. field, 3 units are needed per load-securing slat


Item no. 6120399



Rivet

2 units are needed per fastening bracket


Item no. 349640



Novum pallet litimg strip

screw connection steel, length: 3060 mm

Item no. 6153172



Novum pallet litimg strip, left

with hook profile steel  
length: 3002 mm

Item no. 6128266

Novum pallet litimg strip, right

with hook profile steel  
length: 3002 mm

Item no. 6128267

Hook-in profiles



Hook-in profile for side tarpaulin  
Steel, length: 2980 mm  
Item no. 6119223



Hook-in profile for side tarpaulin  
Steel, length: 1487 mm  
Item no. 6136583



Hook-in profile for side tarpaulin  
Steel, length: 1140 mm  
Item no. 6136584



Hook-in profile for side tarpaulin  
Steel, length: 1906 mm  
Item no. 6136585

Roller blades for centre stake



Roller blade  
with steel rollers  
Item no. 6607528



Roller blade  
with plastic rollers  
Item no. 6609038



Roller blade  
with steel rollers, long blade  
Item no. 6131393



Roller blade  
with steel rollers, spring suspension  
Item no. 6355564



Hook-in profile for side tarpaulin  
Steel, length: 721 mm  
Item no. 6136586



Hook-in profile for side tarpaulin  
Steel, length: 632 mm  
Item no. 6128121



Roller blade  
with steel rollers  
Item no. 6356363



Roller for centre stake  
With plastik roller  
Item no. 334802







Roller for centre stake  
With steel roller  
Item no. 802411



This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.









This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.





Slat pockets / storage

			
<b>Slat storage console</b> Height 600 mm, right, welded, for centre stake	<b>Slat pocket</b> Height 100 mm, left, welded, for centre stake	<b>Slat pocket</b> Height 100 mm, right, welded, for centre stake	<b>Slat storage console</b> Height 600 mm, left, welded, for centre stake
<b>Item no. 801555</b>	<b>Item no. 801556</b>	<b>Item no. 801557</b>	<b>Item no. 801554</b>

Liftmaster 770 Hesterberg lift system

			
<b>Liftmaster 770 complete</b> incl. 6500607, 6355478, 6500613, 6502278	<b>Guiding duct</b> for Liftmaster 770 6351356	<b>Liftmaster 770 complete</b> Stroke 400 mm incl. 6500607, 6355478, 6352210, 6502278. The hand lever must be adapted/shortened according to the installation conditions.	<b>Liftmaster 770 complete</b> Stroke 500 mm incl. 6500607, 6352208, 6352210, 6502278. The hand lever must be adapted/shortened according to the installation conditions.
<b>Item no. 6351356</b>	<b>Item no. 6500613</b>	<b>Item no. 6611681</b>	<b>Item no. 6611680</b>

							
<b>Slat pocket</b> Height 100 mm, for centre stake	<b>Slat pocket</b> Height 100 mm, riveted, for centre stake	<b>Slat storage console</b> Height 600 mm, riveted, for centre stake	<b>Slat storage console</b> Height 600 mm, riveted, for corner post	<b>Guiding duct</b> for Liftmaster 770 6611680, 6611681	<b>Elevating mechanism</b> for Liftmaster 770, stroke 400 mm	<b>Elevating mechanism</b> for Liftmaster 770, stroke 500 mm	<b>Hand lever</b> for Liftmaster 770 6611680, 6611681, 6351356
<b>Item no. 6609023</b>	<b>Item no. 6606030</b>	<b>Item no. 6502457</b>	<b>Item no. 345731</b>	<b>Item no. 6352210</b>	<b>Item no. 6355478</b>	<b>Item no. 6352208</b>	<b>Item no. 6500607</b>







			
<b>Slat storage console</b> Height 600 mm, riveted, for corner post	<b>Rivet</b>	<b>Support profile for lattice, variable</b>	<b>Slat pocket</b> Height 100 mm, adjustable, for centre stake
<b>Item no. 669030</b>	<b>Item no. 338977</b>	<b>Item no. 6424600</b>	<b>Item no. 6161457</b>




This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Hydraman Versus lift system

								
<b>Stroke cylinder</b> for Hydraman 6356292, 6356624, 6356625 lift system, stroke 500 mm <b>Item no. 6356290</b>	<b>Lifting links</b> Length 1240 mm <b>Item no. 6611240</b>	<b>Lifting links</b> Length 1230 mm <b>Item no. 6611241</b>	<b>Lifting links</b> Length 1200 mm <b>Item no. 6610635</b>		<b>Spiral pin</b>  4 x 20 <b>Item no. 73401</b>	<b>Stroke cylinder</b>  for Hydraman 6356285, 6356377 lift system, lift 600 mm <b>Item no. 6356282</b>	<b>Guide pipe boundary</b>  <b>Item no. 6610597</b>	<b>Lifting links</b>  Length 1250 mm <b>Item no. 6610605</b>





							
<b>Connection lifting links</b>  <b>Item no. 6610632</b>	<b>Guide pipe, top, long</b>  <b>Item no. 6610631</b>	<b>Mounting clamp</b>  <b>Item no. 6610600</b>	<b>Boundary</b>  <b>Item no. 6610599</b>		<b>Lifting links</b> Length 1100 mm <b>Item no. 6610961</b>	<b>Guide pipe, top</b>  <b>Item no. 6610596</b>	

		
<b>Connection swivel bearing</b>  <b>Item no. 6610595</b>	<b>Bolt for swivel bearing</b>  <b>Item no. 6610584</b>	<b>Hex nut</b>  M 8, self-locking <b>Item no. 346505</b>





This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.





This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.





Tarpaulin-stretching ratchets





			
<b>Stretching ratchet, rear</b> Left-hand version square mount 14 mm	<b>Stretching ratchet, rear</b> Right-hand version square mount 14 mm	<b>Stretching ratchet, rear</b> Left-hand version, slot mount, curved handle	<b>Stretching ratchet, rear</b> Right-hand version, slot mount, curved handle
<b>Item no. 347385</b>	<b>Item no. 347386</b>	<b>Item no. 353644</b>	<b>Item no. 353645</b>





Tarpaulin-stretching gears / quick-stretch devices

			
<b>Tension ratchet, front</b> Left-hand version	<b>Tension ratchet, front</b> Right-hand version	<b>Quick-stretching device, front</b> Left-hand version SA2C	<b>Quick-stretching device, front</b> Right-hand version SA2C
<b>Item no. 6357883</b>	<b>Item no. 6357884</b>	<b>Item no. 575977</b>	<b>Item no. 575978</b>

			
<b>Stretching ratchet, rear</b> Left-hand version slot mount	<b>Stretching ratchet, rear</b> Right-hand version slot mount	<b>Stretching ratchet, rear</b> Left-hand version slot mount, straight handle	<b>Stretching ratchet, rear</b> Right-hand version slot mount, straight handle
<b>Item no. 6358276</b>	<b>Item no. 6358277</b>	<b>Item no. 6351148</b>	<b>Item no. 6351149</b>

			
<b>Left-hand quick-stretching device, front</b> - Novum version - holder left, Item no. 6153043	<b>Right-hand quick-stretching device, front</b> - Novum version - holder right, Item no. 6153044	<b>Quick-stretching device, front</b> Left-hand version SA3C for short- ened corner post	<b>Quick-stretching device, front</b> Right-hand version SA3C for shortened corner post
<b>Item no. 6153049</b>	<b>Item no. 6153050</b>	<b>Item no. 6110375</b>	<b>Item no. 6110376</b>

























			
<b>Stretching ratchet, rear</b> Left-hand version slot mount	<b>Stretching ratchet, rear</b> Right-hand version slot mount	<b>Tension ratchet</b> Left-hand version square mount 12 mm	<b>Tension ratchet</b> Right-hand version square mount 12 mm
<b>Item no. 6604174</b>	<b>Item no. 6604175</b>	<b>Item no. 6607880</b>	<b>Item no. 6607881</b>

			
<b>Quick-stretching device, front</b> Left-hand version SA8C	<b>Quick-stretching device, front</b> Right-hand version SA8C	<b>Back stop</b> for ID 6110376, 6110375, 6128803, 6128804	<b>Tarpaulin-stretching gear</b> Usable at the left and right side system SA2C, square mount 14 mm
<b>Item no. 6128803</b>	<b>Item no. 6128804</b>	<b>Item no. 6111014</b>	<b>Item no. 344683</b>

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Tarpaulin accessories

								
Handle, complete	Handle, complete	Aluminium expansion shaft with bar	Aluminium expansion shaft, complete		Stability tensioner	Stability tensioner	Stability tensioner	Stability tensioner
	Operation on shaft	Version SA3C length 3370 mm, can be shortened	Aluminium expansion shaft 6000071, adapter 6611433 ready mounted		with belt webbing, flat hook	with brake, stainless steel, certified	Stainless steel, certified	with belt webbing, flat hook M52, stainless steel, certified
Item no. 6613086	Item no. 6149077	Item no. 6000071	Item no. 6131287		Item no. 6607758	Item no. 6606677	Item no. 6501278	Item no. 6500059
								
Adapter, bottom	Aluminium expansion shaft	Aluminium expansion shaft, complete	Adapter, top		Over-centre tensioner	Over-centre tensioner	Direct tensioner	Webbing strap Polyester
For expansion shafts SA3C with bar for ID 6000071, 6500884, 6500885, 347885, 347884	Version SA2C length 3011 mm	Aluminium expansion shaft 440068, adapter 360267 ready mounted	For expansion shafts SA2C for ID 440068		Stainless steel	with brake, stainless steel, certified	Stainless steel, certified	with flat hook M52, stainless steel length 650 mm
Item no. 6611433	Item no. 440068	Item no. 582951	Item no. 438180		Item no. 189993	Item no. 6608156	Item no. 6503197	Item no. 6000292
								length 1000 mm
								Item no. 6612156
								
Grab handle for side tarpaulin	Grab handle for side tarpaulin	Mounting kit Tarpaulin stop	Counter-support plate for spanner		Over Center tensioner Nirosta	Over Center tenstioner Nirosta	Repair kit, roller for side tarpaulin	Rivet
	With assembly kit							2 rivets are required per repair kit
Item no. 6613411	Item no. 6503180	Item no. 6110077	Item no. 6604570		Item no. 6356854	Item no. 6356855	Item no. 6353160	Item no. 341239

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Contour markings



**Kögel contour marker, white**

Used in tarpaulin vehicles, UN ECE 104, lateral marking

Item no. 6750742



**Kögel contour marker, red**

Used in tarpaulin vehicles, UN ECE 104, lateral marking

Item no. 6750743



**Kögel contour marker, yellow**

Used in tarpaulin vehicles, UN ECE 104, lateral marking, rear marking

Item no. 6750744



**Kögel contour marker, white**

Used in tarpaulin vehicles, UN ECE 104, lateral marking

Item no. 6750745



**Reflexite Contour marker, white**

Used in tarpaulin vehicles, UN ECE 104, lateral marking

Item no. 6750244



**Reflexite Contour marking, red**

Used in tarpaulin vehicles, UN ECE 104, lateral marking

Item no. 6750245



**Reflexite Contour marking, yellow**

Used in tarpaulin vehicles, UN ECE 104, lateral marking, rear marking

Item no. 6750246



**Kögel contour marker, red**

Used with fixed superstructures, UN ECE 104, lateral marking

Item no. 6750746



**Kögel contour marker, yellow**

Used with fixed superstructures, UN ECE 104, lateral marking, rear marking

Item no. 6750747



**3M contour marker, white**

Used in tarpaulin vehicles, UN ECE 104, lateral marking

Item no. 6609792



**3M contour marker, red**

Used in tarpaulin vehicles, UN ECE 104, lateral marking

Item no. 6609794



**Reflexite Contour marker, white**

Used in tarpaulin vehicles, UN ECE 104, lateral marking

Item no. 6750247



**Reflexite Contour marking, red**

Used with fixed superstructures, UN ECE 104, lateral marking

Item no. 6750248



**Reflexite Contour marking, yellow**

Used with fixed superstructures, UN ECE 104, lateral marking, rear marking

Item no. 6750249



**3M contour marker, yellow**

Used in tarpaulin vehicles, UN ECE 104, lateral marking, rear marking

Item no. 6609793



**3M contour marker, white**

Used in tarpaulin vehicles, UN ECE 104, lateral marking

Item no. 6609789



**3M contour marker, red**

Used with fixed superstructures, UN ECE 104, lateral marking

Item no. 6609791



**3M contour marker, yellow**

Used with fixed superstructures, UN ECE 104, lateral marking, rear marking

Item no. 6609790

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Tarpaulin patch

Immediately ready for service again thanks to tarpaulin patches

The tarpaulin patch is a low-priced solution for the easy, quick and effective repair of tears and damaged areas in tarpaulins.

This guarantees short downtimes and prevents the costly transport vehicle unavailability. Stored in a carry-on bag, it enables the driver to carry out an immediate repair within just a few minutes.



Cleaning cloth for tarpaulins

Sachet, impregnated with cleaning agent for tarpaulins, grease-free and silicone-free, dimensions 200 x 235 mm

Item no. 6612248



Cleaning agent for tarpaulins

Plastic bottle, contents 100 ml, grease-free and silicone-free

Item no. 6612247




Tarpaulin patch Pure White RAL 9010

0.20 x 0.30 metres

Item no. 6612091

1.00 x 1.00 metres

Item no. 6612090



Tarpaulin patch Pale Grey RAL 7035

0.20 x 0.30 metres

Item no. 6612132

1.00 x 1.00 metres

Item no. 6612131



Tarpaulin patch Silver RAL 9006

0.20 x 0.30 metres

Item no. 6612134

1.00 x 1.00 metres

Item no. 6612133



Tarpaulin patch Signal Yellow RAL 1003

0.20 x 0.30 metres

Item no. 6612136

1.00 x 1.00 metres

Item no. 6612135



Tarpaulin patch Gentian Blue RAL 5010

0.20 x 0.30 metres

Item no. 6612138

1.00 x 1.00 metres

Item no. 6612137



Tarpaulin patch Marine Blue RAL 5002

0.20 x 0.30 metres

Item no. 6612140

1.00 x 1.00 metres

Item no. 6612139



Tarpaulin patch Opal Green RAL 6026

0.20 x 0.30 metres

Item no. 6612142

1.00 x 1.00 metres

Item no. 6612141




Tarpaulin patch Carmine Red RAL 3002

0.20 x 0.30 metres

Item no. 6612144

1.00 x 1.00 metres

Item no. 6612143



Tarpaulin patch Jet Black RAL 9005

0.20 x 0.30 metres

Item no. 6612146

1.00 x 1.00 metres

Item no. 6612145

Side tarpaulins or full tarpaulins in OEM quality of our own manufacture!

Your tarpaulin is the perfect billboard!

Have you bought a used trailer or swap body or do you have a damaged tarpaulin?

We offer tarpaulins with or without printing in OEM quality and equipment at attractive prices. Whether old or new or as a certified variant according to EN 1242 XL.

We also offer a full range of printing - high-quality digital printing, screen printing or individual motif. Your optimum public image is our goal.



Partial digital printing

Cargosteel anti-vandalism and theft protection

The "Cargosteel" anti-vandal solution is the right choice to protect your cargo

- inexpensively
- effectively
- to your requirements

against undesired access, theft and vandalism.


- Steel wire welded on (D= 1.5mm)
- Standard grid dimensions = 15 x 15 cm
- Standard height = 180 cm (from bottom of tarpaulin)
- Easy handling of the tarpaulins
- Low loss of space when loading the truck and with the tarpaulin opened
- Low weight (12 kg per tarpaulin side at a length of 13.60 m)
- Deterrent effect since it is visible from the outside



Conventional screen printing



Full digital printing



















This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Canopy add-on parts









				Versus Canopy			
							
<b>Bonnet</b> Plastic version Item no. 6120629				<b>Hinge</b> Plastic version, colour red, length 650 mm Item no. 90000525	<b>Hinge</b> Plastic version, colour red, length 400 mm Item no. 6609972	<b>Hinge</b> Plastic version, colour red, length 570 mm Item no. 6607526	<b>Roller</b> Plastic version, colour red, diameter 24 mm or 26 mm, internal thread M6, screw connection Item no. 6352604 / 24 mm Item no. 6352658 / 26 mm
							
<b>Bonnet Novum</b> Plastic version Item no. 90002435							

				Autocar Magnum canopy			
							
<b>Rain channel</b> Steel versions, painted in white Item no. 585102	<b>Rain channel</b> Steel version, with cathodic dip-paint coating, black Item no. 575748	<b>Rain channel</b> Aluminium version Item no. 6426475	<b>Rain channel</b> Steel versions, painted in white Item no. 6356551	<b>Roller</b> Steel version, diameter 24 mm or 26 mm, internal thread M6, screw connection Item no. 6352614 / 24 mm Item no. 6352653 / 26 mm	<b>Hex head screw</b> M 6 x 16, for roller 6352614, 6352615 Item no. 6352615	<b>Gas strut</b> 700 N Item no. 187708	<b>Hinge</b> Steel/plastic version, colour silver/black, length 650 mm Item no. 6351493









							
<b>Rivet Hochfest</b> 6,5 x 14 St-St Item no. 6604991	<b>Rivet Hochfest</b> 6,5 x 17 St-St Item no. 338977	<b>Rivet Hochfest</b> 6,5 x 19 St-St Item no. 6504472	<b>Rivet Hochfest</b> 6,5 x 21 St-St Item no. 341239	<b>Hinge</b> Steel/plastic version, colour silver/black, length 640 mm Item no. 801600	<b>Hinge</b> Steel/plastic version, colour silver/black, length 460 mm Item no. 801601	<b>Roller</b> Steel version, shaft length 11.5 mm, collar 2 mm Ø 9.8 mm, diameter 24 mm, internal thread M 6, screw connection Item no. 801583	<b>Roller</b> Steel version, shaft length 7 mm, collar 2 mm Ø 7 mm, diameter 24 mm, rivet connection Item no. 801584

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Toolboxes								
								
<b>Roller</b> Steel version, shaft length 13.5 mm, no collar, diameter 24 mm, internal thread M 6, screw connection <b>Item no. 6502539</b>	<b>Hex head screw</b> M 6 x 16, for roller 801583, 6502539, 6502540 <b>Item no. 6502677</b>	<b>Rivet</b> for roller 801584 <b>Item no. 6502676</b>	<b>Gas strut</b> 800 N <b>Item no. 6503009</b>		<b>Toolbox</b> W: 600 H: 415 D: 390 <b>Item no. 6503784</b>	<b>Floor mat</b> for 6503784 <b>Item no. 6503785</b>	<b>Toolbox</b> W:600 H:415/195 D:600/390 <b>Item no. 6500470</b>	<b>Floor mat</b> for 6500470 <b>Item no. 6501858</b>

Edscha Lite Canopy






								
<b>Gas strut</b> 500 N <b>Item no. 801588</b>	<b>Hinge</b> Plastic version, colour green, length 650 mm <b>Item no. 346830</b>	<b>Hinge</b> Plastic version, colour green, length 570 mm <b>Item no. 346831</b>	<b>Hinge</b> Plastic version, colour green, length 380 mm <b>Item no. 346832</b>		<b>Reinforcement for toolbox</b> <b>Item no. 6152387</b>	<b>Clasp</b>  For item no. 6500470, 6503784 <b>Item no. 6501745</b>	<b>Mounting kit</b>  For item no. 6500470, 6503784 <b>Item no. 6128740</b>	<b>Toolbox cover</b>  For item no. 335969, 335970, 335971, 6503784, 6500470 <b>Item no. 6000277</b>









							
<b>Retaining plate</b> Plastic version, colour black <b>Item no. 6604481</b>	<b>Roller</b> Steel version, diameter 24 mm, internal thread M 6, screw connection, with screw <b>Item no. 6500389</b>	<b>Roller</b> Steel version, diameter 24 mm, threaded bolt M8, screw connection, with nut <b>Item no. 332129</b>	<b>Gas strut</b> 700 N <b>Item no. 187708</b>		<b>Tool box lid (2 hinges)</b> <b>Item no. 338235</b>	<b>Tool boxes offset with short holding brackets</b> W:600 H:415/195 D:600/390 <b>Item no. 335971</b>	<b>Tool boxes with short holding brackets</b> W: 600 H: 420 D: 580 <b>Item no. 335969</b>

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.









Door fastener								
								
<b>Toolbox</b> L:600 H:400 D:470  <b>Item no. 90014788</b>	<b>Mounting kit</b> Suitable for 90014788  <b>Item no. 6142459</b>		<b>Toolbox</b> L: 1030 H: 4500 D: 480  <b>Item no. 6611882</b> / tool box <b>Item no. 6128740</b> / mounting kit <b>Item no. 6153295</b> / Reinforcement <b>Item no. 6613412</b> / Lid		<b>Door fastener</b> with grease filling length 390 mm x stroke 185 mm  <b>Item no. 75345</b>	<b>Door fastener</b> with grease filling and mounting plates length 400 mm x stroke 215 mm  <b>Item no. 134084</b>	<b>Door fastener</b> With open spring and bracket length 232 mm  <b>Item no. 346256</b>	<b>Door fastener</b> with grease filling and mounting plate (height 16 mm), length 440 mm, bracket 258 mm, stroke 215 mm  <b>Item no. 349739</b>





								
<b>Water container</b>   <b>Item no. 6503523</b>					<b>Door fastener</b> with grease filling and mounting plate (height 55 mm), length 440 mm, bracket 258 mm, stroke 215 mm  <b>Item no. 6356080</b>	<b>Door fastener</b> with grease filling and mounting plates length 415 mm  <b>Item no. 6300320</b>	<b>Door fastener</b> with mounting plates length 440 mm x stroke 230 mm  <b>Item no. 346977</b>	<b>Rubber plug</b> for door fasteners 75345, 346256, 349739, 6356080, 6300320  <b>Item no. 6500765</b>

								
<b>Document box</b> Plastic version, length 360 mm x width 270 mm x height 76 mm  <b>Item no. 338452</b>	<b>Document box</b> Plastic version, length 366 mm x width 230.5 mm x height 69.8 mm  <b>Item no. 6602892</b>	<b>Document tube</b> Plastic version, length 250 mm Ø 63 mm  <b>Item no. 302399</b>	<b>Document tube</b> Plastic version, length 350 mm Ø 110 mm  <b>Item no. 338623</b>		<b>Hook part</b> T-hook  <b>Item no. 78157</b>	<b>Hook part</b> curved  <b>Item no. 303411</b>	<b>Holder</b> length 65 mm, width 40 mm, for hook parts 78157, 303411  <b>Item no. 79720</b>	<b>Protective frame</b> length 65 mm, width 65 mm, for hook parts 78157, 303411  <b>Item no. 78158</b>

Protective bumper

								
<b>Protective bumper</b> Steel version, galvanised, length 160 mm x width 105 mm x height 85 mm - hole distance 60 mm	<b>Protective bumper</b> Steel version, galvanised, as ID 6356020, but reinforced on the left and right side, length 160 mm x width 105 mm x height 85 mm - hole distance 60 mm	<b>Protective bumper</b> Solid rubber version, length 160 mm x width 105 mm x height 85 mm - hole distance 60 mm	<b>Bump protection</b> For mounting the chain of the truck-mounted forklift, steel version, galvanised, length 154 mm x width 120 mm x height 98 mm - hole distance 60 mm		<b>Protective bumper</b> Solid rubber version, length 150 mm x width 85 mm x height 65 mm - hole distance 75 mm	<b>Protective bumper</b> Length 160 mm x width 90 mm x height 80 mm - hole distance 85 mm	<b>Protective bumper</b> Solid rubber version with Kögel logo, length 200 mm x width 105 mm x height 65 mm - hole distance 120 mm	<b>Protective bumper</b> Solid rubber version with Kögel logo, length 213 mm x width 70 mm x height 80 mm - hole distance 140 mm
<b>Item no. 6356020</b>	<b>Item no. 6133398</b>	<b>Item no. 6610646</b>	<b>Item no. 6115178</b> / Protection device <b>Item no. 6136986</b> / Bolts		<b>Item no. 417006</b>	<b>Item no. 302868</b>	<b>Item no. 424267</b>	<b>Item no. 6611087</b>

								
<b>Protective bumper</b> Steel version, galvanised, length 200 mm x width 125 mm x height 85 mm - recess for reversing sensor, hole distance 120/52	<b>Protective bumper</b> Spring-loaded version, length 200 mm x width 100 mm x height 120 mm - hole distance 174/74	<b>Protective bumper</b> Steel version, galvanised, length 100 mm x width 75 mm x height 50 mm - hole distance 56 mm	<b>Protective bumper</b> Steel version, galvanised, length 90 mm x width 75 mm x height 50 mm - hole distance 48 mm		<b>Protective bumper</b> Solid rubber version, length 250 mm x width 80 mm x height 100 mm - hole distance 150 mm	<b>Protective bumper</b> Solid rubber version, length 200 x width 150 x height 80 mm - hole distance 115/75	<b>Protective bumper</b> Solid rubber version, length 202 mm x width 152 mm x height 120 mm, hole distance 115/75	<b>Protective bumper</b> Rubber version with steel surface, length 200 mm x width 150 mm x height 80 mm - hole distance 115/75
<b>Item no. 6107402</b>	<b>Item no. 6300371</b>	<b>Item no. 6107346</b>	<b>Item no. 6145146</b>		<b>Item no. 309853</b>	<b>Item no. 175129</b>	<b>Item no. 6602467</b>	<b>Item no. 575963</b>

								
<b>Protective roller bumper</b> Protective bumper with two rubber rollers, length 216 mm x width 118 mm x height 116 mm - hole distance 120/52	<b>Protective roller buffer with two rubber rollers</b> Protective roller buffer with two rubber rollers, length 211 mm x width 118 mm x height 115 mm - hole distance 120/52	<b>Spare roller</b> Rubber roller version, outside diameter 100 mm x inside diameter 26 mm x height 80 mm for ID 348158, 6355978, 345531	<b>Protective roller bumper</b> Protective bumper with two rubber rollers, length 234 mm x width 121 mm x height 118 mm - hole distance 45/95		<b>Protective bumper</b> Rubber version with steel surface, length 200 mm x width 150 mm x height 120 mm - hole distance 115/75	<b>Protective bumper</b> Rubber version with steel surface, length 200 mm x width 150 mm x height 80 mm - recess for reversing sensor, hole distance 115/75	<b>Protective bumper</b> Pallet storage box version	<b>Protective bumper</b> Steel version, galvanised, length 660 mm, angle bracket 50 mm x 40 mm - hole distance 190 mm
<b>Item no. 348158</b>	<b>Item no. 6355978</b>	<b>Item no. 348742</b> / Breite 80 mm <b>Item no. 6612615</b> / Breite 130 mm	<b>Item no. 345531</b>		<b>Item no. 574677</b>	<b>Item no. 566361</b>	<b>Item no. 78210</b>	<b>Item no. 6107403</b>





This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.



This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.





Wheel chocks


			
<b>Wheel chock</b> Plastic version with steel strut, width: 200 mm  <b>Item no. 6607845</b>	<b>Wheel chock</b> Plastic version without steel strut, width: 200 mm  <b>Item no. 6601135</b>	<b>Wheel chock</b> Plastic version, width: 160 mm  <b>Item no. 6500466</b>	<b>Wheel chock</b> Plastic version with steel strut, width: 200 mm  <b>Item no. 90013535</b>

Canopy operating rod

			
<b>Operating rod</b> For opening the cover tarpaulin, rigid version, length: 3230 mm  <b>Item no. 6351501</b>	<b>Operating rod</b> For opening the cover tarpaulin, extendible version, length: 2400 mm to 3200 mm  <b>Item no. 341447</b>	<b>Mounting bracket</b>   <b>Item no. 78118</b>	<b>Rivet</b> 2 units are needed per mounting bracket   <b>Item no. 323557</b>




	
<b>Wheel chock</b> Steel, galvanised, G53 width 200 mm  <b>Item no. 326733</b>	<b>Wheel chock</b> Steel, galvanised, G46 width 160 mm  <b>Item no. 326732</b>

			
<b>Holding bracket for operating rod</b>   <b>Item no. 6117919</b>	<b>Hex head screw</b> M 10 x 25 10.9   <b>Item no. 346946</b>	<b>Washer</b>   <b>Item no. 346508</b>	<b>Hex nut</b> M 10   <b>Item no. 346506</b>



Leaning ladder

**Item no. 6611201** / 8 sprouts 2240 mm  
**Item no. 6611202** / 10 sprouts 2800 mm  
**Item no. 6611203** / 12 sprouts 3360 mm

		
<b>Holding bracket for operating rod</b>   <b>Item no. 534915</b>	<b>Clamping plate</b>   M 12   <b>Item no. 288302</b>	<b>Hex head screw</b>   M 12 x 35 10.9   <b>Item no. 346530</b>

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Lashing rings / lashing eyelets

<b>Lashing rings (standard)</b> <ul style="list-style-type: none"><li>– Fastening force up to 2 tonnes</li><li>– Visible from the inside in accordance with EN 12640</li></ul>	<b>Lashing rings (heavy duty)</b> <ul style="list-style-type: none"><li>– Fastening force up to 4 tonnes</li><li>– Required for coil transport</li><li>– For maximum strength in direct fastening</li><li>– Optionally available with standard lashing rings</li></ul>	<b>Lashing eyelet on front wall</b> <p>According to EN 12640 it is used to be wrapped around and secure goods positioned directly against the front wall</p>		<b>Lashing ring cover</b> <p>Plastic, used as splash guard</p>	<b>Lashing ring for sealing plate</b> <p>Steel, used as splash guard</p>	<b>Lash tray with lashing lug</b> <p>LC 800 daN, for assembly of tractor body</p>	<b>Lash tray with Lashing shackle</b> <p>LC 2000 daN, for assembly of tractor body</p>
				<b>Item no. 6606369</b>	<b>Item no. 6402713</b>	<b>Item no. 335729</b>	<b>Item no. 336366</b>

<b>Lashing ring</b> <p>LC 2000 daN</p>	<b>Flat section</b> <p>For assembling 435020, 6602714</p>	<b>Hex nut</b> <p>M 12</p>	<b>Hat rail (aluminium outer frame)</b> <p>For attaching the lashing ring 435020 to the aluminium outer frame</p>		<b>Lashing eyelet</b> <p>LC 1000 daN</p>	<b>Bracket</b>	<b>Oval-head screw</b> <p>M 10 x 25, 10.9, hexagon socket</p>	<b>Washer</b>
<b>Item no. 435020</b>	<b>Item no. 577086</b>	<b>Item no. 346507</b>	<b>Item no. 438294</b>		<b>Item no. 6610040</b>	<b>Item no. 6610041</b>	<b>Item no. 342030</b>	<b>Item no. 346508</b>

<b>Lashing ring</b> <p>LC 4000 daN</p>	<b>Flat section</b> <p>For assembling 435020, 6602714</p>	<b>Hex nut</b> <p>M 16</p>	<b>Reinforcement plate</b> <p>For welding to the outer frame - 2 plates are required to attach the lashing ring 6602714</p>	<b>Hex nut</b> <p>M 10</p>	<b>Lashing ring Nocum</b> <p>LC 2500 daN</p>
<b>Item no. 6602714</b>	<b>Item no. 577086</b>	<b>Item no. 73839</b>	<b>Item no. 6403550</b>	<b>Item no. 346506</b>	<b>Item no. 6424601</b> / Lashing ring <b>Item no. 73338</b> / washer <b>Item no. 73701</b> / Hex nut M12 x 1,5 mm

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.


This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.




Kingpins 2"

Drawbar attachment / bridge stop




<b>Kingpins, set</b> Flange, kingpin, screws, JOST KZ 1008  <b>Item no. 325293</b>	<b>King pin</b> JOST KZ 1012-01  <b>Item no. 84604</b>	<b>Hex head screw</b> M 14 x 30, 8 units are required to attach one kingpin, JOST KZE 1012-03  <b>Item no. 89876</b>
--	---	---

 <b>Hex head screw</b> M30 x 200  <b>Item no. 429834</b>	<b>Hex nut</b> M30  <b>Item no. 73663</b>	<b>Silent bearings</b> Width 102 mm, outer (60 mm) and inner (30 mm) diameter  <b>Item no. 87986</b>
--	--	--

 <b>Spring bolt</b> Offset shaft  <b>Item no. 77706</b>	 <b>Turnbuckle</b>  <b>Item no. 238063</b>	 <b>Draw spring</b> Length 285 mm, Diameter 58 mm  <b>Item no. 78748</b>
--	--	--


 <b>Stop</b> For AWE, bridge stop  <b>Item no. 534807</b>	 <b>Plug</b> Plug fuse for 534807  <b>Item no. 512162</b>
---	---

Guide rollers




**Guide roller (standard)**  
Diameter 100 mm

**Item no. 6110999** / guide roller  
**Item no. 328444** / hinged pin



**Houlder guide roller**  
welded


**Item no. 6404011**



**Houlder guide roller**  
screwed

**Item no. 6110319** / Halter links  
**Item no. 6110325** / Halter rechts

Container locking mechanism



**1. Pivot pin**  
**Item no. 435178**

**2. Guide bushing**  
**Item no. 435175**

without illustration

**3. Grooved bushing**  
**Item no. 438583**

**4. Clamping nut**  
**Item no. 435177**

**Circlip**  
Diameter 45 mm  
**Item no. 436279**

Drawbars




Pos.	Item no.	Description	
1	317155	Rigid drawbar	2100 x 1300 x 100/30 - GNZ 27, Size 40 lug with maintenance-free silent bearing
1	175721	Rigid drawbar	2200 x 1300 x 100/30 - GNZ 27, Size 40 lug with maintenance-free silent bearing
1	347036	Rigid drawbar	2250 x 1300 x 100/30 - GNZ 27, Size 40 lug with maintenance-free silent bearing
1	316960	Rigid drawbar	2300 x 1300 x 100/30 - GNZ 27, Size 40 lug with maintenance-free silent bearing
1	175253	Rigid drawbar	2400 x 1300 x 100/30 - GNZ 27, Size 40 lug with maintenance-free silent bearing
1	175719	Rigid drawbar	2500 x 1300 x 100/30 - GNZ 27, Size 40 lug with maintenance-free silent bearing
1	175720	Rigid drawbar	2600 x 1300 x 100/30 - GNZ 27, Size 40 lug with maintenance-free silent bearing
2	335341	Adjustable drawbar	1900 x 1300 x 100/30 - GZU 27, Size 40 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing
2	349840	Adjustable drawbar	1950 x 1300 x 100/30 - GZU 27, Size 40 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing
2	334726	Adjustable drawbar	2000 x 1300 x 100/30 - GZU 27, Size 40 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing
2	334950	Adjustable drawbar	2050 x 1300 x 100/30 - GZU 27, Size 40 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing
2	334727	Adjustable drawbar	2100 x 1300 x 100/30 - GZU 27, Size 40 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing
2	335618	Adjustable drawbar	2200 x 1300 x 100/30 - GZU 27, Size 40 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing
2	343252	Adjustable drawbar	2350 x 1300 x 100/30 - GZU 27, Size 40 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Drawbars with size 50 lug



Pos.	Item no.	Description	
1	364524	<b>Rigid drawbar</b>	2200 x 1300 x 100/30 - GNZ 27, Size 50 lug with maintenance-free silent bearing
1	364503	<b>Rigid drawbar</b>	2250 x 1300 x 100/30 - GNZ 27, Size 50 lug with maintenance-free silent bearing
1	331293	<b>Rigid drawbar</b>	2300 x 1300 x 100/30 - GNZ 27, Size 50 lug with maintenance-free silent bearing
1	337125	<b>Rigid drawbar</b>	2450 x 1300 x 100/30 - GNZ 27, Size 50 lug with maintenance-free silent bearing
1	330548	<b>Rigid drawbar</b>	3200 x 1300 x 100/30 - GNZ 27, Size 50 lug with maintenance-free silent bearing
2	347901	<b>Adjustable drawbar</b>	1900 x 1300 x 100/30 - GZU 27, Size 50 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing
2	364500	<b>Adjustable drawbar</b>	1950 x 1300 x 100/30 - GZU 27, Size 50 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing
2	344885	<b>Adjustable drawbar</b>	2050 x 1300 x 100/30 - GZU 27, Size 50 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing
2	335033	<b>Adjustable drawbar</b>	2100 x 1300 x 100/30 - GZU 27, Size 50 lug, adjustable length: 6 x 100 mm, with maintenance-free silent bearing



**Pull rod pipe**  
Length 1075 mm, hole divisions 6 x 100 mm, Size 40 lug, for 335341, 349840, 334726, 334950, 334727, 335618, 343252  
**Item no. 335917**



**Set of screws**  
for drawbar pipe  
**Item no. 82859**



**Large bushing  
Size 40 lug**  
Outer diameter 48 mm  
**Item no. 85223**



**Large bushing  
Size 40 lug**  
Outer diameter 48.5 mm  
**Item no. 85238**



**Large bushing  
Size 40 lug**  
Outer diameter 49 mm  
**Item no. 85239**



**Large bushing  
Size 40 lug**  
Outer diameter 49.5 mm  
**Item no. 85240**

Ball turning bearings




Item no.	Description		Diameter
323575	Low-maintenance ball turning bearing	HE 18 W 1100, JOST	1100 mm
89840	Ball turning bearings	HE 1100-22, JOST	1100 mm
6610940	Low-maintenance ball turning bearing	BR-W 14-1, 1100, SAF	1100 mm
77934	Ball turning bearings	HE 1200-22, JOST	1200 mm
6610941	Low-maintenance ball turning bearing	BR-W 14-2, 1200 SAF	1200 mm
323325	Low-maintenance ball turning bearing	HE 1300-22 W, JOST	1300 mm
6610952	Low-maintenance ball turning bearing	BR-W 14-3, 1300, SAF	1300 mm
254169	Attachment set for a ball turning bearing		

All ball turning bearings are supplied with holes.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Extra-wide warning signs set, Item no. 6116590 or as individual parts



Pos.	Item no.	Description	Qty.
1	6116610	Cross beam for warning signs	1
2	6116591	Warning sign bracket	2
3	79843	Warning sign with arrow to left, aluminium, 282 x 564 mm	1
4	79844	Warning sign with arrow to right, aluminium, 282 x 564 mm	1
5	300848	Socket 3-pin	2
6	6119609	Socket bracket	2
7	6352191	Side light, spiral cable, bulb, 3-pin plug, Hella	2
7	6353477	Side light, spiral cable, LED, 3-pin plug, Aspöck	2
8	346946	Hex head screw	2
9	346506	Hex nut	2
10	345225	Hex head screw	2
11	335768	Circlip	2
12	6500560	Clamping shoe	2
13	404411	Flat section	2
14	346507	Hex nut	2
	537770	Plug-type holder for warning sign holder	2

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

# SIGNS




			
<b>Hazardous material sign</b> without edge protector Item no. 76547	<b>Waste warning sign</b>  Item no. 337990	<b>Parking warning sign, front</b>  Item no. 361659	<b>Parking warning sign, rear</b>  Item no. 361660



**Rear marking plate, reflective**  
  
Item no. 333536

# ATTACHED PARTS

Side guard



Pos.	Item no.	Description
1	6107880	Cross beam SSE, light version
1	6137415	Cross beam SSE, heavy version
2	599581	Attachment set, including screw, circlip, Clamping shoe, clamping plate
3	6404389	Cross beam SSE, mounted at rear left or front right
4	6404390	Cross beam SSE, mounted at front left or rear right

Pos.	Item no.	Description	L or H in mm
1	6108548	C-profile	3050
	31552203	C-profile	3200
	6108550	C-profile	3350
	31552204	C-profile	3400
	6108551	C-profile	4000
	31552205	C-profile	4200
2	6111589	Bracket	140
	6108048	Bracket	300
	6108042	Bracket	450
3	6111590	End profile	100
	6108049	End profile	300
	6108010	End profile	450
4	338977	Rivet	

Item no.	Description
6107854	Mounting kit incl. nos. 1/2/3/4

Spare wheel bracket set Item no. 6109115

or as individual parts

Pos.	Item no.	Description	Qty.
1	6119767	Hat rail	1
2	423624	Tube	2
3	6107937	Console	4
4	423651	Flat section	2
5	423650	Form profile	2
6	346533	Hex head screw	8
7	346509	Washer	12
8	346507	Hex nut	16
9	346530	Hex head screw	8
10	333031	Hex head screw	2
11	73540	Washer	2
12	73308	Hex nut	2
13	6501966	Edge part	2
14	6107924	Attachment set, including clamping shoe, Hex screw, flat section, Hex nut, spring circlip	8
15	321168	Hex nut	2

Spare wheel bracket set Item no. 6107938

or as individual parts

Pos.	Item no.	Description	Qty.
1	6108311	Support profile	1
2	423624	Tube	1
3	6107937	Console	2
4	423651	Flat section	1
5	423650	Profile section	1
6	346533	Hex head screw	4
7	346509	Washer	8
8	346507	Hex nut	8
9	346530	Hex head screw	4
10	6109442	Support	1
11	73507	Hex head screw	1
12	6404595	Bushing	1
13	346528	Hex head screw	1
14	73339	Washer	1
15	6107924	Attachment set, including clamping shoe, Hex screw, flat section, Hex nut, spring circlip	5

Spare wheel bracket in individual parts


Pos.	Item no.	Description	Qty.
1	6607710	Basket-type spare wheel holder	1
2	6125850	Attachment set, including clamping shoe Hex screw, hex nut, Bushing, round washer	2
3	6125851	Attachment set, including flat section Clamping shoe, hex screw Hex nut, bushing, round washer	1
4	6125857	Assembly kit for spare wheel offset 120	1
4	6125856	Assembly kit for spare wheel offset 0	1
5	6607711	Quick-release lever for securing the spare wheel	1
6	6607713	Clamping bolt for securing the spare wheel SP 120	1
6	6607712	Clamping bolt for securing the spare wheel SP 0	1
7	6607714	Clamping bolt for securing the spare wheel	1

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

## Spare wheel bracket set Item no. 596391


## or as individual parts



Pos.	Item no.	Description	Qty.
1	596392	Spare wheel holder	1
2	596393	Attachment kit on side member	2
3	596394	Attachment kit incl. no. 6, Hole diameter 335 from offset 0 to offset 120	1
4	448106	Wheel change instruction plate	1
6	78592	Padlock	1
7	6300136	Winch	1
8	76987	Sling 2300 mm	1
9	302409	Snap hook	1

## Spare wheel bracket set - SWCT Item no. 6113930

## or as individual parts




Pos.	Item no.	Description	Qty.
1	6113890	Spare wheel holder	1
2	6107924	Mounting kit	4
3	596394	Attachment kit, incl. no. 4, hole di- ameter 335 from offset 0 to offset 120	1
4	78592	Padlock	1
5	6300136	Winch	1

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change.

Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

## Spare wheel bracket set Item no. 330405


## or as individual parts



Pos.	Item no.	Description	Qty.
1	6300136	Winch	1
2	80616	Cable pulley, D: 60 mm	1
3	80618	Steel cable D: 5 mm L: 3000 mm	1
4	80244	Clamping arm 270 mm	1
		Threaded bolt, offset 0	
	591408	Clamping shoe fastening kit	4

## Spare wheel bracket set Item no. 341364

## or as individual parts




Pos.	Item no.	Description	Qty.
1	6300136	Winch	1
2	80616	Cable pulley, D: 60 mm	1
3	80618	Steel cable D: 5 mm L: 3000 mm	1
4	6611821	Clamping arm, 135 mm	
		Threaded bolt, offset 120	
	591408	Clamping shoe fastening kit	4

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change.

Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Pallet storage box



- Tube nut**

Length: 95 mm, offset 120

**Item no. 335043**
- Tube nut**

Length: 225 mm, offset 0

**Item no. 335044**
- Hook bolt**

Length: 440 mm, offset 120

**Item no. 433051**
- Hook bolt**

Length: 340 mm, offset 0

**Item no. 433050**



- Transverse bar with lock**

To secure the spare wheel


**Item no. 338838**
- Tube nut**

Length: 95 mm, offset 120, for alloy/steel rim with bolt diameter 32 mm

**Item no. 566983**
- Tube nut**

Length: 225 mm, offset 0, for alloy/steel rim with bolt diameter 32 mm


**Item no. 561777**



Pos.	Item no.	Description	Dimensions
1	6300350	Pallet storage box for 36 pallets, cover black RAL 9005 coated, delivery without SSE plate #2	L 2714 W 2427 H 745 mm
1	348841	Pallet storage box for 32 pallets, cover black RAL 9005 coated	L 3551 W 2435 H 585 mm
1	6300328	Pallet storage box for 30 pallets, cover black RAL 9005 coated, delivery without SSE plate #2	L 2714 W 2427 H 685 mm
1	6300352	Pallet storage box for 24 pallets, cover black RAL 9005 coated, delivery without SSE plate #2	L 2714 W 2427 H 585 mm
1	6300128	Pallet storage box for 8 pallets, cover black RAL 9005 coated, delivery without SSE plate #2	L 1199 W 2430 H 565 mm
2	6300322	SSE plate (standard)	W 250 H 380 mm
2	6300318	SSE plate	W 500 H 380 mm
3	6605895	Spare cover for 36-pallet storage box, black, RAL 9005 coated	
3	6602606	Spare cover for 32-pallet storage box, black, RAL 9005 coated	
3	6605893	Spare cover for 30-pallet storage box, black, RAL 9005 coated	
3	6605894	Spare cover for 24-pallet storage box, black, RAL 9005 coated	
3	6603826	Spare cover for 8-pallet storage box, black, RAL 9005 coated	
4	6109201	Attachment set including clamping shoe, flat section, hex screw, hex nut, round washer	
5	518480	Round buffer attachment set, including buffer, flat section, hex screw, hex nut	


This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.



Pos.	Item no.	Description
1	6123613	Pallet storage box for 32 pallets with tarpaulin, black RAL 9005 coated
2	6353507	Tarpaulin black RAL 9005
3	6109201	Attachment set including clamping shoe, flat section, hex screw, hex nut, round washer

**Dimensions**  
L 3453 W 2539 H 511 mm



Pos.	Item no.	Description
1	6121647	Storage box, side lock, intermediate wall 250mm open, cover painted black RAL 9005
1.1	6356251	Storage box, lock at the top, intermediate wall 250mm open, cover painted black RAL 9005
2	6503040	Replacement lid, side lock, painted black RAL 9005
2.1	90011756	Replacement lid, lock at the top, painted black RAL 9005
3	6109201	Fastening set including clamping claw, flat part, hexagon screw, hexagon nut, spherical washer

**Dimensions**  
L 642 W 2427 H 467 mm

Landing gears



Landing gear RE, JOST

L500S700-2R, mounting height: 700 mm, travel: 350 mm, foot variant: S-foot, bottom plate

Item no. 6356518



Landing gear LI, JOST

L500S700-2L, mounting height: 700 mm, travel: 350 mm, foot variant: S-foot, bottom plate

Item no. 6356517



Landing gear RE, JOST

B0403-0100 R, mounting height: 750 mm, travel: 430 mm, foot variant: S-foot, double plate

Item no. 801202



Landing gear LI, JOST

B0403-0100 L, mounting height: 750 mm, travel: 430 mm, foot variant: S-foot, double plate

Item no. 801203



Landing gear RE, JOST

L500S800-2 R, mounting height: 800 mm, travel: 450 mm, foot variant: S-foot, bottom plate

Item no. 6502315



Landing gear LI, JOST

L500S800-2 L, mounting height: 800 mm, travel: 450 mm, foot variant: S-foot, bottom plate

Item no. 6502314



Landing gear RE, HAACON

211028 R, mounting height: 750 mm, travel: 410 mm, foot variant: S-foot, double plate

Item no. 6353041



Landing gear RE, SAF, TITAN

1025 30 001620 O, mounting height: 800 mm, travel: 450 mm, foot variant: S-foot, bottom plate

Item no. 6612231



Landing gear RE, JOST

B0203-0100 R, mounting height: 850 mm, travel: 520 mm, foot variant: S-foot, double plate

Item no. 6603650



Landing gear LI, JOST

B0203-0100 L, mounting height: 850 mm, travel: 520 mm, foot variant: S-foot, double plate

Item no. 6603649



Landing gear RE, SAF, TITAN PRO

1025 30 001369 O, mounting height: 750 mm, travel: 430 mm, foot variant: S-foot, double plate

Item no. 6611336



Landing gear LI, SAF, TITAN PRO

1025 30 001370 O, mounting height: 750 mm, travel: 430 mm, foot variant: S-foot, double plate

Item no. 6611337

Landing gear RE, JOST

B0303-0100 R, mounting height: 800 mm, travel: 470 mm, foot variant: S-foot, double plate

Item no. 6611915

Landing gear LI, JOST

B0303-0100 L, mounting height: 800 mm, travel: 470 mm, foot variant: S-foot, double plate

Item no. 6611916

Landing gear RE, SAF, TITAN PRO

1025 30 001371 O, mounting height: 800 mm, travel: 470 mm, foot variant: S-foot, double plate

Item no. 6611338

Landing gear LI, SAF, TITAN PRO

1025 30 001372 O, mounting height: 800 mm, travel: 470 mm, foot variant: S-foot, double plate

Item no. 6611339

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.



**Landing gear RE, SAF, TITAN PRO**

1025 30 001373 0, mounting height: 850 mm, travel: 520 mm, foot variant: S-foot, double plate

**Item no. 6611340**



**Landing gear LI, SAF, TITAN PRO**

1025 30 001374 0, mounting height: 850 mm, travel: 520 mm, foot variant: S-foot, double plate

**Item no. 6611341**

**Landing gear RE, JOST**

CW1652500 R, mounting height: 745 mm, travel: 400 mm, foot variant: R-foot, bottom plate

**Item no. 6609048**

**Landing gear LI, JOST**

CW1652500 L, mounting height: 745 mm, travel: 400 mm, foot variant: R-foot, bottom plate

**Item no. 6609047**



**Crank, L: 420, JOST**

Can be used for 6502314, 6502315, 6000035, 6000034, 801203, 801202, 6351789, 6351790, 6356115, 6356116

**Item no. 323014**



**Crank, L: 520, JOST**

Can be used for 6502314, 6502315, 6000035, 6000034, 801203, 801202, 6351789, 6351790, 6356115, 6356116

**Item no. 344973**



**Crank, L: 620, JOST**

Suitable for 6502314, 6502315

**Item no. 348464**



**Crank, L: 535, HAACON**

Suitable for 6353042, 6353041

**Item no. 314560**

Support legs



**Landing gear RE, JOST**

CF153470000 R, mounting height: 570 mm, travel: 550 mm, foot variant: T-foot rigid, double plate

**Item no. 6351790**

**Landing gear LI, JOST**

CF153470000 L, mounting height: 570 mm, travel: 550 mm, foot variant: T-foot rigid, double plate

**Item no. 6351789**



**Crank, L: 508, SAF**

Can be used for 6612230, 6612231, 6611336, 6611337, 6611338, 6611339, 6611340, 6611341

**Item no. 6610563**



**Crank, L: 620, SAF**

Can be used for 6612230, 6612231, 6611336, 6611337, 6611338, 6611339, 6611340, 6611341

**Item no. 6610564**



**Support leg with strut**

Rigid, pick-up height 1320 mm, Form A2 DIN EN 283/284, 8 tonnes, shield cover

**Item no. 510763**



**Support leg with strut**

Rigid, pick-up height 1320 mm, Form A2 DIN EN 283/284, 18 tonnes, shield cover

**Item no. 6502193**



**Connecting shaft, L: 1425 mm, HAACON**

Suitable for 6000034, 6000035, 6351789, 6351790, 6353041, 6353042'

**Item no. 344971**



**Connecting shaft, L: 1470 mm, JOST**

Can be used for 6353041, 6353042, 6351789, 6351790, 801203, 801202, 6000035, 6000034, 6502314, 6502315

**Item no. 327014**



**Connecting shaft, L: 1425 mm, SAF**

Can be used for 6612230, 6612231, 6611336, 6611337, 6611338, 6611339, 6611340, 6611341

**Item no. 6610565**



**Connecting shaft, L: 1800 mm, SAF**

Can be used for 6612230, 6612231, 6611336, 6611337, 6611338, 6611339, 6611340, 6611341

**Item no. 6611342**



**Support leg with strut**

Pull-out, pick-up heights 1220/1320 mm, Form A2 DIN EN 283/284, 18 tonnes, non-detachable bolt, shield cover

**Item no. 336620**



**Support leg with strut**

Pull-out, pick-up heights 1020/1120/1220/1320 mm, Form A2 DIN EN 283/284, 18 tonnes, non-detachable bolt, shield cover

**Item no. 367530**











**Strut for support leg**









**Item no. 186667**









This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Mudguards

								
<b>Straight mudguard</b> H 720 W 480 T 110, antispray	<b>Straight mudguard</b> H 720 W 480 T 110, mudflap 200 mm, antispray, Kögel logo	<b>Quarter mudguard</b> W 447 R 670 SP 705	<b>Quarter mudguard</b> W 447 R 670 SP 705, mudflap 150 mm, antispray, Kögel logo		<b>Quarter mudguard</b> W 600 R 640 SP 600	<b>Quarter mudguard</b> W 650 R 670 SP 670	<b>Quarter mudguard</b> W 650 R 670 SP 670, mudflap 310, antispray	<b>Semicircular mudguard</b> W 400 R 580 SP 1160 H 640
<b>Item no. 6612680</b>	<b>Item no. 6612688</b>	<b>Item no. 6503717</b>	<b>Item no. 6503666</b>		<b>Item no. 175754</b>	<b>Item no. 175755</b>	<b>Item no. 325256</b>	<b>Item no. 338224</b>

								
<b>Quarter mudguard</b> W 447 R 670 SP 705, mudflap 350 mm, antispray, Kögel logo	<b>Quarter mudguard</b> W 447 R 670 SP 705, mudflap 150 mm, antispray	<b>Quarter mudguard</b> W 400 R 670 SP 795, Mudflap 300 mm, Kögel logo	<b>Quarter mudguard</b> W 450 R 670 SP 670		<b>Semicircular mudguard</b> W 400 R 670 SP 1340 H 670, mudflap 350 mm, antispray, Kögel logo	<b>Semicircular mudguard</b> W 400 R 580 SP 1940 H 640, mudflap 210 mm, antispray, Kögel logo	<b>Semicircular mudguard</b> W 450 R 640 SP 1280 H 640	<b>Semicircular mudguard</b> W 450 R 640 SP 1280 H 640, mudflap 250 mm, antispray, Kögel logo
<b>Item no. 6503668</b>	<b>Item no. 6503907</b>	<b>Item no. 175751</b>	<b>Item no. 343462</b>		<b>Item no. 343077</b>	<b>Item no. 6607798</b>	<b>Item no. 6503756</b>	<b>Item no. 6503755</b>

								
<b>Quarter mudguard</b> W 450 R 670 SP 670, mudflap 125 mm, antispray, Kögel logo	<b>Quarter mudguard</b> W 450 R 670 SP 670, mudflap 250 mm, antispray, Kögel logo	<b>Quarter mudguard</b> W 450 R 670 SP 670, mudflap 300 mm, antispray, Kögel logo	<b>Quarter mudguard</b> W 450 R 670 SP 670, mudflap 350 mm, antispray, Kögel logo		<b>Semicircular mudguard</b> W 450 R 640 SP 1280 H 640, mudflap 300 mm, antispray, Kögel logo	<b>Semicircular mudguard</b> W 450 R 640 SP 1280 H 640, mudflap 350 mm, antispray, Kögel logo	<b>Semicircular mudguard</b> W 550 R 500 SP 1000 H 540	<b>Semicircular mudguard</b> W 650 R 670 SP 1340 H 670, mudflap 350 mm, antispray
<b>Item no. 6503753</b>	<b>Item no. 6503752</b>	<b>Item no. 6503751</b>	<b>Item no. 6503750</b>		<b>Item no. 6503754</b>	<b>Item no. 6503767</b>	<b>Item no. 322506</b>	<b>Item no. 343076</b>

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.



Wheel covers

with mounting clamps

Item no. 335776




Wheel covers

without mounting clamps

Item no. 6502597


Mudguard support pipe



Pos.	Item no.	Description	Length
1	515715	Support pipe Ø 42 mm	460 mm
1	6148549	Support pipe Ø 42 mm	490 mm
1	6148551	Support pipe Ø 42 mm	590 mm
1	515718	Support pipe Ø 42 mm	690 mm
2	6611427	Large disk	--
3	73324	Nut	--
4	74003	Screw	--
5	346510	Small disk	--
6	6503454	Sealing plug	--

Pos.	Item no.	Description
1	6137895	Hat rail
2	74003	Screw
3	346510	Washer
4	73357	Washer
5	73839	Nut
6	346945	Screw
7	6503877	Washer
8	346505	Nut

Pos.	Item no.	Description
1	326644	Mounting clamp for mudguard Ø 42 mm
2	6610578	Mounting clamp for mudguard Ø 42 mm
	6502267	Mudflap, plastic version, width 510 mm x height 400 mm
	6606546	Mudflap, rubber version with Kögel logo, width 400 mm x height 300 mm




Pos.	Item no.	Description	Qty.
1	6114920	Partially mounted axle with ABS sensor and spring-type cylinders	1
2	6604899	Thrust washer	4
3	6604900	Eccentric disk	2
4	6604901	Thrust washer	2
5	6604902	Hex head screw	2
6	6604903	Washer	2
7	361508	Self-locking hex screw	2
8	6604904	Shock absorbers	2
8a	6606402	Shock absorber Trax +	2
9	6604905	Screw	4
10	6604906	Washer	8
11	6604907	Nut	4
12	6604908	Air suspension bellows	2
13	6604909	Screw	4
14	73362	Circlip	4
15	361000	Hex nut	4

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.


This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

# KÖGEL KTA TRAILER AXLE


KTA (air suspension)



Pos.	Item no.	Description	Qty.
1	6604898	Bushing	2
2	6352375	Wheel bearing	2
3	6604917	Washer	2
4	6604918	Nut	2
5	6353170	Wheel hub cap with seal	2
6	6604915	Brake disk	2
7	6604982	Wheel hub	2
7a	6604983	Wheel bolt	20
8	6502738	Hex head screw	20
9	6604984	Calliper left	1
10	6604985	Calliper right	1
----	6352545	Brake lining set	1
----	6502519	Wear sensor set	1
----	6503418	Brake calliper repair kit with guide sleeves	1
11	6604986	Hex head screw	8
12	6352434	Membrane cylinder left	1
13	6352435	Membrane cylinder right	1
12a	6352432	Spring-type cylinder left	1
13a	6352433	Spring-type cylinder right	1
14	6604978	ABS sensor	2
15	6604977	Sensor bushing	2
16	6604916	Assembly block sensor	2
17	6604979	Screw M8X30	4



Pos.	Item no.	Description	Qty.
1	6157971	Shock absorbers	2
2	6157970	Air suspension bellows	2
3	6357488	Wishbone	2
4	6611016	Spring plate	2
5	6611017	Spring seat	2
6	6157969	Spring clamp	4
7	6611014	Hexagon nut, self-locking	8
8	6141490	Eccentric disk	2
9	6504302	Hexagon nut, self-locking	2
10	6154954	Axle support counter disk	2
11	6504299	Hex bolt with fine thread	2
12	6504298	Hex bolt with fine thread	2
13	6504371	Hex bolt with fine thread	2
14	6504301	Hexagon nut, self-locking	4
15	73540	Washer	4
16	6503632	Hex head screw	2
17	346509	Washer	2
18	346507	Hexagon nut, self-locking	4
19	6154698	Axle support, left	1
20	6154699	Axle support, right	1
21	6357203	Axle body, fully mounted	1



This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change.


Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change.

Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.


# KÖGEL TRAILER NOVUM-AXLE

## KTA item no. 6357203 Axle body, fully mounted




Pos.	Item no.	Description	Qty.
1	6357204	Axle body with wheel end	1
	consisting of:		
	6611010	Axle pipe	1
	6357209	Wheel end kit	1
	6611008	Type plate	1
2	6610099	Brake calliper, left Haldex version	1
3	6610100	Brake calliper, right Haldex version	1
4	6610109	Brake calliper screw	20
5	6610110	Brake calliper fitting screw	4
6	6611008	Nameplate	1
7	6157973	Spring-type brake cylinder kit	2
	6157972	Brake cylinder membrane	2
8	346523	Hexagon nut, self-locking	4
9	346510	Washer	4
10	6610108	ABS sensor	2

## KTA item no. 6357209 Wheel end kit




Pos.	Item no.	Description	Qty.
1	6610097	Brake disk	2
2	6610098	Brake disk kit	2
3	6611018	Wheel flange	2
4	6610112	Wheel bearing unit	2
5	6610111	O-ring	2
6	6611022	Axle nut, left	1
7	6611023	Axle nut, right	1
8	6611019	Wheel bolt with nut	20




Pos.	Item no.	Description
2	90010430	Shock absorber Hub=179mm
2	90010431	Shock absorber Hub=140mm
2	90010432	Shock absorber Hub=125mm
3	90010428	Air bellow 30 central bolted
3	90010471	LAir bellow 30K track
3	90010437	Air bellow 36-1
4	90010433	Fastening set I Shock absorber
4	90010447	Fastening set I Trailing arm

## KTA item no. 6141493 Axle lift (2 pcs per axle)




Pos.	Item no.	Description	Qty.
1	6141494	Mounting plate	1
2	6141495	Bellows plate	1
3	6141496	Roller	1
4	6141497	Lever	2
5	6141498	Bushing	6
6	6502824	Double bellows	1
7	6141499	Mounting kit	1

## KTA item no. 6610099/6610100 Brake calliper




Pos.	Item no.	Description	Qty.
1	6610099	Brake calliper, left incl. Pos. 2-5	1
	6610100	Brake calliper, right incl. Pos. 2-5	1
2	6611020	Brake pad set per axle	1
3	6141510	Guide pin kit fixed bearing + loose bearing	1
4	6141509	Adjustment screw kit	1
5	6141514	Sealing kit for mechanism	1

NOVUM-axle 90010444 pre-mounted




Pos.	Item no.	Description	Qty.
1	90010444	Axle, partially assembled	1
2	90010450	Brake callipers, left	1
3	90010451	Brake callipers, right	1
4	90009792	Special screw	6
5	90009791	Fit bolt	2

NOVUM-axle Wheelend




Pos.	Item no.	Description	Qty.
1	90016330	Wheel cover	2
2	90016331	Wheel hub unit	2
3	6609975	Wheel bearing repair kit	2
4	6607394	Break disc	2
5	6607395	Break disc kit	2
6	6500505	Wheel bolt with nut	20
7	6500515	O-ring	2
8	6610946	Screw flange brake disc	20
9	6502048	Axle nut, right	1
10	6502047	Axle nut, left	1

NOVUM-axle brake calliper



Pos.	Item no.	Description
1	90010450	Brake callipers, left
1	90010451	Brake callipers, right
2	90010452	Brake pad set for one axle I KTA Novum
3	6141510	Kit Sliding function seal kit I KTA
4	6151509	Reset shaft kit I KTA
5	6151514	Sealing kit for mechanism I KTA

NOVUM-axle brake cylinder



Item no.	Description
90011634	KTA Kit spring accumulator cylinder 16/24
90011643	Break cylinder 16

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Toolbox



Kögel KTA Trailer Axle Repair Tool

Includes a practical lever, striking face holder and striking face adapter to remove and install the cover of the brake calliper; Suitable for many other axle types

Item no. 6358331



Kögel Truck & Trailer Universal Set

For all trucks and trailers currently on the market

Item no. 90002187

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

AXLE PARTS

ABS sensors



**ABS sensor straight**  
Length 350 mm, OEM see 441 032 905 0  
  
**Item no. 347027**



**ABS sensor set straight**  
Length 350 mm, clamping bushing, grease, OEM see 441 032 963 2  
  
**Item no. 6500653**



**ABS sensor set curved**  
Length 400 mm, clamping bushing, grease, OEM see 441 032 921 2  
  
**Item no. 80376**



**ABS sensor set curved**  
Length 1000 mm, clamping bushing, grease, OEM see 441 032 922 2  
  
**Item no. 334303**



**ABS sensor set straight**  
Length 350 mm, clamping bushing, grease, OEM see M200158-01, GIGANT  
  
**Item no. 6351975**



**ABS sensor set curved**  
Length 1000 mm, clamping bushing, grease, with protective tube, OEM see 3029023300, SAF  
  
**Item no. 6500511**



**ABS sensor set curved**  
Length 400 mm, clamping bushing, grease, OEM see 3029023100 SAF  
  
**Item no. 6500542**



**ABS sensor set curved**  
Length 1000 mm, clamping bushing, grease, OEM see 3029023200 SAF  
  
**Item no. 6500543**



**ABS sensor curved**  
Length 500 mm, OEM see 21213034K, Meritor  
  
**Item no. 6604978**



**ABS sensor set straight**  
Length 400 mm, clamping bushing, grease, OEM see 3029024200 SAF  
  
**Item no. 6610951**

Shock absorbers



**Shock absorbers BPW**  
  
Original BPW OEM 02.3722.83.00  
  
**Item no. 6502038** / SAF  
**Item no. K6502038** / Kögel



**Shock absorbers BPW**  
  
Original BPW OEM 02.3722.89.00  
  
**Item no. 6502931** / BPW  
**Item no. K6502931** / Kögel



**Shock absorbers BPW**  
  
Original BPW OEM 02.3722.88.02  
  
**Item no. 6502932** / BPW  
**Item no. K6502931** / Kögel



**Shock absorbers SAF**  
  
Original SAF OEM 2.376.4032.00  
  
**Item no. 344738** / SAF  
**Item no. K344738** / Kögel



**Shock absorbers SAF**  
  
Original SAF OEM 2.376.0073.01  
  
**Item no. 6500462** / SAF  
**Item no. K6500462** / Kögel



**Shock absorbers SAF**  
  
Original SAF OEM 2.376.0071.01  
  
**Item no. 6500479**



**Shock absorbers SAF**  
  
Original SAF OEM 2.376.0072.01  
  
**Item no. 6500480** / SAF  
**Item no. K6500480** / Kögel



**Shock absorbers SAF**  
  
Original SAF OEM 2.376.0070.01  
  
**Item no. 345496** / SAF  
**Item no. K345496** / Kögel



**Shock absorbers SAF**  
  
Original SAF OEM 2.376.0078.00  
  
**Item no. 6504071** / SAF  
**Item no. K6504071** / Kögel



**Daimler shock absorber**  
  
Original Daimler OEM A9463260500  
  
**Item no. 361706**



**Shock absorber Trax axle**  
  
Original Kögel Trax axle  
  
**Item no. 6604904**



**Attachment set SAF Shock absorbers**  
  
**Item no. 582451** / top 120 mm  
**Item no. 538885** / bottom 150 mm

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

## Air suspension bellows

**Air bellows SAF**

Original SAF Type 2618V  
OEM see 3.229.0029.00

**Item no. 337576**

**Air bellows SAF**

Original SAF Type 2619V (E5V)  
OEM see 3.229.0033.00

**Item no. 343757** / SAF  
**Item no. K343757** / Kögel

**Air bellows SAF**

Original SAF Type 2619 UP OEM  
3.228.1053.00

**Item no. 6504050**

**Air bellows SAF**

Original SAF Type 2626V  
OEM see 3.229.0039.00

**Item no. 360112** / SAF  
**Item no. K360112** / Kögel

**Air bellows BPW**

Original BPW Type 30  
OEM see 05.429.43.20.0

**Item no. 345859**

**Air bellows BPW**

Original BPW Type 30 centrally  
mounted OEM 05.429.43.85.0

**Item no. 6300694** / BPW  
**Item no. K6300694** / Kögel

**Air bellows BPW**

Original BPW Type 30 long OEM  
05.429.43.59.0

**Item no. 361001**

**Air bellows BPW**

Original BPW Type 30K  
OEM see 05.429.43.21.0

**Item no. 343651** / BPW  
**Item no. K343651** / Kögel

**Air bellows SAF**

Original SAF Type 2923V OEM  
3.229.0031.00

**Item no. 336076**

**Air bellows SAF**

Original SAF Type 2924V OEM  
3.229.0041.00

**Item no. 6300123** / SAF  
**Item no. K6300123** / Kögel

**Air bellows SAF**

Original SAF Type 2926V  
OEM see 3.229.0030.00

**Item no. 6500463** / SAF  
**Item no. K6500463** / Kögel

**Air bellows SAF**

Original SAF Type 2927V OEM  
3.228.1047.00

**Item no. 6503708** / SAF  
**Item no. K6503708** / Kögel

**Air bellows BPW**

Original BPW Type 30K centrally  
mounted OEM 05.429.43.86.0

**Item no. 6300693** / BPW  
**Item no. K6300693** / Kögel

**Air bellows BPW**

Original BPW Type 36  
OEM see 05.429.43.51.0

**Item no. 345820**

**Air bellows BPW**

Original BPW Type 36 offset 80 mm  
OEM 05.429.43.38.0

**Item no. 345822** / BPW  
**Item no. K345822** / Kögel

**Air bellows BPW**

Original BPW Type 36-1 offset  
80 mm OEM 05.429.41.38.0

**Item no. 345863** / BPW  
**Item no. K345863** / Kögel

**Air bellows SAF**

Original SAF Type 3138V  
OEM see 3.228.0048.00 right

**Item no. 6503147** / SAF  
**Item no. K6503147** / Kögel

**Air bellows SAF**

Original SAF Type 3138V  
OEM see 3.228.0049.00 left

**Item no. 6503148** / SAF  
**Item no. K6503148** / Kögel

**Daimler air bellows**

Original Daimler OEM  
A9463281401

**Item no. 361710**

**Air bellows for Trax axle**

Original Kögel Trax axle

**Item no. 6604908**

**Air bellows BPW**

Original BPW Type 36-2 with left  
wedge OEM 05.429.42.15.0

**Item no. 343298**

**Air bellows BPW**

Original BPW Type 36-2 with right  
wedge OEM 05.429.42.14.0

**Item no. 343299**

**Air bellows BPW**

Original BPW Type 36K  
OEM see 05.429.43.41.0

**Item no. 345821**

## Brake disk BPW TSB 3709



## Brake disk BPW

Original BPW for brake type TSB 3709 OEM see 03.088.34.14.7

**Item no. 6608791** / BPW  
**Item no. K6608791** / Kögel



## Brake callipers BPW TSB 3709

Original BPW  
09.362.72.13.2 left  
09.362.72.14.2 right

**Item no. 90009626** / left  
**Item no. 90009627** / right



## Brake lining set BPW TSB 3709

Original BPW  
09.801.07.94.0

**Item no. 6611080**



## Brake lining set Textar TSB 3709

WVA 29227

**Item no. 6608940**

## Brake disk BPW TSB 4309



## Brake disc BPW TSB 4309

Original BPW  
03.088.35.12.7

**Item no. 6603952** / BPW  
**Item no. K6603952** / Kögel



## Brake callipers BPW TSB 4309

Original BPW  
09.362.72.11.2 left  
09.362.72.12.2 right

**Item no. 90009624** / left  
**Item no. 90009625** / right



## Brake lining set BPW TSB 4309

Original BPW  
09.801.07.96.0

**Item no. 6608787**



## Brake lining set Textar TSB 4309

**Item no. 6608939**

## Brake caliper repair kits BPW TSB 3709 &amp; TSB 4309



## Repair kit guide pins TSB 3709 &amp; TSB 4309

Original BPW  
09.801.07.61.0

**Item no. 6608784**



## Sealing kit I Brake callipers TSB 3709 &amp; TSB 4309

Original BPW  
09.801.07.62.0

**Item no. 6608785**



## Repair kit tappet TSB 3709 &amp; TSB 4309

Original BPW  
09.801.07.63.0

**Item no. 6608786**

## Brake disk SAF Integral B19



## Brake disk 19.5 SAF Integral

Original SAF  
4.079.0010.04

**Item no. 6500482** / SAF  
**Item no. K6500482** / Kögel



## Brake disk 22.5 SAF Integral

Original SAF  
4.079.0013.03

**Item no. 6604093** / SAF  
**Item no. K6604093** / Kögel



## Mounting kit for brake disc

Original SAF  
3.434.3662.00

**Item no. 90005732**



## Socket wrench B19

**Item no. 6610948**

## Brake disk SAF B9



## Brake disc SAF 19,5 B9

Original SAF  
4.079.0018.00

**Item no. 6610116** / SAF  
**Item no. K6610116** / Kögel



## Brake disc SAF 22,5 B9

Original SAF  
4.0079.0017.00

**Item no. 6607394** / SAF  
**Item no. K6607394** / Kögel



## Mounting kit for brake disc B9

Original SAF  
3.434.3663.00

**Item no. 6607395**



## Socket wrench B9

Original SAF  
4.434.3862.00

**Item no. 90023820**

## Original SAF conversion kit for one axle



## Original SAF Integral conversion kit 19,5

Original SAF  
3.434.3129.00

**Item no. 6612698**



## Original SAF Integral conversion kit 22,5

Original SAF  
3.434.3130.00

**Item no. 6612697**



## Original SAF conversion kit 19,5 B9

Original SAF  
3.434.3134.00

**Item no. 90011216**



## Original SAF conversion kit 22,5 B9

Original SAF  
3.434.3135.00

**Item no. 90011217**

## Brake callipers SBS 2220



## Brake callipers SBS 2220 H0

- used till 11.2018  
Serial-No. till xx18330xxxx  
Original SAF  
3.080.0081.00 left  
3.080.0082.00 right

**Item no. 6609979** / left  
**Item no. 6609980** / right

Sealing kit I  
Brake callipers

Original SAF  
3.434.3861.00

**Item no. 6355949** / SAF  
**Item no. K6355949** / Kögel

Repair set caliper sealing  
kit for thrust piece

Original SAF  
3.434.3863.00

**Item no. 6609981** / SAF  
**Item no. K 6609981** / Kögel

Brake callipers SBS 2220  
H01

- used from 11.2018  
Serial-No. from xx18330xxxx  
Original SAF  
3.080.0097.00 left  
3.080.0098.00 right

**Item no. 90014962** / left  
**Item no. K90014962** / right

## Brake lining set SAF 22,5



## Brake lining set SAF 2220 H0

- used till 11.2018  
Serial-No. till xx18330xxxx  
Original SAF  
3.057.0096.00

**Item no. 6609982** / SAF  
**Item no. K6609982** / Kögel



## Brake lining set SBS 2220 H01

- used from 11.2018  
Serial-No. from xx18330xxxx  
Original SAF  
3.057.0015.00

**Item no. 90014961**



## Brake lining set

WABCO PAN 22,5

Original SAF  
3.057.0084.00

**Item no. 6500488**



## Brake lining set SAF

SK 7

Original SAF  
3.057.0085.00

**Item no. 6500489** / SAF  
**Item no. K6500489** / Kögel

## Brake lining set SAF 19,5



## Brake lining set SAF

Knorr SB/SN 6

Original SAF  
3.057.0078.00

**Item no. 801931** / SAF  
**Item no. K801931** / Kögel




## Brake lining set SAF

WABCO PAN 19,5

Original SAF  
.057.0080.00

**Item no. 348991** / SAF  
**Item no. K348991** / Kögel

## Tyre pressure control system SAF Tire Pilot



Complete set for one axle

**Item no. 6356638**

Pos.	Item no.	Description
1	6611463	Wheel cover
2	6611465	Connecting bracket
3	6611467	Stator
4	6611468	Rotor
5	6611469	Cable

## Compressed air tank

Sample illustration

Compressed air tank  
40 litres

Steel version, Diameter 276 mm,  
12.5 bar, \* two connections on  
left and one on right, one drainage  
connection

Item no. 317943

Compressed air tank  
60 litres

Steel version  
Diameter 310 mm, 12.5 bar,  
length 893 mm

Item no. 317944

Compressed air tank  
60 litres

Steel version  
Diameter 396 mm, 12.5 bar, length  
580 mm

Item no. 317945

Compressed air tank  
80 litres

Steel version  
Diameter 396 mm, 12.5 bar,  
length 750 mm

Item no. 317946

Compressed air tank  
100 litres

Steel version  
Diameter 396 mm, 12.5 bar,  
length 915 mm

Item no. 317947

Compressed air tank  
60l special version

Steel version, welded supports,  
Diameter 310 mm, 12.5 bar,  
length 580 mm

Item no. 343097

Compressed air tank 80l  
special version

Steel version, welded supports,  
Diameter 396 mm, 12.5 bar, length  
750 mm

Item no. 343098

Compressed air tank  
40 litres


Aluminium version,  
Diameter 276 mm,  
Length 766 mm, 10 bar

Item no. 175762

Universal fastener for  
air tank

Item no. 6156948

## RAUFOSS – RBK – AIR DUCT CONNECTIONS/COUPLINGS




Straight  
screw-in thread

316635	M10x1.0	8x1.0
316636	M12x1.5	8x1.5
316637	M14x1.5	8x1.5
316638	M16x1.5	8x1.5
316639	M22x1.5	8x1.5


316649	M10x1.0	12x1.0
316650	M12x1.5	12x1.5
316652	M16x1.5	12x1.5
316653	M22x1.5	12x1.5

316659	M16x1.5	16x2.0
--------	---------	--------




Tube plug connector

316663	6x1.0/6x1.0
316664	8x1.0/8x1.0
316666	12x1.5/12x1.5
322366	15x1.5/15x1.5
335219	16x2.0/16x2.0




90° angle plug connector

335258	8x1.0	plug
335259	12x1.5	plug
335261	16x2.0	plug




Screw-type fitting with plug

335250	M12x1.5	plug
335251	M14x1.5	plug
335252	M16x1.5	plug
335253	M22x1.5	plug




Bulkhead connector with plug

335255	M22x1.5/M16x1.5
--------	-----------------




Plug with O-ring

316680	M12x1.5
316681	M16x1.5




90° arch

316706	L=22mm	M16/M16
322736	L=23mm	M22/M16/M16




L-piece  
1x plug / 2x thread

335265	M12/M12	plug
335266	M16/M16	plug




T-piece  
1x plug / 2x thread

335267	M12/M12	plug
335268	M16/M16	plug



T-piece  
3x thread






















316713	M16/M16/M16
316714	M22/M22/M22



T-piece with attachment  
3x thread

316715	M16/M16/M16
--------	-------------

RAUFOSS – RBK – AIR DUCT CONNECTIONS/COUPLINGS

	3-way angle block 1x plug / 2x thread  335269    M16/M16    Plug		Bulkhead connector with O-ring and internal thread  316690    L=24mm    M22/M22/M16		Hose connection with O-ring according to DIN  316726    11mm    M16x1.5 316727    13mm    M16x1.5 316731    13mm    M22x1.5 316732    11mm    M22x1.5		Bulkhead union  6502446    M22/M22/M16
	Cross-block 1x plug / 3x thread  335270    M16/M16/M16 plug		Threaded bushing  316691    L=17mm    M12x1.5 316692    L=19mm    M16x1.5				
	Cross-block 4x thread  316721    M16/M16/M16/M16		Lock nut with O-ring  316693    M16x1.5 316696    M22x1.5		Hose connection with plug  335304    11mm    plug		O-ring  187855    M10x1.0 187858    M16x1.5
	4-way angle block (T) 1x plug / 3x thread  335272    M16/M16/M16		Lock nut  316695    M16x1.5 316696    M22x1.5				
	4-way angle block (L) 1x plug / 3x thread  335271    M16/M16/M16		Transition piece with plug  335299    M22x1.5    Plug		Bulkhead union  323966    M22/Ø22/M16		
	Threaded reducing adapter  316683    M16/M12 316685    M22/M16 334017    R¼"/M10		Test valve with protective cap  316699    M16/M16 316700    M16/M22 335301    M16/M18/M12				
	Bulkhead connector  316686    L=24mm    M16/M16		90° arch with plug and thread  335263    M12x1.5    plug 335264    M16x1.5    plug		Bulkhead union  360300    M22/Ø22		
			90° arch with 2x thread  316704    M16/M16 316705    M22/M22				

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

# WHEEL RIMS

Steel rims

Alloy rims

Sample illustration



Steel rim

Colour: silver  
Brand: Maxion  
Offset 120  
11.75 x 22.5

Item no. 6300789

Steel rim

Colour: silver  
Brand: Südrad  
Offset 120  
11.75 x 22.5

Item no. 345627

Steel rim

Colour: silver  
Brand: Talas  
Offset 120  
11.75 x 22.5

Item no. 6300579

Alloy rim Dura Bright

Brand: Alcoa  
11.75 x 22.5  
Offset 0  
Wheel bolt diameter 26 mm

Item no. 6504211

Alloy rim matt

Brand: xlite  
11.75 x 22.5  
Offset 0  
Wheel bolt diameter 26 mm

Item no. 6503372

Alloy rim polished

Brand: xlite  
11.75 x 22.5  
Offset 0  
Wheel bolt diameter 26 mm

Item no. 6503373

Steel rim

Colour: silver  
Brand: Maxion  
Offset 0  
11.75 x 22.5

Item no. 6300790

Steel rim

Colour: silver  
Brand: Südrad  
Offset 120  
11.75 x 22.5

Item no. 345622

Steel rim

Colour: silver  
Brand: Talas  
Offset 0  
11.75 x 22.5

Item no. 6503109

Steel rim

Colour: silver  
Brand: Südrad  
Offset 120  
14.00 x 19.5

Item no. 344868

Alloy rim xbrite

Brand: xlite  
11.75 x 22.5  
Offset 0  
Wheel bolt diameter 26 mm

Item no. 6503374

Alloy rim Dura Bright

Brand: Alcoa  
11.75 x 22.5  
Offset 0  
Wheel bolt diameter 32 mm

Item no. 6503141

Alloy rim matt

Brand: xlite  
11.75 x 22.5  
Offset 0  
Wheel bolt diameter 32 mm

Item no. 6503375

Steel rim

Colour: silver  
Brand: Talas  
Offset 120  
14.00 x 19.5

Item no. 6502935

Steel rim

Colour: silver  
Brand: Südrad  
Offset 120  
11.75 x 19.5

Item no. 344866

Steel rim

Colour: silver  
Brand: Talas  
Offset 161  
9.00 x 22.5 for tractors

Item no. 6608296

Steel rim

Colour: silver  
Brand: Südrad  
Offset 161  
9.00 x 22.5 for tractors

Item no. 6609690

Alloy rim polished

Brand: xlite  
11.75 x 22.5  
Offset 0  
Wheel bolt diameter 32 mm

Item no. 6503376

Alloy rim xbrite

Brand: xlite  
11.75 x 22.5  
Offset 0  
Wheel bolt diameter 32 mm

Item no. 6603377

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

VALVES

Alloy rim Dura Bright

Brand: Alcoa  
11.75 x 22.5  
Offset 120  
Wheel bolt diameter 26 mm

Item no. 6503731

Alloy rim matt

Brand: xlite  
11.75 x 22.5  
Offset 120  
Wheel bolt diameter 26 mm

Item no. 6503378

Alloy rim polished

Brand: xlite  
11.75 x 22.5  
Offset 120  
Wheel bolt diameter 26 mm

Item no. 6503379



Trailer EBS  
relay valve  
OEM see 480 207 001 0

Item no. 339103



Pneumatic valve  
2 circular valves with push-in con-  
nection, OEM see 464 006 102 0

Item no. 6502260



Pneumatic valve  
Height limit  
OEM see 464 006 100 0

Item no. 318955

Alloy rim xbrite

Brand: xlite  
11.75 x 22.5  
Offset 120  
Wheel bolt diameter 26 mm

Item no. 6503380

Alloy rim Dura Bright

Brand: Alcoa  
11.75 x 22.5  
Offset 120  
Wheel bolt diameter 32 mm

Item no. 6502137

Alloy rim matt

Brand: Xlite  
11.75 x 22.5  
Offset 120  
Wheel bolt diameter 32 mm

Item no. 6503381



Raising/lowering valve  
  
With dead man's control  
OEM see 463 032 120 0

Item no. 338023



Trailer module premium  
  
Pneumatic extension module with  
push-in, ECAS function = No,  
System 4S/3M, OEM see 480 102  
061 0

Item no. 6502277



Trailer and  
trailer module  
  
Pneumatic extension module with  
push-in, ECAS function = No, System  
2S/2M, OEM see 480 102 031 0

Item no. 6502240



Extension module  
  
Pneumatic extension module with  
push-in. (PEM) OEM see 461 513 021 0  
  
Item no. 6000352 / PEM  
Item no. 6503532 / Rep set gasket  
for PEM

Alloy rim polished

Brand: Xlite  
11.75 x 22.5  
Offset 120  
Wheel bolt diameter 32 mm

Item no. 6503382

Alloy rim xbrite

Brand: Xlite  
11.75 x 22.5  
Offset 120  
Wheel bolt diameter 32 mm

Item no. 6503383



Trailer EBS  
module  
  
System 4S/3M RSS  
OEM see 480 102 014 0

Item no. 6610014



Parking release valve  
  
Max. operating pressure 10 bar  
OEM see 971 002 900 0

Item no. 361687



Rotary slide valve  
  
Max. operating pressure 10 bar  
OEM see 463 032 020 0

Item no. 6503484

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.



**2-way valve**  
Max. operating pressure 12 bar,  
OEM see 975 500 000 0

Item no. 77391



**Quick-release valve  
with 2-way valve**  
Max. operating pressure 12 bar,  
OEM see 973 500 051 0

Item no. 339747



**Trailer brake valve**  
Max. operating pressure 8.5 bar,  
OEM see 971 002 301 0

Item no. 349842



**Coupling head, red**  
For tractor units /  
with valve M16 x 1.5,  
OEM see 952 200 0070

Item no. 79427



**Coupling head, yellow**  
For tractor units /  
with valve M16 x 1.5,  
OEM see 952 200 0080

Item no. 79428



**Coupling head, yellow**  
For trailers without  
valve M22x1.5,  
OEM see KU1305 II 33263

Item no. 348447



**Coupling head, red**  
For trailers without  
valve M22x1.5,  
OEM see KU1304 II 33262

Item no. 348448



**Double release valve**  
With non-return valve  
OEM see 963 001 053 0

Item no. 336490

without illustration

**Double release valve**  
Replacement part for ID 336490,  
OEM see 963 001 053 7

Item no. 6500883



**Coupling head, yellow**  
For trailers with integrated pipe  
filter, test connection and push-  
in, OEM see 952 201 0140

Item no. 6502261



**Coupling head, red**  
For trailers with integrated pipe  
filter, test connection and push-in,  
OEM see 952 201 0150

Item no. 6502262



**Coupling head, yellow**  
For trailers without  
valve M16x1.5,  
OEM see 952 201 0010

Item no. 6500333



**Coupling head, red**  
For trailers without  
valve M16x1.5,  
OEM see 952 201 0020

Item no. 6500332



**Coupling head, yellow**  
For trailers without  
valve M16x1,5  
with integrated pipe filter,  
OEM see KU1410 K000954

Item no. 349844



**Coupling head, red**  
For trailers without  
valve M16x1,5  
with integrated Pipe filter,  
OEM see KU1410 K000952

Item no. 349843



**Coupling head, yellow**  
For trailers without  
valve M16x1,5,  
OEM see 952 200 0220

Item no. 182796



**Coupling head, red**  
For trailers without  
valve M16x1,5,  
OEM see 952 200 0210

Item no. 182795



**Air coil, black**  
Anti-kink protection, black, coil:  
black, thread: M16 x 1.5, pipe di-  
ameter: 12 x 2 mm, material: TPO

Item no. 6612265



**Air coil red**  
Anti-kink protection: red, coil:  
black, thread: M16 x 1.5, pipe di-  
ameter: 12 x 2 mm, material: TPO

Item no. 6612079



**Air coil yellow**  
Anti-kink protection: yellow, coil:  
black, thread: M16 x 1.5, pipe di-  
ameter: 12 x 2 mm, material: TPO

Item no. 6612080

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

DIAPHRAGM CYLINDERS



Diaphragm cylinders

Type 16,  
OEM, see BZ 3370

Item no. 333872



Diaphragm cylinders

Type 20,  
OEM, see BX 3416

Item no. 333873



Diaphragm cylinders

Type 24,  
OEM, see BX3535

Item no. 333874



Diaphragm cylinders

Type 30,  
OEM, see BX 3604

Item no. 333875



Double diaphragm cylinder

Type 16/24,  
OEM see 04454107764

Item no. 6501872 / SAF  
Item no. K6501872 / Kögel



Double diaphragm cylinder

Type 16/24,  
OEM see K026896N00

Item no. 6609773



Double diaphragm cylinder

Type 20/24,  
OEM, see 04454107964

Item no. 6604106



Double diaphragm cylinder

Type 16/24, right  
OEM see 05.444.40.01.0

Item no. 6609441



Diaphragm cylinders

Type 22,  
OEM, see BS3453

Item no. 335555



Diaphragm cylinders

Type 24,  
OEM, see BS 3509

Item no. 6502128



Diaphragm cylinders

Type 16,  
OEM see 4454106560

Item no. 6604089 / SAF  
Item no. K6604089 / Kögel



Diaphragm cylinders

Type 16,  
OEM, see BS 3300

Item no. 334651



Double diaphragm cylinder

Type 16/24, left  
OEM see 05.444.40.02.0

Item no. 6609442



Double diaphragm cylinder

Type 20/24, right  
OEM see 05.444.44.01.0

Item no. 6609417



Double diaphragm cylinder

Type 20/24, left  
OEM see 05.444.44.02.0

Item no. 6609418



Compressed-air connection

for 6609441, 6609442,  
6609417, 6609418,  
OEM, see 05.001.00.05.0

Item no. 6609419



Diaphragm cylinders

Type 20,  
OEM, see 4454106760,  
I131098, 423 505 000 0

Item no. 6500875



Double diaphragm cylinder

Type 20/24,  
OEM see 925 460 102 0

Item no. 335984



Double diaphragm cylinder

Type 24/30,  
OEM see BX7525

Item no. 337267



Double diaphragm cylinder

Type 20/30,  
OEM see BX7408

Item no. 337266



Double diaphragm cylinder

Type 16/24, left  
OEM see 05.444.40.07.0

Item no. 6612148



Double diaphragm cylinder

Type 20/24, right  
OEM see 05.444.44.08.0

Item no. 6612149



Double diaphragm cylinder with compressed air connection

Type 16/24, left  
OEM see 05.444.40.07.3

Item no. 6610204 / BPW  
Item no. K6610204 / Kögel



Double diaphragm cylinder with compressed air connection

Type 16/24, right  
OEM see 05.444.40.08.3

Item no. 6610205 / BPW  
Item no. K6610205 / Kögel

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change. Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

Copyright © 2011 Pearson Education, Inc. All rights reserved.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change.

Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.



## KÖGEL ORIGINAL PARTS



**You will also find the items from the Kögel parts series here in the catalogue**



## Shock absorbers

page 107



## Air bellows

page 108/109



## Brake disks, Brake lining and Repair kits

page 110 – 112



## Diaphragm cylinders

page 124/125

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications may be subject to change.

Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

This is just part of our product range. Please contact our Spare Parts Service if you have any queries. No liability can be accepted for printing errors or mistakes. Specifications are subject to change.

Illustrations may show optional extra equipment. Products are subject to continuous technical modifications. The general sales and delivery conditions of Kögel Trailer GmbH apply; these conditions can be found on the [www.koegel.com](http://www.koegel.com) homepage. The cost of each delivery may vary. The dimensions are approximations only.

INDEX

ABS-Sensors.....106

Adapter cables.....8

Adapter cables Superseal.....14

Adapter rear lights.....15

Air bellows.....108, 109

Air coil.....123

Air line connections.....115, 116, 117

All-around light.....8

Aluminium slats.....43

Anti-slip mat.....41

Axle - KTA.....101, 102

Axle - KTA Novum.....103, 104

Axle - Trax.....99, 100

Axle head kits.....110

Belt lift system.....41

Brake caliper BPW.....110

Brake caliper SAF .....112

Brake cylinder BPW / SAF.....124, 125

Brake discs BPW.....110

Brake discs SAF.....111

Brake pads BPW.....110

Brake pads SAF.....112

Bridge stop.....75

Bumper.....68, 69

Cables side marking Superseal.....13

Combination distributor.....34

Compressed air tank.....114

Container closure.....76

Contour markings.....58, 59

Coupling heads.....122, 123

Dangerous goods board.....82

Document box.....66

Door holder.....67

Drawbar Accessories.....75, 79

Drawbars.....77, 78

Edge protection for underride protection.....36

Edge protectors.....41

Expansion shaft.....56

Extension cords Superseal.....13

Flat cable - sold by the meter.....20

Floor panel.....44

Front cabel - Aspöck.....26

Front cable - Hella.....29

Front position lights - Aspöck.....22

Front position lights - Hella.....21

Front position lights Superseal .....11

Guiding roller.....76

Handle.....56

Hinge Repair Kits.....38, 39

Hood plastic.....61

Hook-on profiles S24.....48

Kingpin.....74

Ladder.....70

Landing legs.....92, 93, 94, 95

Lane Keeping Lights - Aspöck.....5, 6, 7

Lane Keeping Lights - Hella.....17, 18, 19

Lane Keeping Lights - Kögel.....9, 10

Lane lights for widening.....22

Lashing rings/eyelets.....72, 73

Lashing straps.....41

LED control device.....24

Lenses - Aspöck.....5, 6, 7

Lenses - Kögel.....9

Lenses Hella.....16, 17, 18

License plate light Superseal.....11

License plate lights.....22, 23

Lift master roof.....51, 52, 53

Light carrier aluminium/steel/plastic.....35

Load securing box.....91

Load securing slats S24.....42, 45, 46

Loading bar.....40

Locking bar.....41

Modulator.....121

Mudguard.....96, 97, 98

Oversized warning sign cplt.....81

Pallet stop S24 / Novum.....47

Pallet storage box.....89, 90

Parking warning sign.....82

Pin converter work lights.....15

Quick release tarpaulin in front.....55

Rain strips.....62

Rear distribution cable - Aspöck.....27

Rear distribution cable - Hella.....30

Rear light protective cap.....8

Rear lights - Aspöck .....5, 6, 7

Rear lights - Hella.....16, 17

Rear lights - Kögel.....9

Rear portal door locks.....37, 38

Repair kits SAF.....112

Repair kits TSB.....110

Repair plug - Hella.....33

Repair plug Aspöck.....28

Repair plug EBS / electrics.....25

Repair set Superseal.....10

Reversing lights.....10, 23

Rims - Steel/Alu.....118, 119, 120

Rivets.....62

Rollers for center stakes.....49

Shock absorber.....107

Side collision protection.....83

Side marker lights - Aspöck.....20

Side marker lights - Hella.....20, 21

Side marker lights - Superseal.....10

Slat pockets.....50

Slat storage for aluminum slats S24 / Novum.....42

Sliding roof attachments.....63, 64

Sliding roof operating rods.....71

Slip-on tube rotating light.....8

Socket adapter front.....24

Socket for Rear-outline marker lamp.....19

Spare wheel holder.....84, 88

Spiral cable EBS / electrics.....24

Stretching boards.....41

Superseal flat cable.....15

Superseal switch.....14

Supply lines - Aspöck.....27

Supply lines - Hella.....29

Supply lines ASS3 / Superseal.....12

Support legs.....95

Tarpaulin accessories.....57

Tarpaulin pavement.....60

Tension ratchet tarpaulin.....54, 55

Tire pilot.....113

Tool case.....105

Toolbox.....65, 66

Turntable.....80

Underrun protection.....36

Wabco valves.....121, 122

Waste Board.....82

Wheel shocks.....70

Wooden slats.....43

Work lights.....10, 23

Delivery/collection of goods

**Kögel Trailer GmbH**

After-Market Division

Boschstrasse 25

89079 Ulm

Germany

Postal address

**Kögel Trailer GmbH**

After-Market Division

Heuweg 3

89079 Ulm

Germany

**KÖGEL**

Kögel Trailer GmbH | Am Kögel-Werk 1 | 89349 Burtenbach | Germany

tel +49 8285 88-0 | fax +49 8285 88 17905 | [info@koegel.com](mailto:info@koegel.com)

**[www.koegel.com](http://www.koegel.com)**