


DENISON Hydraulics

Manufacturer	Commercial name	ISO VG 32	ISO VG 46	ISO VG 68	Ashless	PAO	HF0	HF1	HF2	HF3	HF4	HF5	HF6	HM	HV	HETG	HEPG	HEES	Food Grade	HFAE	HFAS	HFB	HFC	HFDR	HFUD	UTTO / THF
ABS Lubricants	Top Lube Hydraulic Oil	X	X	X			X	X	X					X												
Acietes y Parafinas Industriales	Sunvis 832, 846, 868	X	X	X			X	X	X					X												
ADNOC	Hydraulic Oil H	X	X	X			X	X	X					X												
American Agip Co. Inc.	Agip AW Hyd Oil	X	X	X					X					X												
American Refining Group	Brad Penn Premium HFO AW** Hydraulic Oil	X	X	X			X	X	X					X												
American Refining Group	Gulf Harmony Premium HFO AW Hydraulic Oil	X	X	X			X	X	X					X												
ARAL Lubricants GmbH	Aral Vitam OGF		X						X					X												
Belgin Madeni Yaglar	Hidrotest BS series	X	X	X			X	X	X					X												
Best Lubricant Blending	Hercules Zona Ultra		X	X			X	X	X					X												
BP	Bartran	X	X	X			X	X	X					X												
BP	Energol HLP-HM	X	X	X			X	X	X					X												
CALTEX	Rando		X						X					X												
CALTEX	Rando HD	X	X	X			X	X	X					X												
Cargil Industrial Oils and Lubricants	Novus AW 150 Hydraulic Oil		X						X				X			X										
Castrol	Anvol SWX		X	X	X										X										X	
Castrol	Hyspin AWS	X	X	X			X	X	X					X												
Castrol	Hyspin ZZ	X	X	X			X	X	X					X												
Castrol Heavy Duty Lubricants Inc.	Castrol Blue Hydraulic Plus	X	X	X			X	X	X					X												
Castrol Heavy Duty Lubricants Inc.	Castrol Paradene AW	X	X	X			X	X	X					X												
Cepsa Lubricantes S.A.	Cepsa Hidraulico HM	X	X	X			X	X	X					X												
Cepsa Lubricantes S.A.	Cepsa Hidrosic HLP	X	X	X	X		X	X	X					X												
Cepsa Lubricantes S.A.	Cepsa Hidrostar HVLP	X	X	X			X	X	X						X											
Chevron Texaco Global Lubricants	CHEVRON Hydraulic Oil AW	X	X	X			X	X	X					X												
Chevron Texaco Global Lubricants	Chevron Rykon Oil AW	X	X	X			X	X	X					X												
Chevron Texaco Global Lubricants	Rando HD	X	X	X			X	X	X					X												
Chevron Texaco Global Lubricants	Texaco AW Hydraulic Oil	X	X	X			X	X	X					X												
Citgo Petroleum Corp.	Citgo Transgard THF			X											X											X
Conoil Plc	Quatro Adral	X	X	X			X	X	X					X												
David Weber Oil Company	Gibraltar Premium AW Hydraulic Oil	X							X					X												
DELEK - ISRAEL	Delkol Hydroplast	X	X	X	X		X	X	X					X												
DELTAVENT	PDV Hidralub	X	X	X			X	X	X					X												
DELTAVENT	PDV Hidralub AW	X	X	X			X	X	X					X												
Distri. De ACIETIS Mexicanos ACEIME	Hidro lub	X	X	X			X	X	X					X												
Distribuidora JP, S.A. de C.V.	JP Premium 7410, 7420, 7430 (32, 46, 68)	X	X	X			X	X	X					X												
EniTechnologie	AGIP ARNICA	X	X	X				X	X						X											
ExxonMobil	Mobil DTE 10 Excel Series	X	X	X	X		X	X	X						X											
ExxonMobil	Mobil DTE 10M serie		X	X				X	X						X											
ExxonMobil	Mobil DTE 20 serie	X	X	X			X	X	X					X												
ExxonMobil	Mobil DTE Excel	X	X	X			X	X	X					X												
ExxonMobil	Mobil EAL syndraulic / Envirosyn	*,**X,*X,*X						X	X				X		X			X								

Are removed of this list fluids over 10 years old.

* Fluid under field or laboratory test with acceptable performances on Denison vane pump.

** Can be used up to 70°C.

,** HF2

Rev.:19/03/2009

Been evaluated TP 30532

TP 30533

TP 30338


DENISON Hydraulics

Manufacturer	Commercial name	ISO VG 32	ISO VG 46	ISO VG 68	Ashless	PAO	HF0	HF1	HF2	HF3	HF4	HF5	HF6	HM	HV	HETG	HEPG	HEES	Food Grade	HFAE	HFAS	HFB	HFC	HFDR	HFDU	UTTO / THF
ExxonMobil	Mobil Hydraulic Oil AW	X	X	X			X	X	X					X												
ExxonMobil	Mobil SHC 500 series	X	X	X				X	X						X											
ExxonMobil	Nuto H	X	X	X			X	X	X					X												
ExxonMobil	UNIVIS N	X	X	X			X	X	X						X											
Fiske Brothers Refining Co.	Lubriplate HO	X	X	X			X	X	X					X												
FL SELENIA	Akcelo AW Hydraulic Fluid 46 Steyr-case		X				X	X	X					X												
FL SELENIA	Akros Idraulic	X		X			X	X	X					X												
FL SELENIA	Akros Idraulic HV		X				X	X	X						X											
FL SELENIA	Ambra Hydraulicar			X			X	X	X					X												
FL SELENIA	Ambra Hydrosystem	X		X			X	X	X					X												
FL SELENIA	Ambra Idraulic HV		X				X	X	X						X											
FL SELENIA	Arbor Hydraulic			X			X	X	X					X												
FL SELENIA	Arbor Hydraulic HV		X				X	X	X						X											
FL SELENIA	Blitz Idraulic Fluid 310	X					X	X	X					X												
FL SELENIA	Hidrobak / S	X	X	X			X	X	X					X												
FL SELENIA	Hidrobak / S7	X	X				X	X	X					X												
FL SELENIA	Hidrobak HP			X			X	X	X						X											
FL SELENIA	Hidrobak HV/UF		X	X			X	X	X						X											
FL SELENIA	Hidrosistem HV		X				X	X	X						X											
FL SELENIA	Idraulicar HVI		X	X			X	X	X						X											
FL SELENIA	Tutela Idraulicar AP31, AP46, AP51	X	X	X			X	X	X					X												
FUCHS	RENOFLUID TF 1500	X					X	X	X					X												
FUCHS	RENOLIN B Series	X	X	X			X	X	X					X												
FUCHS	RENOLIN D Series	X	X	X			X	X	X					X												
FUCHS	RENOLIN LIFT Series	X	X	X			X	X	X					X												
FUCHS	RENOLIN Xtreme Temp.	X	X				X	X	X						X											
Fujian Laike Petrochemical Co. Ltd.	Laike AW Hydraulic Oil	X	X	X			X	X	X					X												
Great wall Oil Group, CHINA SINOPEC	Great wall HP AW	X	X	X			X	X	X					X												
Gulf Oil International	Gulf Harmony AW	X	X	X			X	X	X					X												
Gulf Oil International	Gulf Harmony EF		X						X				X													
Gulf Oil International	Gulf Harmony ZF	X	X	X	X		X	X	X					X												
Imperial Oil	Nuto H	X	X	X			X	X	X					X												
Imperial Oil	UNIVIS N	X	X	X					X						X											
Ingenieras Salas, S.A. de C.V.	ISA Hidraulico 46CM, 68CM		X	X			X	X	X					X												
JSC "AZMOL"	Azmol I-G-S	X	X	X			X	X	X					X												
Kuwait Petroleum Company	Haydn	X	X	X			X	X	X					X												
Kuwait Petroleum Company	Hogarth		X				X	X	X						X											
LIQ-E, S.A. de C.V.	Liqesa	X	X	X			X	X	X					X												
LLukoil Oil Company	Lukoil GEYSER LT	X	X	X			X	X	X						X											
LLukoil Oil Company	Lukoil GEYSER ST	X	X	X			X	X	X					X												

Are removed of this list fluids over 10 years old.

* Fluid under field or laboratory test with acceptable performances on Denison vane pump.

** Can be used up to 70°C.

*** HF2

Rev.: 19/03/2009

Been evaluated TP 30532

TP 30533

TP 30338


DENISON Hydraulics

Manufacturer	Commercial name	ISO VG 32	ISO VG 46	ISO VG 68	Ashless	PAO	HF0	HF1	HF2	HF3	HF4	HF5	HF6	HM	HV	HETG	HEPG	HEES	Food Grade	HFAE	HFA5	HFB	HFC	HFDR	HFDU	UTTO / THF
LLukoil Oil Company	Lukoil IGS	X	X	X			X	X	X					X												
LOTOS Grupa S.A.	Hydromil Super L-HM	X	X	X	X		X	X	X					X												
Lubdeco S.A. de C.V.	Lubdeco Hidraulico 150,220,300(32,46,68)	X	X	X			X	X	X					X												
Lubricant Company,Sinopec	Greatwall HP AW	X	X	X			X	X	X					X												
Lubricant Company,Sinopec	Greatwall SHP AW	X	X	X			X	X	X					X												
Lubricant Company,Sinopec	Greatwall SHP HM	X	X	X			X	X	X					X												
Lubricant Company,Sinopec	Greatwall XP AW	X	X	X			X	X	X					X												
Lubricantes de América,S.A. de C.V.	Hydraulico FH 150, 200, 300 (32, 46, 68)	X	X	X			X	X	X					X												
Lubricantes de América,S.A. de C.V.	Lubra Hydraulico H	X	X	X			X	X	X					X												
Lubriplate Lubricants Co,	Lubriplate ZF		X		X		X	X	X					X												
Lubriquem del Norte, S.A. de C.V.	Hidralub	X	X	X			X	X	X					X												
Lyondell Citgo Refining Co.	Aquamarine	X	X	X			X	X	X																	
Maoming	MHM Lifeng		X	X			X	X	X					X												
MAZIVA Zagreb d.o.o.	INA Hidraol DVC	X	X	X			X	X	X					X												
Mexicana de Lubricantes S.A. de C.V.	Akron	X	X	X			X	X	X					X												
Mexicana de Lubricantes S.A. de C.V.	Hidraulico MH	X	X	X			X	X	X					X												
MOL-LUB	MOL Hydro HM * AL	X	X	X	X		X	X	X					X												
MOL-LUB	MOL Hidro HME	X	X	X			X	X	X					X												
MORRIS Lubricants	Liquimatic HV46		X				X	X	X						X											
MORRIS Lubricants	Morris Liquimatic BVG		X						X				X			X										
Naftec	Tiska		X						X					X												
NATOIL GmbH & Co. KG	SunLub® HOT		X						X				X			X										
Orien Oil	Hydrol L	X	X	X			X	X	X					X												
PATting D.O.O.	Forol HM MAX		X	X			X	X	X					X												
Petro Canada	Hydrex AW Hydraulic Oil	X	X	X			X	X	X					X												
Petro Ofisis S.A.	PO Hydro Oil HD	X	X	X			X	X	X					X												
Petro Ofisis S.A.	PO Hydro Oil TX	X	X	X	X		X	X	X					X												
Petro Ofisis S.A.	PO Hydro Tech HVI	X	X	X			X	X	X						X											
PetroChina Lubricant Company	KUNLUN	X	X	X			X	X	X					X												
Petrogal	Galp Hidrolep	X	X	X			X	X	X					X												
Quimiberica, S.A.	Hidrak HLP II	X	X	X			X	X	X					X												
Raloy Lubricantes, S.A. de C.V.	Raloy Hidrafluid	X	X	X			X	X	X					X												
Repsol YPF Lubricantes y Especialidades S.A.	Hidraulico BP 46		X						X					X												
Repsol YPF Lubricantes y Especialidades S.A.	RP Hidraulico **SC	X	X	X	X		X	X	X					X												
Repsol YPF Lubricantes y Especialidades S.A.	Telex E	X	X	X			X	X	X					X												
Repsol YPF Lubricantes y Especialidades S.A.	Telex HVLP	X	X	X			X	X	X						X											
Safety Kleen	America's Choice Zinc Free Hydraulic Oil AW	X	X	X	X		X	X	X					X												
Safety Kleen	Performance Plus Zinc Free Hydraulic Oil AW	X	X	X	X		X	X	X					X												
Schaeffer Manufacturing Company	#275S Dilex Supreme MEHF		X				X	X	X						X											
Shell (Equilon)	Shell AW Hydraulic Oils	X	X	X			X	X	X					X												

Are removed of this list fluids over 10 years old.

* Fluid under field or laboratory test with acceptable performances on Denison vane pump.

** Can be used up to 70°C.

*** HF2

Rev. :19/03/2009

Been evaluated TP 30532

TP 30533

TP 30338


DENISON Hydraulics

Manufacturer	Commercial name	ISO VG 32	ISO VG 46	ISO VG 68	Ashless	PAO	HF0	HF1	HF2	HF3	HF4	HF5	HF6	HM	HV	HETG	HEPG	HEES	Food Grade	HFAE	HFAS	HFB	HFC	HFDR	HFDU	UTTO / THF
SHELL CANADA	Shell Tellus	X	X	X			X	X	X					X												
SHELL CANADA	Shell Tellus T	X	X	X				X	X						X											
SHELL CANADA	Shell Tellus Oils T (SCAN)		X				X	X	X						X											
SHELL Global Solutions	Shell Tellus	X	X	X			X	X	X					X												
SHELL Global Solutions	Shell Tellus EE	X	X	X	X	X	X	X	X					X												
SHELL Global Solutions	Shell Tellus Oils T	X	X	X					X						X											
SHELL Global Solutions	Shell Tellus Plus	X	X	X			X	X	X					X												
SHELL Global Solutions	Shell Tellus Premium	X	X	X			X	X	X					X												
SHELL Global Solutions	Shell Tellus S Plus	X	X	X	X		X	X	X					X												
SHELL Global Solutions	Shell Tellus STX	X	X	X	X		X	X	X						X											
SHELL Global Solutions	Shell Tellus T	X	X	X					X						X											
SHELL Global Solutions Japan	Shell Tellus SX-Z	X	X	X	X	X	X	X	X					X												
Shell Tongyi (Beijing) Petroleum Chemical Co.	Monarch AWZ	X	X	X			X	X	X					X												
Shem Lubricantes S.A. de C.V.	Shem Hidro HD	X	X	X			X	X	X					X												
Sonol Israel	Hellar NZ		X				X	X	X					X												
Statoil Lubricants Technologies	Hydra Way HVX		X				X	X	X						X											
Texaco (Equilon)	Texaco AW Hydraulic Oil	X	X	X			X	X	X					X												
Texaco (Equilon)	Texaco Rando HD	X	X	X			X	X	X					X												
Total Lubrifiants	Azolla AF	X	X	X	X		X	X	X					X												
Total Lubrifiants	Azolla ZS	X	X	X			X	X	X					X												
Total Lubrifiants	Biohydan TMP	X	X	X	X				X				X		X			X								
Total Lubrifiants	Elfina DS		X	X			X	X	X																	
Total Lubrifiants	Hydroflo CT	X	X	X			X	X	X						X											
TNK Lubricants LLC	TNK Hydraulic HLP	X	X	X			X	X	X					X												
UNIL OPAL	UNIL OPAL HFM		X	X					X					X												
UNIL OPAL	UNIL OPAL HFO	X	X	X			X	X	X					X												

Are removed of this list fluids over 10 years old.

* Fluid under field or laboratory test with acceptable performances on Denison vane pump.

** Can be used up to 70°C.

*** HF2

Rev.: 19/03/2009

Been evaluated TP 30532

TP 30533

TP 30338