



• Typenliste Federn

List of spring types



SCHOMÄCKER 
FEDERNWERK

• **MAN**

Ausgabe/Edition: 09/2006



M A N Typenliste

Ausgabe: 09.06

Neue Generation
new generation


E2000	E12-E98
F2000	T01-T78
L2000	L20-L95
M2000	M31-M80
TGA	H01-H95

Alle Daten wurden sorgfältig erarbeitet, Ersatzansprüche aufgrund von Angaben in diesem Katalog können nicht anerkannt werden.

All data were carefully compiled. We cannot accept any claims for compensation due to errors inadvertently made in this list of spring types.




Formen der verschiedenen Vorderfedern




728200	729500	729860
729040	729740	
729320	729820	

Form 1




727560
728000
728560
728580

Form 1BE



728080	729540
728680	730200
728700	730260
729140	

Form 1E




728600	728780	729480
728620	728860	729580
728640	729120	729600
728760	729460	730140

Form 1EJ



729220


Form 1EK



727680

Form 1EL

Formen der verschiedenen Vorderfedern




728980

Form 1F




728320
728720
729060
729640
729660

Form 1FK



728660
728740
728940
728960
729620

Form 1FL



727780	728300	729380
727840	728520	729400
727920	728540	729420
727960	729340	729440
728060	729360	

Form 1IK



729260	729940	730280
729280	729960	
729300	730040	
729880	730100	
729900	730120	

Form 1J



725780	729840	730080
725980	730000	
727980	730020	
728160	730060	

Form 1K




Formen der verschiedenen Vorderfedern



727700
727720
727740

Form 1KQ



728100	728440	729560
728120	728460	729680
728140	728500	729700
728380	728880	729720
728400	729080	729760
728420	729160	729780
		729800


Form 1L 2 Blatt Ausf.



728220	729000	729020
730220		


Form 1L 3 Blatt Ausf.

Formen der verschiedenen Hinterfedern




Form 1

727370
728910
729730
729790




Form 1AK

725930
725970



Form 1AR

727290 728690
728270 728850
728650
728670




Form 1B

726990 728810 72933
727650 728830 72969
727970 728970 72971
728790 729030



Form 1BJ

728630
728590



Form 1BJ

729450
729470
729850




Form 1BJ

729390
729770




Formen der verschiedenen Hinterfedern




728770
729090

Form 1BJ




728710 728070
728750 728090
729010

Form 1BJ




729070
729550
729670

Form 1BJ




728310
728430
728470
728930
729650

Form 1BL




728570
728610
729630

Form 1J



729370
729830


Form 1J



729170
729190
729290


Form 8B

Formen der verschiedenen Hinterfedern




727610
728050
729590

Form 8BK




729130
729810

Form 8BU




728210
729510
729950

Form 8K




729250
729270

Form 8QX



729410
729430

Form 8QZ




729530

Form 8U




Formen der verschiedenen Hinterfedern




Form 8W

727710	729150
727730	729350
728190	729750
728450	
728890	




Form 8XZ

729210



Form 8Z

727810	729930
727890	
727910	
727930	
728410	



Form 62

728030
729310

Erläuterung zu den Formen

Ausgabe: 09.06

A	mit Zusatzfeder
B	mit Unterfeder
E	mit Stoßdämpferlage 1 Auge
F	mit Stoßdämpferlage 2 Augen
I	mit Gegenlage u. Stoßdämpferlage 2 Augen
J	Blattenden gekröpft u. mit Endzwischenlagen
K	Blattenden gekröpft
L	mit Endzwischenlagen
O	Blattenden gekröpft mit Löcher für Gummiteile
Q	mit Rillen
R	ausgewalzt mit Rillen
T	mit montierten Gummiteilen
U	Blattenden gekröpft mit Endlöcher und Schrauben
W	ausgewalzt
X	Blattenden mit Endlöchern und Schrauben
Y	Blattenden gekröpft mit Endlöcher
Z	unterschiedliche Lagenstärken und Leerlastsprengung

Explanation of shapes

A	with helper spring
B	with supporting spring
E	with shock absorber leaf 1 eye
F	with shock absorber leaf 2 eyes
I	with counter leaf and shock absorber leaf 2 eyes
J	endings of leaf cranked with end-spacer
K	endings of leaf cranked
L	with end-spacer
O	endings of leaf cranked with holes for rubber pads
Q	with grooves
R	tapered with grooves
T	with rubber pads assembled
U	endings of leaf cranked with end-holes and screws
W	tapered
X	endings of leaf with end-holes and screws
Y	endings of leaf cranked with end-holes
Z	different thickness of leaves and empty load arch

M A N Typ-Nr.-Übersicht

SCHOMÄCKER
FEDERNWERK



Ausgabe: 09.06

Typ-Nr. type-no.	Bezeichnung designation	ab from	bis until	
E12	41T 8x4/4 VFS-BLBB/B BBB/BLLL	09.90	25.97	
E15	32/35/41T 8x8/4-8X6/4-8X4/4 VFA	01.89	25.97	
E17	47/48T 10x4/6V FV-NIEDERLANDE	25.89	25.97	
E18	47/48T 10x8/6 VFVA	01.89	25.97	
E26	36/41T 8x8/4VFA-NIEDERLANDE	25.89	25.97	
E36	48.502 VFA 8x4 HONGKONG	15.96		
E40	FE 26T 6x4 BB/BL	04.97		
E41	FE 41T 8x8,8x4 BB	25.97		
E49	17T 4x2 FL (BR2000)	27.89	25.97	
E50	30/33T 6x4/6x6-2 FAN/DFA	30.95		
E50	30/28.343 FANLBLL	31.95		
E52	19/21T 4x4 FAL	21.95		
E53	24/26/27T 6x2/6x4-4 FNL	26.95	04.00	
E58	35/37/41T 8x8/4-8x6/4 VFA	36.95	04.00	
E59	33T 6x4 DFL/28T 6x2 FNL	20.96	04.00	
E60	FE 30/33T 6x4,6x6 BL	12.96		
E60	30.364 6x4/2 FANLC-OEBH	30.99		
E60	30.364 6x4/2 FANLC-OEBH BJ.2000/2001	23.00		
E61	FE 19T 4x2 BL	06.95		
E62	FE 19T 4x4 BL	28.95		
E62	19.403 4x4/2 FALK-OEBH	15.99		
E63	FE 26T 6x2-4,6x4-4 BL	20.96		
E65	FE 32T 4x4,8x2-6 BL	22.96		
E67	FE 28T 6x4-4,6x6-4 BL	26.96		
E68	FE 41T 8x6,8x8 BB	34.95		
E69	33T FE 33T 6x4 BL	36.95		
E72	FE 33T 6x6-4BH	31.95		
E75	FE 41T 8x4/4 BL	13.96		
E76	26T 6x4 DFR-AUSTRALIEN	01.95	18.97	
E78	37/41/42/50T 8x8/4 VFA	25.95	02.02	
E94	FE 33T 6x6 BB	34.98		
E95	FE 42T 8x4/4 BL	04.97		
E98	FE 50T 8x8 BB	09.99		
H01	TGA 18T 4x2 BLS-TS	36.02		
H02	TGA 18T 4x2 BB	10.00		
H03	TGA 18T 4x2 BB	13.03		
H04	18T 4x2 L D08.L/R	10.01	31.01	
H05	TGA 18T 4x2 BL	10.99		
H06	TGA 18T 4x2 BL	30.01		
H07	ECT 18T ISM 4x2BL	19.02		
H08	TGA 18T 4x2 BLS-TS	03.03		
H16	TGA 26T 6x2-4BL D08..	18.02		
H17	TGA 26T 6x2-2,6x2-4 BL	10.99		
H18	TGA 26T 6x2-2,6x2-4 BL	11.03		
H23	TGA 26T 6x2/2,6x2/4 BL	10.00		
H24	TGA 26T 6x2/2,6x2/4 BL	09.03		
H25	TGA 26/33T 6x4 BB	02.01		
H26	TGA 26/33T 6x4 BB	33.01		

M A N Typ-Nr.-Übersicht

SCHOMÄCKER
FEDERNWERK



Ausgabe: 09.06

Typ-Nr. type-no.	Bezeichnung designation	ab from	bis until	
H27	ECT 26T ISM 6x2-2,6x2-4 BL	24.02		
H28	TGA 33T 6x4 BB-WW	32.02		
H29	TGA 26/33T 6x4 BL	17.01		
H30	TGA 26/33T 6x4 BL	13.03		
H32	ECT 26T ISM 6x2/2,6x2/4 BL	19.02		
H33	TGA 40T 6x4 BB-WW	18.03		
H36	TGA 35T 8x4 BB	28.01		
H37	TGA 35T 8x4 BB	11.03		
H38	TGA 41/50T 8x4 BB	31.01		
H40	TGA 32/35T 8x4 BL	01.02		
H41	TGA 32/35T 8x4 BL	13.03		
H43	TGA 19T 4x2 BBS-WW	28.03		
H46	TGA 41/50T 8x4 BB-WW	03.03		
H48	TGA 32T 8x4 BB	02.03		
H51	TGA 18T 4x4 BB	10.02		
H52	TGA 18T 4x4 BB	19.03		
H54	TGA 33T 6x6 BB-WW	10.03		
H55	TGA 26/33T 6x6 BB	09.02		
H56	TGA 26/33T 6x6 BB	19.03		
H57	TGA 40T 6x6 BB-WW	23.03		
H61	TGA 18T 4x2 BL-WW-SKD	11.02		
H63	TGA 26T 6x4 BL-WW-SKD	10.03		
H70	TGA 18T 4x4 BL	17.02		
H72	TGA 26/33T 6x6 BL	13.02		
H73	TGA 35/41T 8x6 BB	14.02		
H74	TGA 28T 6x2-4 BL/LL	33.02		
H76	TGA 35/41T 8x8 BB	11.02		
H82	TGA 26/33T 6x6 BL	28.03		
H86	TGA 33T 6x2-2 BI	24.00		
H88	TGA 35T 8x2-4,8x2-6 BL	35.01		
H90	TGA 35T 8x2-4,8x2-6 BL	16.03		
H94	TGA 41T 8x4/4 BB/BL	28.02		
H95	TGA 41T 8x4/4 BB/BL	30.01		
L20	LE 6-9T 4x2 BB	05.93		
L21	LE 8/9T 4x2 BB	07.93		
L22	8/9T 4x4 LA	20.94	08.02	
L23	8/9T 4x4 LA	24.94	35.01	
L24	LE 8-10T 4x2 BB	05.93		
L25	LE 10T 4x2 BB	07.93		
L26	LE 10T 4x4 BB	24.94		
L27	LE 10T 4x4 BB	24.94		
L33	LE 6-9T 4x2 BL	05.93		
L34	LE 8/9T 4x2 BL	05.93		
L35	LE 9/10T 4x2 BL	07.93		
L36	LE 10T 4x2 BL	05.93		
L50	8T 4x2 FOC	22.94	09.01	
L51	8T 4x2 FOCL	22.94	09.01	
L52	8/10T 4x2 FOC	12.95	09.01	

M A N Typ-Nr.-Übersicht

SCHOMÄCKER
FEDERNWERK



Ausgabe: 09.06

Typ-Nr. type-no.	Bezeichnung designation	ab from	bis until	
L53	LE 8/10T 4x2 BL	12.95		
L70	LE 11/12T 4x2 BB	21.95		
L71	LE 11/12T 4x2 BB	17.95		
L72	LE 11/12T 4x2 BL	22.95		
L73	LE 11/12T 4x2 BL	20.95		
L74	12/13/14T 4x2 L	16.95	34.01	
L75	LE 12/13/14T 4x2 BB	22.95		
L76	12/13/14T 4x2 LL	28.95	34.01	
L77	LE 12/13/14T 4x2 BL	22.95		
L80	LE 13/14T 4x4 BB	01.96		
L81	LE 14/15T 4x2 BB	27.95		
L82	LE 14/15T 4x2 BB	16.95		
L83	14/15T 4x2 LL	30.95	19.01	
L84	LE 14/15/20T 4x2,6x2-4 BL	30.95		
L87	LE 18T 4x2 BB	10.95		
L88	LE 18/19T 4x2 BL	19.95		
L90	LE 18T 4x4 BB	34.95		
L95	LE 26T 6x4 BB	04.99		
M31	12/13/14T 4x2 M	24.95	34.01	
M32	ME 12/13/14T 4x2 BL	28.95		
M34	ME 12/13/14T 4x4 BB	34.95		
M38	ME 18T 4x2 BB	10.95		
M39	ME 18T 4x2 BL	16.95		
M41	ME 18T 4x4 BB	01.96		
M42	ME 23/25T 6x2 BL	22.95		
M44	ME 25/26T 6x2/4 BL	04.96		
M55	LE 6/8/9T 4x2 BB	26.00	01.04	
M61	LE 10T 4x2 BB	26.00	01.04	
M69	LE 11/12T 4x2 BB	26.00	01.04	
M70	LE 11/12T 4x2 BB	26.00	01.04	
M74	LE 12T 4x2 BB	26.00	01.04	
M78	LE 13/14T 4x4 BB	26.00	01.04	
M80	LE 14/15T 4x2 BB	26.00	01.04	
F01	18/19T 4x2 F/FR	13.94	34.99	
F02	18/19T 4x2 FL/FLR	13.94	01.00	
F04	19/21T 4x4FA	33.94	01.00	
F06	24/26/27T 6x2/2 FNL	20.94	01.00	
F08	22/26-28T 6x2/4 FVL/R	30.94	01.00	
F09	26/27T 6x4 DF	27.94	01.00	
F10	26/27T 6x4 DFL	07.95	01.00	
F12	26/27/33T 6x6 DFA	36.94	01.00	
F15	32/35T 8x4 VF	18.95	01.00	
F16	35/37/41T 8x4 VF/R	19.95	01.00	
F18	26/27/33T 6x4 DF/R	33.94	01.00	
F31	FE 18T 4x2 BB	16.94		
F32	FE 18T 4x2 BL	14.94		
F34	FE 18T 4x4 BB	33.94		

M A N Typ-Nr.-Übersicht

Ausgabe: 09.06

Typ-Nr. type-no.	Bezeichnung designation	ab from	bis until	
T36	FE 26T 6x2-2,6x2-4 BL	21.94		
T38	FE 26T 6x2/4 BL	30.94		
T39	26/27/28T 6x4 DF	27.94	12.01	
T40	FE 26T 6x4 BL	07.95		
T42	FE 26/33T 6x6 BB	36.94		
T43	FE 40T 6x4 BB	07.97		
T45	FE 35T 8x4 BB	16.95	11.03	
T46	FE 41T 8x4 BB	19.95		
T48	FE 26/33 6x4 BB	33.94		
T62	19T 4x2 FL/R	28.95	34.01	
T70	26/28T 6x4 DFL	13.96	34.01	
T72	26/33T 6x6 DFA	25.96	01.02	
T78	27/28/33T 6x4 DF	10.96	34.01	



M A N Typenliste

Ausgabe:09.06

Typ- Nr.	Artikel-Nr. art.-no.			Achsl.	Blatt-	Breite	Länge		Spr. free	Buchsen-Ø		Paket	Form shape
				axle load	zahl leaves	width	length			arch	bush diameter		
							vorn front	hinten rear	vorn front		hinten rear		
E12	72778000	1.+2.V-Achse	V	8	1/4/1	90	900	700	145	30x36	30x36	144	1IK
E12	72789000	1.+2.H-Achse	H	10	7	100	825	825	101			153	8Z
E12	72791000	1.+2.V-Achse	H	10	8	100	825	825	98			164	8Z
E12	72781000	1.+2.H-Achse;Leerlastspr.zw.6.+7.Lg.	H	13	11	100	825	825	73			235	8Z
E12	72793000	1.+2.H-Achse;Leerlastspr.zw.5.+6.Lg.;pw.aust.727810	H	13	11	100	825	825	70			234	8Z
E12	72771000	1.+2.H-Achse;bis 17/94	H	16	12	100	825	825	55			256	8W
E12	72773000	1.+2.H-Achse;bis 17/94;ers.d.727710	H	16	12	100	840	840				258	8W
E12	72841000	1.+2.H-Achse;ab 18/94	H	16	13	100	825	825	102			269	8Z
E15	72830000	1.+2.V-Achse;ab Fgst.E15-0173	V	6,5	1/4/1	90	900	680		30	30		1IK
E15	72806000	1.+2.V-Achse;ab Fgst.E15-0173	V	7,1	1/4/1	90	900	700		30	30		1IK
E15	72934000	li;1.+2.V-Achse;re 729360;ers.d.728060 f. li+re	V	7,1	1/4/1	90	900	700		30	30		1IK
E15	72936000	re;1.+2.V-Achse;li 729340;ers.d.728060 f. li+re	V	7,1	1/4/1	90	900	700		30	30		1IK
E15	72792000	1.+2.V-Achse;ab Fgst.E15-0173	V	7,5	1/4/1	90	900	700		30	30		1IK
E15	72808000	1.+2.V-Achse;2 Stoßdpflg.m.je 1 Auge	V	7,5	13	90	900	700		30x36	30x36		1E
E15	72832000	1.+2.V-Achse;bis Fgst.E15-0172;2 Stoßdpflg.m.je 1 Auge	V	7,5	4/2	90	900	700		30	30		1E
E15	72778000	1.+2.V-Achse;ab Fgst.E15-0173	V	8	1/4/1	90	900	700	145	30x36	30x36	144	1IK
E15	72820000	1.+2.V-Achse	V	8	13	90	900	700				157	1
E15	72932000	li;1.+2.V-Achse;re 730180;ers.d. 728200 f. li+re	V	8	13	90	900	700		30	30		1
E15	72938000	li;1.+2.V-Achse;re 729400;ers.d. 727780 f. li+re	V	8	1/4/1	90	900	700		30	30		1IK
E15	72940000	re;1.+2.V-Achse li 729380;ers.d. 727780 f. li+re	V	8	1/4/1	90	900	700		30	30		1IK
E15	72944000	1.+2.V-Achse	V	8	1/4/1	90	900	700		30	30		1IK
E15	72796000	1.+2.V-Achse;ab Fgst.E15-0173	V	9	1/4/1	90	900	700	144	30x36	30x36	148	1IK
E15	72942000	1.+2.V-Achse;ers.d. 727960	V	9	1/4/1	90	900	700		30	30		1IK
E15	72789000	1.+2.H-Achse	H	10	7	100	825	825	101			153	8Z
E15	72791000	1.+2.H-Achse	H	10	8	100	825	825	98			164	8Z
E15	72781000	1.+2.H-Achse;Leerlastspr.zw.6.+7.Lg.	H	13	11	100	825	825	73			235	8Z
E15	72793000	1.+2.H-Achse;Leerlastspr.zw.5.+6.Lg.;pw.aust.727810	H	13	11	100	825	825	70			234	8Z
E15	72771000	1.+2.H-Achse;bis 11/94	H	16	12	100	825	825	55			256	8W
E15	72773000	1.+2.H-Achse;bis 11/94	H	16	12	100	840	840				258	8W
E15	72841000	1.+2.H-Achse,ab 12/94;pw.ers.d.728890	H	16	13	100	825	825	102			269	8Z
E15	72889000	1.+2.H-Achse,ab 12/94	H	16	16	100	825	825	92			291	8
E17	72784000	1.+2.V-Achse;Niederlande;2 Stoßdpflg.m.je 1 Rolle	V	9	1/4/2	90	900	675	81	30x36	30x36	158	1IK
E17	72781000	1.+2.H-Achse;Niederlande	H	13	11	100	825	825	73			235	8Z
E17	72793000	1.+2.H-Achse;pw.aust.727810;Niederlande	H	13	11	100	825	825	70			234	8Z
E17	72819000	1.+2.H-Achse;Niederlande	H	13	13	100	1025	1025	75			302	8
E18	72806000	1.+2.V-Achse	V	7,1	1/4/1	90	900	700		30	30		1IK
E18	72934000	li;1.+2.V-Achse;re 729360;ers.d.728060 f. li+re	V	7,1	1/4/1	90	900	700		30	30		1IK
E18	72936000	re;1.+2.V-Achse;li 729340;ers.d.728060 f. li+re	V	7,1	1/4/1	90	900	700		30	30		1IK
E18	72778000	li+re; 1.+2.V-Achse	V	8	1/4/1	90	900	700	145	30x36	30x36	144	1IK
E18	72820000	1.+2.V-Achse	V	8	13	90	900	700				157	1
E18	72932000	li;1.+2.V-Achse;re 730180;ers.d. 728200 f. li+re	V	8	13	90	900	700		30	30		1
E18	72938000	li;1.+2.V-Achse;re 729400;ers.d. 727780 f. li+re	V	8	1/4/1	90	900	700		30	30		1IK
E18	72940000	re;1.+2.V-Achse;li 729380;ers.d.727780 f. li+re	V	8	1/4/1	90	900	700		30	30		1IK
E18	72784000	1.+2.V-Achse;2 Stoßdpflg.m.je 1 Rolle	V	9	1/4/2	90	900	675	81	30x36	30x36	158	1IK
E18	72796000	1.+2.V-Achse	V	9	1/4/1	90	900	700	144	30x36	30x36	148	1IK
E18	72942000	li;1.+2.V-Achse;re 730160;ers.d.727960 f. li+re	V	9	1/4/1	90	900	700		30	30		1IK
E18	72781000	1.+2.H-Achse;Leerlastspr.zw.6.+7.Lg.	H	13	11	100	825	825	73			235	8Z
E18	72819000	1.+2.H-Achse	H	13	13	100	1025	1025	75			302	8
E26	72806000	1.+2.V-Achse	V	7,1	1/4/1	90	900	700		30	30		1IK
E26	72934000	li;1.+2.V-Achse;re 729360;ers.d.728060 f. li+re	V	7,1	1/4/1	90	900	700		30	30		1IK
E26	72936000	re;1.+2.V-Achse;li 729340;ers.d.728060 f. li+re	V	7,1	1/4/1	90	900	700		30	30		1IK



M A N Typenliste

Ausgabe:09.06

Typ- Nr.	Artikel-Nr. art.-no.				Achsl. axle load	Blatt- zahl leaves	Breite width	Länge length		Spr. free	Buchsen-Ø bush diameter		Paket total	Form shape
								vorn front	hinten rear		vorn front	hinten rear		
E26	72778000	1.+2.V-Achse	V	8	1/4/1	90	900	700	145	30x36	30x36	144	1IK	
E26	72820000	1.+2.V-Achse	V	8	13	90	900	700				157	1	
E26	72932000	li;1.+2.V-Achse;re 730180;ers.d. 728200 f. li+re	V	8	13	90	900	700		30	30		1	
E26	72938000	li;1.+2.V-Achse;re 729400;ers.d. 727780 f. li+re	V	8	1/4/1	90	900	700		30	30		1IK	
E26	72940000	re;;1.+2.V-Achse;li 729380;ers.d.727780 f. li+re	V	8	1/4/1	90	900	700		30	30		1IK	
E26	72784000	1.+2.V-Achse;2 Stoßdpfig.m.je 1 Rolle	V	9	1/4/2	90	900	675	81	30x36	30x36	158	1IK	
E26	72796000	1.+2.V-Achse	V	9	1/4/1	90	900	700	144	30x36	30x36	148	1IK	
E26	72942000	1.+2.V-Achse;ers.d. 727960	V	9	1/4/1	90	900	700		30	30		1IK	
E26	72781000	1.+2.H-Achse;Leerlastspr.zw.6.+7.Lg.	H	13	11	100	825	825	73			235	8Z	
E26	72793000	1.+2.H-Achse;Leerlastspr.zw.5.+6.Lg.;pw.aust.727810	H	13	11	100	825	825	70			234	8Z	
E26	72819000	1.+2.H-Achse;Leerlastspr.zw.6.+7.Lg.	H	13	13	100	1025	1025	75			302	8	
E36	72852000	li;f.4-Achser;Hongkong;ab 15.96; re 728540	V	9	1/5/1	90	900	675		30x36	30x36		1IK	
E36	72854000	re;f.4-Achser;Hongkong;ab 15.96;li 728520	V	9	1/5/1	90	900	675	90	30x36	30x36	170	1IK	
E40	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ	
E40	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ	
E40	72868000		V	8	10	90	900	900		24x70	24x70	131	1E	
E40	72876000		V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ	
E40	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E	
E40	72761000	1.+2.H-Achse	H	10	2/1	100	840	840	88			122	8BY	
E40	72845000	1.+2.H-Achse;pw.ers.d.729350	H	10	14	100	825	825	120			199	8W	
E40	72935000	1.+2.H-Achse	H	10	15	100	825	825	120			213	8	
E40	72781000	1.+2.H-Achse	H	13	11	100	825	825	73			235	8Z	
E40	72793000	1.+2.H-Achse;pw.ers.d. 727810	H	13	11	100	825	825	70			234	8Z	
E41	72874000	1.+2.V-Achse	V	7,1	3/1/1	90	900	690	164	24x68	24x68	119	1FL	
E41	72872000	1.+2.V-Achse	V	8	3/1	90	900	690		24	24	74	1FK	
E41	72866000	1.+2.V-Achse	V	8	3/1/1	90	900	690	150	24x68	24x68	123	1FL	
E41	72894000	1.+2.V-Achse;ab 19.96	V	9	4/1	90	900	690	150	24x68	24x68	127	1FL	
E41	72896000	1.+2.V-Achse;bis 18.96	V	9	4/1	90	900	690	150	24x68	24x68	123	1FL	
E41	72906000	1.+2.V-Achse	V	9	4/1	90	900	700	173	24x68	24x68	120	1FK	
E41	72761000	1.+2.H-Achse	H	10	2/1	100	840	840	88			122	8BY	
E41	72845000	1.+2.H-Achse;pw.ers.d.729350	H	10	14	100	825	825	120			199	8W	
E41	72935000	1.+2.H-Achse	H	10	15	100	825	825	120			213	8	
E41	72781000	1.+2.H-Achse	H	13	11	100	825	825	73			235	8Z	
E41	72793000	1.+2.H-Achse;pw.ers.d. 727810	H	13	11	100	825	825	70			234	8Z	
E41	72913000	1.+2.H-Achse	H	13	5	100	810	810				178	8BU	
E49	72578000		V	3		80	900	900	160	25x30	25x30	75	1K	
E49	72598000		V	6,5	3	80	900	900	150	25x30	24x30	78	1K	
E50	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ	
E50	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ	
E50	72868000		V	8	10	90	900	900		24x70	24x70	131	1E	
E50	72876000		V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ	
E50	72958000		V	8	4/1	90	900	900		24x68	24x68		1EJ	
E50	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ	
E50	72878000		V	9	4/1	90	900	900	135	24x68	24x68	129	1KE	
E50	72946000		V	9	4/1	90	900	900		24x68	24x68		1EJ	
E50	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E	
E50	72914000		V	9,5	10	90	900	900	105	24x68	24x68	150	1E	
E50	72789000	1.+2.H-Achse	H	10	7	100	825	825	101			153	8Z	
E50	72859000		H	11,5	2/1	100	900	900		24x68	24x68	104	1BJ	
E50	72781000	1.+2.H-Achse	H	13	11	100	825	825	73			235	8Z	



M A N Typenliste

Ausgabe:09.06

Typ- Nr. type- no.	Artikel-Nr. art.-no.			Achsl.	Blatt-	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
				axle load	zahl leaves	width	length		free	bush diameter		total height	shape
							vorn front	hinten rear		vorn front	hinten rear		
E50	72793000	1.+2.H-Achse;pw.ers.d. 727810		H	13	11	100	825	825	70		234	8Z
E50	72863000			H	13	2/1	100	900	900	126	24x68	108	1B
E50	72841000	1.+2.H-Achse;pw.ers.d.728890		H	16	13	100	825	825	102		269	8Z
E50	72889000	1.+2.H-Achse		H	16	16	100	825	825	92		291	8
E52	72886000			V	7,1	3/1	90	900	900	142	24	24	1EJ
E52	72948000			V	8	3/1	90	900	900		24	24	1EJ
E52	72952000			V	8	5/1	90	900	900		24	24	1E
E52	72954000			V	8	10	90	900	900		24	24	1E
E52	72946000			V	9	4/1	90	900	900		24	24	1EJ
E52	72912000			V	9,5	5/1	90	900	900	110	24x68	24x68	149 1EJ
E52	72914000			V	9,5	10	90	900	900	105	24x68	24x68	150 1E
E52	73014000			V	9,5	5/1	90	900	900		24x68	24x68	1EJ
E53	72860000	aufgedickte Augen		V	7,1	3/1	90	900	900	169	24x68	24x68	98 1EJ
E53	72876000			V	8	3/1	90	900	900	171	24x68	24x68	104 1EJ
E53	72958000			V	8	4/1	90	900	900		24x68	24x68	1EJ
E53	72864000	aufgedickte Augen		V	9	4/1	90	900	900	169	24x68	24x68	124 1EJ
E53	72878000			V	9	4/1	90	900	900	135	24x68	24x68	129 1EJ
E58	72874000	1.+2.V-Achse		V	7,1	3/1/1	90	900	690	164	24x68	24x68	119 1FL
E58	72866000	1.+2.V-Achse		V	8	3/1/1	90	900	690	150	24x68	24x68	123 1FL
E58	72950000	1.+2.V-Achse		V	8	10/1	90	900	690		24	24	135 1
E58	72894000	1.+2.V-Achse;ab 27/96		V	9	4/1	90	900	690	150	24x68	24x68	127 1FL
E58	72896000	1.+2.V-Achse;bis 26/96		V	9	4/1	90	900	690	150	24x68	24x68	123 1FL
E58	72789000	1+2.H-Achse		H	10	7	100	825	825	101			153 8Z
E58	72781000	1.+2.H-Achse.;Leerlastspr.zw.6.+7.Lg.		H	13	11	100	825	825	73			235 8Z
E58	72793000	1.+2.H-Achse;Leerlastspr.zw.5.+6.Lg.;pw.ers.d. 727810		H	13	11	100	825	825	70			234 8Z
E58	72841000	1+2.H-Achse		H	16	13	100	825	825	102			269 8Z
E59	72860000	aufgedickte Augen		V	7,1	3/1	90	900	900	169	24x68	24x68	98 1EJ
E59	72862000	aufgedickte Augen		V	8	3/1	90	900	900	171	24x68	24x68	101 1EJ
E59	72868000			V	8	10	90	900	900		24x70	24x70	131 1E
E59	72876000			V	8	3/1	90	900	900	171	24x68	24x68	104 1EJ
E59	72864000	aufgedickte Augen		V	9	4/1	90	900	900	169	24x68	24x68	124 1EJ
E59	72878000			V	9	4/1	90	900	900	135	24x68	24x68	129 1EJ
E59	72870000	aufgedickte Augen		V	9,5	10	90	900	900	139	24x68	24x68	159 1E
E60	72886000			V	7,1	3/1	90	900	900	142	24	24	1EJ
E60	72862000	aufgedickte Augen		V	8	3/1	90	900	900	171	24x68	24x68	101 1EJ
E60	72876000			V	8	3/1	90	900	900	171	24x68	24x68	104 1EJ
E60	72948000			V	8	3/1	90	900	900		24	24	1EJ
E60	72952000			V	8	5/1	90	900	900		24	24	1E
E60	72954000			V	8	10	90	900	900		24	24	1E
E60	72878000			V	9	4/1	90	900	900	135	24x68	24x68	129 1EJ
E60	72946000			V	9	4/1	90	900	900	0	24	24	0 1EJ
E60	72912000			V	9,5	5/1	90	900	900	110	24x68	24x68	149 1EJ
E60	72914000			V	9,5	10	90	900	900	105	24x68	24x68	150 1E
E60	72953000	1.+2.H-Achse, ab 12.96		H	10	6	100	825	825				8U
E60	72981000	1.+2.H-Achse, ab 12.96		H	11	2/1	100	825	825				118 8BU
E60	72913000	1.+2.H-Achse, ab 12.96		H	13	5	100	810	810				178 8BU
E60	72925000	1.+2.H-Achse, ab 12.96		H	13	13	100	815	815				234 8QX
E60	72927000	1.+2.H-Achse, ab 12.96		H	16	16	100	810	810				288 8QX



M A N Typenliste

Ausgabe:09.06

Typ- Nr.	Artikel-Nr.				Achsl.	Blatt- zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
								length			bush diameter			
type- no.	art.-no.				axle load	leaves	width	vorn front	hinten rear	arch	vorn front	hinten rear	height	shape
E61	72860000	aufgedickte Augen		V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ
E61	72862000	aufgedickte Augen		V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ
E61	72868000			V	8	10	90	900	900		24x70	24x70	131	1E
E61	72876000			V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ
E61	72958000	aufgedickte Augen		V	8	4/1	90	900	900		24x68	24x68		1EJ
E61	72864000	aufgedickte Augen		V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ
E61	72878000			V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ
E61	72928000			V	9	4	90	900	900		24x68	24x68	104	1J
E61	72870000	aufgedickte Augen		V	9,5	10	90	900	900	139	24x68	24x68	159	1E
E62	72886000			V	7,1	3/1	90	900	900	142	24	24		1EJ
E62	72948000			V	8	3/1	90	900	900		24	24		1EJ
E62	72952000			V	8	5/1	90	900	900		24	24		1E
E62	72954000			V	8	10	90	900	900		24	24		1E
E62	72946000			V	9	4/1	90	900	900		24	24		1EJ
E62	72960000			V	9	4/1	90	900	900		24	24		1EJ
E62	72912000			V	9,5	5/1	90	900	900	110	24x68	24x68	149	1EJ
E62	72914000			V	9,5	10	90	900	900	105	24x68	24x68	150	1E
E62	73014000			V	9,5	5/1	90	900	900		24x68	24x68		1EJ
E63	72860000	aufgedickte Augen		V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ
E63	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ	
E63	72876000		V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ	
E63	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ	
E63	72878000	ab 13/97	V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ	
E63	72928000		V	9	4	90	900	900		24x68	24x68	104	1J	
E63	72928000		V	9	4	90	900	900		24x68	24x68	104	1J	
E63	72928000		V	9	4	90	900	900		24x68	24x68	104	1J	
E65	72874000	1.+2.V-Achse	V	7,1	3/1/1	90	900	690	164	24x68	24x68	119	1FL	
E65	72962000	1.+2.V-Achse	V	7,1	3/1/1	90	900	690		24	24	0	1FL	
E65	72872000	1.+2.V-Achse	V	8	3/1	90	900	690		24	24	74	1FK	
E65	72866000	1.+2.V-Achse	V	8	3/1/1	90	900	690	150	24x68	24x68	123	1FL	
E65	72898000	1.+2.V-Achse	V	8	13	90	900	690	128	24x68	24x68	157	1F	
E65	72894000	1.+2.V-Achse;ab 27/96	V	9	4/1	90	900	690	150	24x68	24x68	127	1FL	
E65	72896000	1.+2.V-Achse;ab 27/96	V	9	4/1	90	900	690	150	24x68	24x68	123	1FL	
E65	72789000	1.+2.H-Achse.;Leerlastspr.zw.4.+5.Lg.	H	10	7	100	825	825	101			153	8Z	
E65	72781000	1.+2.H-Achse.;Leerlastspr.zw.6.+7.Lg.	H	13	11	100	825	825	73			235	8Z	
E67	72886000		V	7,1	3/1	90	900	900	142	24	24		1EJ	
E67	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ	
E67	72876000		V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ	
E67	72948000		V	8	3/1	90	900	900		24	24		1EJ	
E67	72952000		V	8	5/1	90	900	900		24	24		1E	
E67	72958000		V	8	4/1	90	900	900		24x68	24x68		1EJ	
E67	72878000		V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ	
E67	72946000		V	9	4/1	90	900	900		24	24		1EJ	
E67	72912000		V	9,5	5/1	90	900	900	110	24x68	24x68	149	1EJ	
E67	72914000		V	9,5	10	90	900	900	105	24x68	24x68	150	1E	
E67	73014000		V	9,5	5/1	90	900	900		24x68	24x68		1EJ	



M A N Typenliste

Ausgabe:09.06

Typ- Nr. type- no.	Artikel-Nr. art.-no.				Achsl.	Blatt- zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
					axle load	leaves	width	length		free	bush diameter		total	shape
								vorn front	hinten rear		arch	vorn front		
E68	72874000	1.+2.V-Achse		V	7,1	3/1/1	90	900	690	164	24x68	24x68	119	1FL
E68	72872000	1.+2.V-Achse		V	8	3/1	90	900	690		24	24	74	1FK
E68	72866000	1.+2.V-Achse		V	8	3/1/1	90	900	690	150	24x68	24x68	123	1FL
E68	72950000	1.+2.V-Achse		V	8	10/1	90	900	690		24	24	135	1
E68	72784000	1.+2.V-Achse		V	9	1/4/2	90	900	675	81	30x36	30x36	158	1IK
E68	72894000	1.+2.V-Achse		V	9	4/1	90	900	690	150	24x68	24x68	127	1FL
E68	72896000	1.+2.V-Achse		V	9	4/1	90	900	690	150	24x68	24x68	123	1FL
E68	72906000	1.+2.V-Achse		V	9	4/1	90	900	700	173	24x68	24x68	120	1FK
E68	72789000	1.+2.H-Achse.;Leerlastspr.zw.4.+5.Lg.		H	10	7	100	825	825	101			153	8Z
E68	72781000	1.+2.H-Achse.;Leerlastspr.zw.6.+7.Lg.		H	13	11	100	825	825	73			235	8Z
E68	72793000	1.+2.H-Achse.;Leerlastspr.zw.5.+6.Lg.;pw.ers.d.727810		H	13	11	100	825	825	70			234	8Z
E68	72841000	1.+2.H-Achse.;Leerlastspr.zw.8.+9.Lg.		H	16	13	100	825	825	102			269	8Z
E68	72889000	1.+2.H-Achse		H	16	16	100	825	825	92			291	8
E68	72915000	1.+2.H-Achse		H	20	16	100	825	825				324	8W
E69	72860000	aufgedickte Augen		V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ
E69	72862000	aufgedickte Augen		V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ
E69	72868000			V	8	10	90	900	900		24x70	24x70	131	1E
E69	72876000			V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ
E69	72958000			V	8	4/1	90	900	900		24x68	24x68		1EJ
E69	72864000	aufgedickte Augen		V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ
E69	72878000			V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ
E69	72928000			V	9	4	90	900	900		24x68	24x68	104	1J
E69	72870000	aufgedickte Augen		V	9,5	10	90	900	900	139	24x68	24x68	159	1E
E72	72862000	aufgedickte Augen		V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ
E72	72868000			V	8	10	90	900	900		24x70	24x70	131	1E
E72	72876000			V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ
E72	72878000			V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ
E72	72870000	aufgedickte Augen		V	9,5	10	90	900	900	139	24x68	24x68	159	1E
E72	72912000			V	9,5	5/1	90	900	900	110	24x68	24x68	149	1EJ
E72	72914000			V	9,5	10	90	900	900	105	24x68	24x68	150	1E
E72	73014000			V	9,5	5/1	90	900	900		24x68	24x68		1EJ
E75	72874000	1.+2.V-Achse;bis 33/98		V	7,1	3/1/1	90	900	690	164	24x68	24x68	119	1FL
E75	72862000	1.+2.V-Achse;aufgedickte Augen		V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ
E75	72866000	1.+2.V-Achse;bis 33/98		V	8	3/1/1	90	900	690	150	24x68	24x68	123	1FL
E75	72876000	1.+2.V-Achse		V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ
E75	72966000	1.+2.V-Achse		V	8	4/1	90	900	700		24	24		1FK
E75	72878000	1.+2.V-Achse;ab 13/97		V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ
E75	72894000	1.+2.V-Achse;ab 25.96-33.98		V	9	4/1	90	900	690	150	24x68	24x68	127	1FL
E75	72896000	NA;9,0to Achsl.;1.+2.V-Achse;bis		V	9	4/1	90	900	690	150	24x68	24x68	123	1FL
E75	72906000	1.+2.V-Achse; ab 34.98		V	9	4/1	90	900	700	173	24x68	24x68	120	1FK
E75	72964000	1.+2.V-Achse; ab 34.98		V	9	5/1	90	900	700	170	24x68	24x68	140	1FK
E75	72781000	NA;2x13to Achsl.;		H	13	11	100	825	825	73			235	8Z
E75	72793000	1.+2.H-Achse.;Leerlastspr.zw.5.+6.Lg.;pw.ers.d.727810		H	13	11	100	825	825	70			234	8Z
E75	72889000	1.+2.H-Achse		H	16	16	100	825	825	92			291	8
E76	72768000			V	7,1	3/1	90	900	900	160	30x36	30x36	104	1EL
E76	72845000	1.+2.H-Achse;pw.ers.d.729350		H	10	14	100	825	825	120			199	8W
E76	72935000	1.+2.H-Achse		H	10	15	100	825	825	120			213	8
E76	72781000	1.+2.H-Achse		H	13	11	100	825	825	73			235	8Z
E76	72841000	1.+2.H-Achse;pw.ers.d.728890		H	16	13	100	825	825	102			269	8Z
E76	72889000	1.+2.H-Achse		H	16	16	100	825	825	92			291	8



M A N Typenliste

Ausgabe:09.06

Typ- Nr. type- no.	Artikel-Nr. art.-no.			Achsl.	Blatt- zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
				axle load	leaves	width	length		free	bush diameter		total	shape
							vorn front	hinten rear		arch	vorn front		
E78	72784000	1.+2.V-Achse;2 Stößdpflg.m. je 1 Rolle	V	9	1/4/2	90	900	675	81	30x36	30x36	158	1IK
E94	72948000		V	8	3/1	90	900	900		24	24		1EJ
E94	72946000		V	9	4/1	90	900	900		24	24		1EJ
E94	72960000		V	9	4/1	90	900	900		24	24		1EJ
E94	72914000		V	9,5	10	90	900	900	105	24x68	24x68	150	1E
E94	72781000	1.+2.H-Achse	H	13	11	100	825	825	73			235	8Z
E94	72889000	1.+2.H-Achse	H	16	16	100	825	825	92			291	8
E95	72862000	1.+2.V-Achse;aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ
E95	72876000	1.+2.V-Achse	V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ
E95	72966000	1.+2.V-Achse	V	8	4/1	90	900	700		24	24		1FK
E95	72878000	1.+2.V-Achse	V	9	4/1	90	900	900	135		24x68	129	1EJ
E95	72781000	1.+2.H-Achse	H	13	11	100	825	825	73			235	8Z
E95	72793000	1.+2.H-Achse;pw.ers.d. 727810	H	13	11	100	825	825	70			234	8Z
E95	72889000	1.+2.H-Achse	H	16	16	100	825	825	92			291	8
E98	72784000	1.+2.V-Achse;2 Stößdpflg.m. je 1 Rolle	V	9	1/4/2	90	900	675	81	30x36	30x36	158	1IK
E98	72889000	1.+2.H-Achse	H	16	16	100	825	825	92			291	8



M A N Typenliste

Ausgabe:09.06

Typ- Nr.	Artikel-Nr. art.-no.			Achsl. axle load	Blatt- zahl leaves	Breite width	Länge length		Spr. free arch	Buchsen-Ø bush diameter	Paket total height	Form shape
type-							vorn	hinten		vorn	hinten	
H01	73004000		V	7,1	1	90						
H01	72926000	bis 17.01	V	7,5	2	90	925	925	141	24x63	24x63	65 1J
H01	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66 1J
H01	72930000		V	8	3	90	925	925	166	24x63	24x63	86 1J
H01	72994000		V	9	3	90	925	925	147	24x63	24x63	93 1J
H01	72990000		V	9,5	4	90	925	925		24x63	24x63	1J
H01	72945000		H	11,5	2/1	90	900	900		24x65	24x65	124 1BJ
H01	72947000		H	13	2/1	90	900	900		24x65	24x65	131 1BJ
H01	72939000		H	16	2/2	90	900	900		24x65	24x65	167 1BJ
H02	72926000	ab 10.00-17.01	V	7,5	2	90	925	925	141	24x63	24x63	65 1J
H02	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66 1J
H02	72930000	ab 10.00	V	8	3	90	925	925	166	24x63	24x63	86 1J
H02	72994000	ab 10.00	V	9	3	90	925	925	147	24x63	24x63	93 1J
H02	72990000	ab 10.00	V	9,5	4	90	925	925		24x63	24x63	1J
H02	72945000	ab 10.00	H	11,5	2/1	90	900	900		24x65	24x65	124 1BJ
H02	72947000	ab 10.00	H	13	2/1	90	900	900		24x65	24x65	131 1BJ
H02	72939000	ab 10.00	H	16	2/2	90	900	900		24x65	24x65	167 1BJ
H03	72926000	bis 17.01	V	7,5	2	90	925	925	141	24x63	24x63	65 1J
H03	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66 1J
H03	72930000		V	8	3	90	925	925	166	24x63	24x63	86 1J
H03	72994000		V	9	3	90	925	925	147	24x63	24x63	93 1J
H03	72990000		V	9,5	4	90	925	925		24x63	24x63	1J
H03	72945000		H	11,5	2/1	90	900	900		24x65	24x65	124 1BJ
H03	72947000		H	13	2/1	90	900	900		24x65	24x65	131 1BJ
H03	72939000		H	16	2/2	90	900	900		24x65	24x65	167 1BJ
H04	72926000	ab 10.00-17.01	V	7,5	2	90	925	925	141	24x63	24x63	65 1J
H04	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66 1J
H04	72930000	ab 10.00	V	8	3	90	925	925	166	24x63	24x63	86 1J
H04	72994000	ab 10.00	V	9	3	90	925	925	147	24x63	24x63	93 1J
H05	73004000	ab 10.99	V	7,1	1	90						
H05	72926000	ab 10.99-17.01	V	7,5	2	90	925	925	141	24x63	24x63	65 1J
H05	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66 1J
H05	72930000	ab 10.99	V	8	3	90	925	925	166	24x63	24x63	86 1J
H05	73028000		V	8	2	90	925	925		24x62	24x62	1J
H05	72994000	ab 10.99	V	9	3	90	925	925	147	24x63	24x63	93 1J
H05	72990000	ab 10.99	V	9,5	4	90	925	925		24x63	24x63	1J
H06	72926000	bis 17.01	V	7,5	2	90	925	925	141	24x63	24x63	65 1J
H06	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66 1J
H06	72930000		V	8	3	90	925	925	166	24x63	24x63	86 1J
H06	73028000		V	8	2	90	925	925		24x62	24x62	1J
H06	72994000		V	9	3	90	925	925	147	24x63	24x63	93 1J
H06	72990000		V	9,5	4	90	925	925		24x63	24x63	1J
H07	73004000		V	7,1	1	90						
H07	72926000	bis 17.01	V	7,5	2	90	925	925	141	24x63	24x63	65 1J
H07	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66 1J
H07	72930000		V	8	3	90	925	925	166	24x63	24x63	86 1J
H07	73028000		V	8	2	90	925	925		24x62	24x62	1J
H07	72994000		V	9	3	90	925	925	147	24x63	24x63	93 1J
H07	72990000		V	9,5	4	90	925	925		24x63	24x63	1J



M A N Typenliste

Ausgabe:09.06

Typ-Nr.	Artikel-Nr.		Achsl.	Blatt-zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
						length			free	bush diameter		
type-	art.-no.		axle load	leaves	width	vorn	hinten	arch	vorn	hinten	height	shape
H08	73004000		V 7,1	1	90							
H16	72926000	bis 17.01	V 7,5	2	90	925	925	141	24x63	24x63	65	1J
H16	72988000	ab 18.01	V 7,5	2	90	925	925	145	24x62	24x62	66	1J
H16	72930000		V 8	3	90	925	925	166	24x63	24x63	86	1J
H16	72994000		V 9	3	90	925	925	147	24x63	24x63	93	1J
H17	72926000	ab 10.99-17.01	V 7,5	2	90	925	925	141	24x63	24x63	65	1J
H17	72988000	ab 18.01	V 7,5	2	90	925	925	145	24x62	24x62	66	1J
H17	72930000	ab 10.99	V 8	3	90	925	925	166	24x63	24x63	86	1J
H17	73028000		V 8	2	90	925	925		24x62	24x62		1J
H17	72994000	ab 10.99	V 9	3	90	925	925	147	24x63	24x63	93	1J
H17	72990000	ab 10.99	V 9,5	4	90	925	925		24x63	24x63		1J
H18	72926000	bis 17.01	V 7,5	2	90	925	925	141	24x63	24x63	65	1J
H18	72988000	ab 18.01	V 7,5	2	90	925	925	145	24x62	24x62	66	1J
H18	72930000		V 8	3	90	925	925	166	24x63	24x63	86	1J
H18	72994000		V 9	3	90	925	925	147	24x63	24x63	93	1J
H18	72990000		V 9,5	4	90	925	925		24x63	24x63		1J
H23	72926000	ab 10.00-17.01	V 7,5	2	90	925	925	141	24x63	24x63	65	1J
H23	72988000	ab 18.01	V 7,5	2	90	925	925	145	24x62	24x62	66	1J
H23	72930000	ab 10.00	V 8	3	90	925	925	166	24x63	24x63	86	1J
H23	72994000	ab 10.00	V 9	3	90	925	925	147	24x63	24x63	93	1J
H24	72926000	bis 17.01	V 7,5	2	90	925	925	141	24x63	24x63	65	1J
H24	72988000	ab 18.01	V 7,5	2	90	925	925	145	24x62	24x62	66	1J
H24	72930000		V 8	3	90	925	925	166	24x63	24x63	86	1J
H24	72994000		V 9	3	90	925	925	147	24x63	24x63	93	1J
H25	72926000	bis 17.01	V 7,5	2	90	925	925	141	24x63	24x63	65	1J
H25	72988000	ab 18.01	V 7,5	2	90	925	925	145	24x62	24x62	66	1J
H25	72930000	ab 02.01	V 8	3	90	925	925	166	24x63	24x63	86	1J
H25	72994000	ab 02.01	V 9	3	90	925	925	147	24x63	24x63	93	1J
H25	72990000	ab 02.01	V 9,5	4	90	925	925		24x63	24x63		1J
H25	72951000	1.+2.H-Achse; ab 02.01	H 10	6	100	825	825				136	8K
H25	72919000	1.+2.H-Achse; ab 02.01	H 11	2/1	100	825	825	36			118	8B
H25	72917000	1.+2.H-Achse; ab 02.01	H 13	5	100	825	825				179	8B
H25	72941000	1.+2.H-Achse; ab 02.01	H 13	11	100	825	825	87			234	8QZ
H25	72929000	1.+2.H-Achse; ab 02.01	H 16	5	100	825	825				195	8B
H25	72943000	1.+2.H-Achse; ab 02.01	H 16	16	100	825	825				288	8QZ
H26	72926000	bis 17.01	V 7,5	2	90	925	925	141	24x63	24x63	65	1J
H26	72988000	ab 18.01	V 7,5	2	90	925	925	145	24x62	24x62	66	1J
H26	72930000		V 8	3	90	925	925	166	24x63	24x63	86	1J
H26	72994000		V 9	3	90	925	925	147	24x63	24x63	93	1J
H26	72990000		V 9,5	4	90	925	925		24x63	24x63		1J
H26	72951000	1.+2.H-Achse	H 10	6	100	825	825				136	8K
H26	72919000	1.+2.H-Achse	H 11	2/1	100	825	825	36			118	8B
H26	72917000	1.+2.H-Achse	H 13	5	100	825	825				179	8B
H26	72941000	1.+2.H-Achse	H 13	11	100	825	825	87			234	8QZ
H26	72929000	1.+2.H-Achse	H 16	5	100	825	825				195	8B
H26	72943000	1.+2.H-Achse	H 16	16	100	825	825				288	8QZ



M A N Typenliste

Ausgabe: 09.06

Typ- Nr.	Artikel-Nr. art.-no.			Achsl.	Blatt- zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
				axle load	leaves	width	vorn	hinten		free	bush diameter	total	
type-									arch	vorn	hinten	height	shape
H27	72926000	bis 17.01	V	7,5	2	90	925	925	141	24x63	24x63	65	1J
H27	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66	1J
H27	72930000		V	8	3	90	925	925	166	24x63	24x63	86	1J
H27	72994000		V	9	3	90	925	925	147	24x63	24x63	93	1J
H27	72990000		V	9,5	4	90	925	925		24x63	24x63		1J
H28	72926000	bis 17.01	V	7,5	2	90	925	925	141	24x63	24x63	65	1J
H28	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66	1J
H28	72930000		V	8	3	90	925	925	166	24x63	24x63	86	1J
H28	72994000		V	9	3	90	925	925	147	24x63	24x63	93	1J
H28	72990000		V	9,5	4	90	925	925		24x63	24x63		1J
H28	72951000	1.+2.H-Achse	H	10	6	100	825	825				136	8K
H28	72919000	1.+2.H-Achse	H	11	2/1	100	825	825	36			118	8B
H28	72917000	1.+2.H-Achse	H	13	5	100	825	825				179	8B
H28	72941000	1.+2.H-Achse	H	13	11	100	825	825	87			234	8QZ
H28	72929000	1.+2.H-Achse	H	16	5	100	825	825				195	8B
H28	72943000	1.+2.H-Achse	H	16	16	100	825	825				288	8QZ
H29	72926000	bis 17.01	V	7,5	2	90	925	925	141	24x63	24x63	65	1J
H29	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66	1J
H29	72930000		V	8	3	90	925	925	166	24x63	24x63	86	1J
H29	72994000		V	9	3	90	925	925	147	24x63	24x63	93	1J
H29	72990000		V	9,5	4	90	925	925		24x63	24x63		1J
I30	72926000	bis 17.01	V	7,5	2	90	925	925	141	24x63	24x63	65	1J
I30	72988000	ab 18.01	V	7,5	2	90	925	925	145	24x62	24x62	66	1J
I30	72930000		V	8	3	90	925	925	166	24x63	24x63	86	1J
I30	72994000		V	9	3	90	925	925	147	24x63	24x63	93	1J
I30	72990000		V	9,5	4	90	925	925		24x63	24x63		1J
I32	72988000		V	7,5	2	90	925	925	145	24x62	24x62	66	1J
I32	72930000		V	8	3	90	925	925	166	24x63	24x63	86	1J
I32	72994000		V	9	3	90	925	925	147	24x63	24x63	93	1J
I33	72930000		V	8	3	90	925	925	166	24x63	24x63	86	1J
I33	72994000		V	9	3	90	925	925	147	24x63	24x63	93	1J
I33	73010000		V	9	3	90	925	925	160	24x63	24x63		1J
I33	72990000	bis 27.02	V	9,5	4	90	925	925		24x63	24x63		1J
I33	73012000	ab 28.02	V	9,5	4	90	925	925	161	24x63	24x63	106	1J
I33	72917000	1.+2.H-Achse	H	13	5	100	825	825				179	8B
I33	72941000	1.+2.H-Achse	H	13	11	100	825	825	87			234	8QZ
I33	72929000	1.+2.H-Achse	H	16	5	100	825	825				195	8B
I33	72943000	1.+2.H-Achse	H	16	16	100	825	825				288	8QZ



M A N Typenliste

Ausgabe:09.06

Typ- Nr. type-	Artikel-Nr. art.-no.			Achsl.	Blatt- zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
				axle load			leaves	width		length	free		
							vorn	hinten	arch	vorn	hinten	height	
H36	73030000	1.+2.V-Achse	V	7,5	2	90	925	735		24x65	24x65	67	1K
H36	73000000	1.+2.V-Achse; ers.d.730060	V	8	4	90	925	735		24x68	24x68		1K
H36	73006000	1.+2.V-Achse	V	8	3	90	925	735	130	24x63	24x63	85	1K
H36	73002000	1.+2.V-Achse; ers.d.730080	V	9,5	5	90	925	735	124	24x63	24x63	125	1K
H36	73008000	1.+2.V-Achse	V	9,5	4	90	925	735	118	24x63	24x63	111	1K
H36	72919000	1.+2.H-Achse	H	11	2/1	100	825	825	36			118	8B
H36	72995000	1.+2.H-Achse	H	11	2	100	825	825				8	
H36	72917000	1.+2.H-Achse	H	13	5	100	825	825				179	8B
H36	72941000	1.+2.H-Achse	H	13	11	100	825	825	87			234	8QZ
H36	72929000	1.+2.H-Achse	H	16	5	100	825	825				195	8B
H36	72943000	1.+2.H-Achse	H	16	16	100	825	825				288	8QZ
H37	73030000	1.+2.V-Achse	V	7,5	2	90	925	735		24x65	24x65	67	1K
H37	73000000	1.+2.V-Achse; bis 33.02; ers.d.730060	V	8	4	90	925	735		24x68	24x68		1K
H37	73006000	1.+2.V-Achse; ab 34.02	V	8	3	90	925	735	130	24x63	24x63	85	1K
H37	73002000	1.+2.V-Achse	V	9,5	5	90	925	735	124	24x63	24x63	125	1K
H37	72919000	1.+2.H-Achse	H	11	2/1	100	825	825	36			118	8B
H37	72995000	1.+2.H-Achse	H	11	2	100	825	825				8	
H37	72917000	1.+2.H-Achse	H	13	5	100	825	825				179	8B
H37	72941000	1.+2.H-Achse	H	13	11	100	825	825	87			234	8QZ
H37	72929000	1.+2.H-Achse	H	16	5	100	825	825				195	8B
H37	72943000	1.+2.H-Achse	H	16	16	100	825	825				288	8QZ
H38	73000000	1.+2.V-Achse; ers.d.730060	V	8	4	90	925	735		24x68	24x68		1K
H38	73006000	1.+2.V-Achse	V	8	3	90	925	735	130	24x63	24x63	85	1K
H38	73002000	1.+2.V-Achse; ers.d.730080	V	9,5	5	90	925	735	124	24x63	24x63	125	1K
H38	72919000	1.+2.H-Achse	H	11	2/1	100	825	825	36			118	8B
H38	72917000	1.+2.H-Achse	H	13	5	100	825	825				179	8B
H38	72941000	1.+2.H-Achse	H	13	11	100	825	825	87			234	8QZ
H38	72929000	1.+2.H-Achse	H	16	5	100	825	825				195	8B
H38	72943000	1.+2.H-Achse	H	16	16	100	825	825				288	8QZ
H40	73000000	1.+2.V-Achse; ers.d.730060; TGA 4-Achser	V	8	4	90	925	735		24x68	24x68		1K
H40	73006000	1.+2.V-Achse	V	8	3	90	925	735	130	24x63	24x63	85	1K
H40	73002000	1.+2.V-Achse;ers.d.730080	V	9,5	5	90	925	735	124	24x63	24x63	125	1K
H40	73008000	1.+2.V-Achse	V	9,5	4	90	925	735	118	24x63	24x63	111	1K
H41	73000000	1.+2.V-Achse; ers.d.730060	V	8	4	90	925	735		24x68	24x68		1K
H41	73006000	1.+2.V-Achse	V	8	3	90	925	735	130	24x63	24x63	85	1K
H41	73002000	1.+2.V-Achse	V	9,5	5	90	925	735	124	24x63	24x63	125	1K
H43	72930000		V	8	3	90	925	925	166	24x63	24x63	86	1J
H43	72994000		V	9	3	90	925	925	147	24x63	24x63	93	1J
H46	73000000	1.+2.V-Achse;bis 33.02; ers.d.730060	V	8	4	90	925	735		24x68	24x68		1K
H46	73006000	1.+2.V-Achse;ab 34.02	V	8	3	90	925	735	130	24x63	24x63	85	1K
H46	73002000	1.+2.V-Achse	V	9,5	5	90	925	735	124	24x63	24x63	125	1K
H46	72917000	1.+2.H-Achse	H	13	5	100	825	825				179	8B
H46	72941000	1.+2.H-Achse	H	13	11	100	825	825	87			234	8QZ
H46	72929000	1.+2.H-Achse	H	16	5	100	825	825				195	8B
H46	72943000	1.+2.H-Achse	H	16	16	100	825	825				288	8QZ



M A N Typenliste

Ausgabe:09.06

Typ- Nr. type- no.	Artikel-Nr. art.-no.				Achsl.	Blatt- zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
					axle load	leaves	width	length		free	bush diameter		total	shape
								vorn front	hinten rear		arch	vorn front		
H48	73030000	1.+2.V-Achse		V	7,5	2	90	925	735		24x65	24x65	67	1K
H48	73000000	1.+2.V-Achse;bis 33.02; ers.d.730060		V	8	4	90	925	735		24x68	24x68		1K
H48	73006000	1.+2.V-Achse;ab 34.02		V	8	3	90	925	735	130	24x63	24x63	85	1K
H48	72917000	1.+2.H-Achse		H	13	5	100	825	825				179	8B
H51	72930000			V	8	3	90	925	925	166	24x63	24x63	86	1J
H51	73028000			V	8	2	90	925	925		24x62	24x62		1J
H51	72994000	bis 27.02		V	9	3	90	925	925	147	24x63	24x63	93	1J
H51	73010000	ab 28.02		V	9	3	90	925	925	160	24x63	24x63		1J
H51	72990000	bis 27.02		V	9,5	4	90	925	925		24x63	24x63		1J
H51	73012000	ab 28.02		V	9,5	4	90	925	925	161	24x63	24x63	106	1J
H51	72983000			H	11,5	3	90				24x65	24x65		1J
H51	72985000			H	13	3	90				24x65	24x65		1BJ
H51	72977000			H	16	2/2	90	900	900		24x65	24x65	168	1BJ
H52	72930000			V	8	3	90	925	925	166	24x63	24x63	86	1J
H52	73028000			V	8	2	90	925	925		24x62	24x62		1J
H52	72994000	bis 27.02		V	9	3	90	925	925	147	24x63	24x63	93	1J
H52	73010000	ab 28.02		V	9	3	90	925	925	160	24x63	24x63		1J
H52	72990000	bis 27.02		V	9,5	4	90	925	925		24x63	24x63		1J
H52	73012000	ab 28.02		V	9,5	4	90	925	925	161	24x63	24x63	106	1J
H52	72983000			H	11,5	3	90				24x65	24x65		1J
H52	72985000			H	13	3	90				24x65	24x65		1BJ
H52	72977000			H	16	2/2	90	900	900		24x65	24x65	168	1BJ
H54	72930000			V	8	3	90	925	925	166	24x63	24x63	86	1J
H54	73028000			V	8	2	90	925	925		24x62	24x62		1J
H54	72994000	bis 27.02		V	9	3	90	925	925	147	24x63	24x63	93	1J
H54	73010000			V	9	3	90	925	925	160	24x63	24x63		1J
H54	72990000	bis 27.02		V	9,5	4	90	925	925		24x63	24x63		1J
H54	73012000	ab 28.02		V	9,5	4	90	925	925	161	24x63	24x63	106	1J
H54	72951000	1.+2.H-Achse		H	10	6	100	825	825				136	8K
H54	72919000	1.+2.H-Achse		H	11	2/1	100	825	825	36			118	8B
H54	72917000	1.+2.H-Achse		H	13	5	100	825	825				179	8B
H54	72941000	1.+2.H-Achse		H	13	11	100	825	825	87			234	8QZ
H54	72929000	1.+2.H-Achs		H	16	5	100	825	825				195	8B
H54	72943000	1.+2.H-Achse		H	16	16	100	825	825				288	8QZ
H55	72930000			V	8	3	90	925	925	166	24x63	24x63	86	1J
H55	73028000			V	8	2	90	925	925		24x62	24x62		1J
H55	72994000	bis 27.02		V	9	3	90	925	925	147	24x63	24x63	93	1J
H55	73010000			V	9	3	90	925	925	160	24x63	24x63		1J
H55	72990000			V	9,5	4	90	925	925		24x63	24x63		1J
H55	73012000	ab 28.02		V	9,5	4	90	925	925	161	24x63	24x63	106	1J
H55	72951000	1.+2.H-Achse		H	10	6	100	825	825				136	8K
H55	72919000	1.+2.H-Achse		H	11	2/1	100	825	825	36			118	8B
H55	72917000	1.+2.H-Achse		H	13	5	100	825	825				179	8B
H55	72941000	1.+2.H-Achse		H	13	11	100	825	825	87			234	8QZ
H55	72929000	1.+2.H-Achse		H	16	5	100	825	825				195	8B
H55	72943000	1.+2.H-Achse		H	16	16	100	825	825				288	8QZ



M A N Typenliste

Ausgabe:09.06

Typ- Nr.	Artikel-Nr. art.-no.				Achsl.	Blatt- zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket total	Form shape	
					axle load	leaves	width	length	free		bush diameter	height			
type-								vorn	hinten	arch	vorn	hinten			
H56	72930000	bis 27.02	V	8	3	90	925	925	166		24x63	24x63	86	1J	
H56	73028000		V	8	2	90	925	925			24x62	24x62		1J	
H56	72994000		V	9	3	90	925	925	147		24x63	24x63	93	1J	
H56	73010000		V	9	3	90	925	925	160		24x63	24x63		1J	
H56	72990000		V	9,5	4	90	925	925			24x63	24x63		1J	
H56	73012000		ab 28.02	V	9,5	4	90	925	925	161		24x63	24x63	106	1J
H56	72951000		1.+2.H-Achse	H	10	6	100	825	825					136	8K
H56	72919000		1.+2.H-Achse	H	11	2/1	100	825	825	36				118	8B
H56	72917000		1.+2.H-Achse	H	13	5	100	825	825					179	8B
H56	72941000		1.+2.H-Achse	H	13	11	100	825	825	87				234	8QZ
H56	72929000		1.+2.H-Achse	H	16	5	100	825	825					195	8B
H56	72943000		1.+2.H-Achse	H	16	16	100	825	825					288	8QZ
H57	72930000	bis 27.02	V	8	3	90	925	925	166		24x63	24x63	86	1J	
H57	73028000		V	8	2	90	925	925			24x62	24x62		1J	
H57	72994000		V	9	3	90	925	925	147		24x63	24x63	93	1J	
H57	73010000		V	9	3	90	925	925	160		24x63	24x63		1J	
H57	72990000		V	9,5	4	90	925	925			24x63	24x63		1J	
H57	73012000		ab 28.02	V	9,5	4	90	925	925	161		24x63	24x63	106	1J
H57	72951000		1.+2.H-Achse	H	10	6	100	825	825					136	8K
H57	72919000		1.+2.H-Achse	H	11	2/1	100	825	825	36				118	8B
H57	72917000		1.+2.H-Achse	H	13	5	100	825	825					179	8B
H57	72941000		1.+2.H-Achse	H	13	11	100	825	825	87				234	8QZ
H57	72929000		1.+2.H-Achse	H	16	5	100	825	825					195	8B
H57	72943000		1.+2.H-Achse	H	16	16	100	825	825					288	8QZ
H61	72988000	bis 27.02	V	7,5	2	90	925	925	145		24x62	24x62	66	1J	
H61	73028000		V	8	2	90	925	925			24x62	24x62		1J	
H63	72930000		V	8	3	90	925	925	166		24x63	24x63	86	1J	
H63	72994000		V	9	3	90	925	925	147		24x63	24x63	93	1J	
H70	72930000		V	8	3	90	925	925	166		24x63	24x63	86	1J	
H70	73028000		V	8	2	90	925	925			24x62	24x62		1J	
H70	72994000		V	9	3	90	925	925	147		24x63	24x63	93	1J	
H70	73010000		V	9	3	90	925	925	160		24x63	24x63		1J	
H70	72990000		V	9,5	4	90	925	925			24x63	24x63		1J	
H70	73012000		ab 28.02	V	9,5	4	90	925	925	161		24x63	24x63	106	1J
H72	72930000		V	8	3	90	925	925	166		24x63	24x63	86	1J	
H72	73028000		V	8	2	90	925	925			24x62	24x62		1J	
H72	72994000	bis 27.02	V	9	3	90	925	925	147		24x63	24x63	93	1J	
H72	73010000	V	9	3	90	925	925	160		24x63	24x63		1J		
H72	72990000	bis 27.02	V	9,5	4	90	925	925			24x63	24x63		1J	
H72	73012000	ab 28.02	V	9,5	4	90	925	925	161		24x63	24x63	106	1J	
H73	73000000	1.+2.V-Achse;ab 23.02-22.03	V	8	4	90	925	735			24x68	24x68		1K	
H73	73006000	1.+2.V-Achse;ab 23.03	V	8	3	90	925	735	130		24x63	24x63	85	1K	
H73	73002000	1.+2.V-Achse	V	9,5	5	90	925	735	124		24x63	24x63	125	1K	
H73	72919000	1.+2.H-Achse	H	11	2/1	100	825	825	36				118	8B	
H73	72917000	1.+2.H-Achse	H	13	5	100	825	825					179	8B	
H73	72941000	1.+2.H-Achse	H	13	11	100	825	825	87				234	8QZ	
H73	72929000	1.+2.H-Achse	H	16	5	100	825	825					195	8B	
H73	72943000	1.+2.H-Achse	H	16	16	100	825	825					288	8QZ	



M A N Typenliste

Ausgabe:09.06

Typ-Nr.	Artikel-Nr.		Achsl.	Blatt-zahl	Breite	Länge		Spr.	Buchsen-Ø	Paket	Form
type-	art.-no.		axle load	leaves	width	length		free	bush diameter	total	shape
						vorn	hinten	arch	vorn	hinten	height
H74	72926000		V 7,5	2	90	925	925	141	24x63	24x63	65 1J
H74	72988000		V 7,5	2	90	925	925	145	24x62	24x62	66 1J
H74	72930000		V 8	3	90	925	925	166	24x63	24x63	86 1J
H74	72994000		V 9	3	90	925	925	147	24x63	24x63	93 1J
H74	72990000		V 9,5	4	90	925	925		24x63	24x63	1J
H76	73000000	1.+2.V-Achse; ab 23.02-22.03	V 8	4	90	925	735		24x68	24x68	1K
H76	73006000	1.+2.V-Achse; ab 23.03	V 8	3	90	925	735	130	24x63	24x63	85 1K
H76	73002000	1.+2.V-Achse	V 9,5	5	90	925	735	124	24x63	24x63	125 1K
H76	72919000	1.+2.H-Achse	H 11	2/1	100	825	825	36			118 8B
H76	72917000	1.+2.H-Achse	H 13	5	100	825	825				179 8B
H76	72941000	1.+2.H-Achse	H 13	11	100	825	825	87			234 8QZ
H76	72929000	1.+2.H-Achse.	H 16	5	100	825	825				195 8B
H76	72943000	1.+2.H-Achse	H 16	16	100	825	825				288 8QZ
H82	72930000		V 8	3	90	925	925	166	24x63	24x63	86 1J
H82	73028000		V 8	2	90	925	925		24x62	24x62	1J
H82	72994000	bis 27.02	V 9	3	90	925	925	147	24x63	24x63	93 1J
H82	73010000	ab 28.02	V 9	3	90	925	925	160	24x63	24x63	1J
H82	72990000	bis 27.02	V 9,5	4	90	925	925		24x63	24x63	1J
H82	73012000	ab 28.02	V 9,5	4	90	925	925	161	24x63	24x63	106 1J
H86	72926000	ab 02.01-17.01	V 7,5	2	90	925	925	141	24x63	24x63	65 1J
H86	72988000	ab 18.01	V 7,5	2	90	925	925	145	24x62	24x62	66 1J
H86	72930000		V 8	3	90	925	925	166	24x63	24x63	86 1J
H86	73028000		V 8	2	90	925	925		24x62	24x62	1J
H86	72994000		V 9	3	90	925	925	147	24x63	24x63	93 1J
H86	72990000		V 9,5	4	90	925	925		24x63	24x63	1J
H88	73030000	1.+2.V-Achse	V 7,5	2	90	925	735		24x65	24x65	67 1K
H88	73000000	1.+2.V-Achse;bis 33.02	V 8	4	90	925	735		24x68	24x68	1K
H88	73006000	1.+2.V-Achse;ab 34.02	V 8	3	90	925	735	130	24x63	24x63	85 1K
H88	73002000	1.+2.V-Achse	V 9,5	5	90	925	735	124	24x63	24x63	125 1K
H90	73030000	1.+2.V-Achse	V 7,5	2	90	925	735		24x65	24x65	67 1K
H90	73000000	1.+2.V-Achse;bis 33.02	V 8	4	90	925	735		24x68	24x68	1K
H90	73006000	1.+2.V-Achse;ab 34.02	V 8	3	90	925	735	130	24x63	24x63	85 1K
H90	73002000	1.+2.V-Achse	V 9,5	5	90	925	735	124	24x63	24x63	125 1K
H94	72930000		V 8	3	90	925	925	166	24x63	24x63	86 1J
H94	72994000		V 9	3	90	925	925	147	24x63	24x63	93 1J
H94	72917000	1.+2.H-Achse	H 13	5	100	825	825				179 8B
H95	72930000		V 8	3	90	925	925	166	24x63	24x63	86 1J
H95	72994000		V 9	3	90	925	925	147	24x63	24x63	93 1J
H95	72917000	1.+2.H-Achse	H 13	5	100	825	825				179 8B
H95	72929000	1.+2.H-Achse	H 16	5	100	825	825				195 8B



M A N Typenliste

Ausgabe:09.06

Typ- Nr.	Artikel-Nr. art.-no.			Achsl. axle load	Blatt- zahl leaves	Breite width	Länge length		Spr. free arch	Buchsen-Ø bush diameter		Paket total height	Form shape
							vorn front	hinten rear		vorn front	hinten rear		
L20	72916000	Dänemark		V	2,8	2	80	825	825	45	45	38	1L
L20	72970000	f. Feuerwehr		V	2,9	1	80	825	825	16x45	16x45	1L	
L20	72812000			V	3,2	2	80	825	825	172	16x45	16x45	41 1L
L20	72846000			V	3,2	2	80	825	825	191	45	45	46 1L
L20	72974000			V	3,2	5	80	825	825		45	45	1
L20	72814000			V	3,8	2	80	825	825	167	16x45	16x45	46 1L
L20	72968000	re;li hierzu 728140 beim Rechtslenker		V	3,8	2	80	825	825		45	45	1L
L20	72810000			V	4	2	80	825	825	170	16x45	16x45	46 1L
L20	72856000			V	4	6/1	80	825	825	190	16x45	16x45	62 1B
L20	72831000			H	5,6	2/1/1	80	800	800	166	45	45	95 1BL
L20	72847000			H		2/1/1	80	800	800	173	16x45	16x45	100 1BL
L20	72881000	bis 12.96		H	5,6	5/2/1	80	800	800	184	45	45	107 1B
L20	72955000			H	5,6	1/1/1	80	850	850		16x45	16x45	97 1BJ
L20	72963000			H	5,6	1	80				16x45	16x45	1
L20	72963000			H	5,6	1	80				16x45	16x45	1
L20	72971000	ab 13.96		H	5,6	5/2/1	80	800	800		45	45	1B
L20	72971000	ab 13.96		H	5,6	5/2/1	80	800	800		45	45	1B
L20	72883000	bis 12.96		H	6,2	6/2/1	80	800	800	192	45	45	120 1B
L20	72903000	ab 13.96		H	6,2	6/2/1	80	800	800		45	45	132 1B
L20	72903000	ab 13.96		H	6,2	6/2/1	80	800	800		45	45	132 1B
L20	72797000	bis 12.96		H	6,8	7/2/1	80	800	800	171	45	45	129 1B
L20	72843000	bis 11.96		H	6,8	3/1	80	800	800		45	45	100 1BL
L20	72879000	ab 13.96		H	6,8	7/2/1	80	800	800		45	45	141 1B
L20	72893000	ab 12.96		H	6,8	3/1	80	800	800	192	16x45	16x45	114 1BL
L20	72907000			H	6,8	2/1/1	80	845	845	180	16x45	16x45	111 1BJ
L21	72916000	Dänemark		V	2,8	2	80	825	825	45	45	38	1L
L21	72970000	f. Feuerwehr		V	2,9	1	80	825	825		16x45	16x45	1L
L21	72812000			V	3,2	2	80	825	825	172	16x45	16x45	41 1L
L21	72974000			V	3,2	5	80	825	825		45	45	1
L21	72814000			V	3,8	2	80	825	825	167	16x45	16x45	46 1L
L21	72810000			V	4	2	80	825	825	170	16x45	16x45	46 1L
L21	72856000			V	4	6/1	80	825	825	190	16x45	16x45	62 1B
L21	72831000			H	5,6	2/1/1	80	800	800	166	45	45	95 1BL
L21	72847000			H		2/1/1	80	800	800	173	16x45	16x45	100 1BL
L21	72881000	bis 12.96		H	5,6	5/2/1	80	800	800	184	45	45	107 1B
L21	72971000	ab 13.96		H	5,6	5/2/1	80	800	800		45	45	1B
L21	72883000	bis 12.96		H	6,2	6/2/1	80	800	800	192	45	45	120 1B
L21	72903000	ab 13.96		H	6,2	6/2/1	80	800	800		45	45	132 1B
L21	72797000	bis 12.96		H	6,8	7/2/1	80	800	800	171	45	45	129 1B
L21	72843000			H	6,8	3/1	80	800	800		45	45	100 1BL
L21	72879000	ab 13.96		H	6,8	7/2/1	80	800	800		45	45	141 1B
L21	72893000			H	6,8	3/1	80	800	800	192	16x45	16x45	114 1BL
L22	72838000	f. Allrad		V	4,2	2	80	905	745		45	45	43 1L
L22	72840000	f. Allrad		V	5,2	3	80	905	745		45	45	65 1L
L22	72831000			H	5,6	2/1/1	80	800	800	166	45	45	95 1BL
L22	72843000			H	6,8	3/1	80	800	800		45	45	100 1BL
L22	72893000			H	6,8	3/1	80	800	800	192	16x45	16x45	114 1BL
L23	72831000			H	5,6	2/1/1	80	800	800	166	45	45	95 1BL
L23	72838000	f. Allrad		V	4,2	2	80	905	745		45	45	43 1L
L23	72840000	f. Allrad		V	5,2	3	80	905	745		45	45	65 1L
L23	72843000			H	6,8	3/1	80	800	800		45	45	100 1BL
L23	72893000			H	6,8	3/1	80	800	800	192	16x45	16x45	114 1BL



M A N Typenliste

Ausgabe:09.06

Typ- fr. type- no.	Artikel-Nr. art.-no.			Achsl. axle load	Blatt- zahl leaves	Breite width	Länge length		Spr. free arch	Buchsen-Ø bush diameter		Paket total height	Form shape
							vorn front	hinten rear		vorn front	hinten rear		
L24	72797000			H 6,8	7/2/1	80	800	800	171	45	45	129	1B
L24	72810000			V 4	2	80	825	825	170	16x45	16x45	46	1L
L24	72814000			V 3,8	2	80	825	825	167	16x45	16x45	46	1L
L24	72843000			H 6,8	3/1	80	800	800		45	45	100	1BL
L24	72893000			H 6,8	3/1	80	800	800	192	16x45	16x45	114	1BL
L24	72974000			V 3,2	5	80	825	825		45	45		1
L25	72765000			H 6,8	7/2	80	800	800	170	16x45	16x45	121	1B
L25	72797000	bis 12.96		H 6,8	7/2/1	80	800	800	171	45	45	129	1B
L25	72810000			V 4	2	80	825	825	170	16x45	16x45	46	1L
L25	72814000			V 3,8	2	80	825	825	167	16x45	16x45	46	1L
L25	72838000			V 4,2	2	80	905	745		45	45	43	1L
L25	72856000			V 4	6/1	80	825	825	190	16x45	16x45	62	1B
L25	72879000	ab 13.96		H 6,8	7/2/1	80	800	800		45	45	141	1B
L25	72881000	bis 12.96		H 5,6	5/2/1	80	800	800	184	45	45	107	1B
L25	72881000	bis 12.96		H 5,6	5/2/1	80	800	800	184	45	45	107	1B
L25	72883000	bis 12.96		H 6,2	6/2/1	80	800	800	192	45	45	120	1B
L25	72893000			H 6,8	3/1	80	800	800	192	16x45	16x45	114	1BL
L25	72903000	ab 13.96		H 6,2	6/2/1	80	800	800		45	45	132	1B
L25	72971000	ab 13.96		H 5,6	5/2/1	80	800	800		45	45		1B
L25	72974000			V 3,2	5	80	825	825		45	45		1
L26	72765000			H 6,8	7/2	80	800	800	170	16x45	16x45	121	1B
L26	72831000			H 5,6	2/1/1	80	800	800	166	45	45	95	1BL
L26	72838000			V 4,2	2	80	905	745		45	45	43	1L
L26	72840000			V 5,2	3	80	905	745		45	45	65	1L
L26	72893000			H 6,8	3/1	80	800	800	192	16x45	16x45	114	1BL
L26	72972000			V 5,2	3	80	905	745		45	45		1L
L27	72838000			V 4,2	2	80	905	745		45	45	43	1L
L27	72840000			V 5,2	3	80	905	745		45	45	65	1L
L27	72893000			H 6,8	3/1	80	800	800	192	16x45	16x45	114	1BL
L33	72810000			V 4	2	80	825	825	170	16x45	16x45	46	1L
L33	72812000			V 3,2	2	80	825	825	172	16x45	16x45	41	1L
L33	72814000			V 3,8	2	80	825	825	167	16x45	16x45	46	1L
L33	72846000			V 3,2	2	80	825	825	191	45	45	46	1L
L33	72856000			V 4	6/1	80	825	825	190	16x45	16x45	62	1B
L33	72916000	Dänemark		V 2,8	2	80	825	825		45	45	38	1L
L33	72974000			V 3,2	5	80	825	825		45	45		1
L33	72803000	L1=330;L2=170;Kröpfung 320		L 1	1	80	800	530		16		46	62
L34	72810000			V 4	2	80	825	825	170	16x45	16x45	46	1L
L34	72812000			V 3,2	2	80	825	825	172	16x45	16x45	41	1L
L34	72814000			V 3,8	2	80	825	825	167	16x45	16x45	46	1L
L34	72856000			V 4	6/1	80	825	825	190	16x45	16x45	62	1B
L34	72916000	Dänemark		V 2,8	2	80	825	825		45	45	38	1L
L34	72916000	Dänemark		V 2,8	2	80	825	825		45	45	38	1L
L34	72974000			V 3,2	5	80	825	825		45	45		1
L34	72976000	re;li dazu 728100 beim Rechtslenker		V 4	2	80	825	825		45	45		1L
L34	72803000	L1=330;L2=170;Kröpfung 320		L 1	1	80	800	530		16		46	62
L35	72810000			V 4	2	80	825	825	170	16x45	16x45	46	1L
L35	72814000			V 3,8	2	80	825	825	167	16x45	16x45	46	1L
L35	72856000			V 4	6/1	80	825	825	190	16x45	16x45	62	1B



M A N Typenliste

Ausgabe:09.06

Typ-Nr.	Artikel-Nr.			Achsl.	Blatt-zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
							length	length		bush diameter	bush diameter		
type-no.	art.-no.			axle load	leaves	width	vorn front	hinten rear	arch	vorn front	hinten rear	height	shape
L35	72974000			V	3,2	5	80	825	825	45	45		1
L35	72803000	L1=330;L2=170;Kröpfung 320		L	1	80	800	530		16		46	62
L36	72974000			V	3,2	5	80	825	825	45	45		1
L36	72814000			V	3,8	2	80	825	825	167	16x45	16x45	46 1L
L36	72968000	re;li hierzu 728140 beim Rechtslenker		V	3,8	2	80	825	825	45	45		1L
L36	72810000			V	4	2	80	825	825	170	16x45	16x45	46 1L
L36	72856000			V	4	6/1	80	825	825	190	16x45	16x45	62 1B
L36	72976000	re;li hierzu 728100 beim Rechtslenker		V	4	2	80	825	825	45	45		1L
L36	72931000	L1=317;Kröpfung 330;mit Warze statt Febo		L	1	80	800	520		16		46	62
L36	72957000	mit Warze statt Febo		L	1	80	800	520		16		62	
L36	72803000	L1=330;L2=170;Kröpfung 320		L	1	80	800	530		16		46	62
L50	72812000			V	3,2	2	80	825	825	172	16x45	16x45	41 1L
L50	72814000			V	3,8	2	80	825	825	167	16x45	16x45	46 1L
L50	72810000			V	4	2	80	825	825	170	16x45	16x45	46 1L
L50	72831000			H	5,6	2/1/1	80	800	800	166	45	45	95 1BL
L50	72881000			H	5,6	5/2/1	80	800	800	184	45	45	107 1B
L50	72883000			H	6,2	6/2/1	80	800	800	192	45	45	120 1B
L50	72797000			H	6,8	7/2/1	80	800	800	171	45	45	129 1B
L50	72893000			H	6,8	3/1	80	800	800	192	16x45	16x45	114 1BL
L51	72812000			V	3,2	2	80	825	825	172	16x45	16x45	41 1L
L51	72814000			V	3,8	2	80	825	825	167	16x45	16x45	46 1L
L51	72810000			V	4	2	80	825	825	170	16x45	16x45	46 1L
L51	72803000	L1=330;L2=170;Kröpfung 320		L	1	80	800	530		16		46	62
L52	72955000			H	5,6	1/1/1	80	850	850		16x45	16x45	97 1BJ
L53	72812000			V	3,2	2	80	825	825	172	16x45	16x45	41 1L
L53	72814000	12.95-30.95		V	3,8	2	80	825	825	167	16x45	16x45	46 1L
L53	72810000	ab 31.95		V	4	2	80	825	825	170	16x45	16x45	46 1L
L53	72931000	L1=317;Kröpfung 330;mit Warze statt Febo		L	1	80	800	520		16		46	62
L53	72957000	mit Warze statt Febo		L	1	80	800	520		16		62	
L53	72803000	L1=330;L2=170;Kröpfung 320		L	1	80	800	530		16		46	62
L70	72888000			V	4	2	80	810	940	150	20x57	16x45	50 1L
L70	72956000			V	4,2	2	80	810	940		20	16	52 1L
L70	72871000	bis 35.95		H	9,2	2/1	80	900	900		20	20	90 1BJ
L70	72875000	36.95-36.97		H	9,2	2/1/1	80	900	900	145	20	20	110 1BJ
L70	72901000	ab 37.97		H	9,2	2/1	80	900	900		20	20	90 1BJ
L71	72888000			V	4	2	80	810	940	150	20x57	16x45	50 1L
L71	72956000			V	4,2	2	80	810	940		20	16	52 1L
L71	72871000	bis 35.95		H	9,2	2/1	80	900	900		20	20	90 1BJ
L71	72875000	36.95-36.97		H	9,2	2/1/1	80	900	900	145	20	0	110 1BJ
L71	72901000	ab 37.97		H	9,2	2/1	80	900	900		20	20	90 1BJ
L72	72888000			V	4	2	80	810	940	150	20x57	16x45	50 1L
L72	72956000			V	4,2	2	80	810	940		20	16	52 1L
L73	72888000	bis 28.97		V	4	2	80	810	940	150	20x57	16x45	50 1L
L73	72956000	ab 28.97		V	4,2	2	80	810	940		20	16	52 1L



M A N Typenliste

Ausgabe:09.06

Typ- Nr.	Artikel-Nr. art.-no.			Achsl. axle load	Blatt- zahl leaves	Breite width	Länge length		Spr. free	Buchsen-Ø bush diameter		Paket total	Form shape
							vorn front	hinten rear		vorn front	hinten rear		
L74	72842000			V 5,2	2	80	815	945	150	20	16	58	1L
L74	72978000			V 5,2	2	80	875	875		20	16	56	1L
L74	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
L74	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
L74	72871000	bis 35.95		H 9,2	2/1	80	900	900		20	20	90	1BJ
L74	72875000			H 9,2	2/1/1	80	900	900	145	20	20	110	1BJ
L74	72901000	ab 37.97		H 9,2	2/1	80	900	900		20	20	90	1BJ
L75	72842000			V 5,2	2	80	815	945	150	20	16	58	1L
L75	72978000			V 5,2	2	80	875	875		20	16	56	1L
L75	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
L75	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
L75	72871000	bis 35.95		H 9,2	2/1	80	900	900		20	20	90	1BJ
L75	72875000	ab 36.95-30.98		H 9,2	2/1/1	80	900	900	145	20	20	110	1BJ
L75	72901000	ab 36.95		H 9,2	2/1	80	900	900		20	20	90	1BJ
L76	72842000			V 5,2	2	80	815	945	150	20	16	58	1L
L76	72978000			V 5,2	2	80	875	875		20	16	56	1L
L76	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
L76	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
L77	72842000			V 5,2	2	80	815	945	150	20	16	58	1L
L77	72978000			V 5,2	2	80	875	875		20	16	56	1L
L77	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
L77	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
L80	72980000	f. Feuerwehr ab 29.97		V 4,5	2	80				20	20		1L
L80	72850000			V 5,2	2	80	875	875		20	20	56	1L
L80	72904000			V 6	7	80	875	875		20	20		1
L80	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
L80	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
L80	72875000			H 9,2	2/1/1	80	900	900	145	20	20	110	1BJ
L80	72901000			H 9,2	2/1	80	900	900		20	20	90	1BJ
L80	72933000			H 10	5/2/1	80	910	910		20	20	158	1B
L80	72933000			H 10	5/2/1	80	910	910		20	20	158	1B
L80	72933000			H 10	5/2/1	80	910	910		20	20	158	1B
L81	72904000			V 6	7	80	875	875		20	20		1
L81	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
L81	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
L81	72933000			H 10	5/2/1	80	910	910		20	20	158	1B
L81	72877000			H 11,5	2/1/1	80	900	900	125	20x56	20x56	134	1BJ
L82	72904000			V 6	7	80	875	875		20	20		1
L82	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
L82	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
L82	72933000			H 10	5/2/1	80	910	910		20	20	158	1B
L82	72877000			H 11,5	2/1/1	80	900	900	125	20x56	20x56	134	1BJ
L83	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
L83	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
L84	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
L84	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L



M A N Typenliste

Ausgabe:09.06

Typ- Nr. type- no.	Artikel-Nr. art.-no.				Achsl. axle load	Blatt- zahl leaves	Breite width	Länge		Spr. free	Buchsen-Ø		Paket total	Form shape
								length			bush diameter			
								vom front	hinten rear		arch	vom front		
L87	72902000	Export-Übersee ab 10.99	V	7,1	3	80	875	875	172	20x56	20x56	81	1L	
L87	72844000		V	7,5	3	80	875	875	177	20x56	20x56	81	1L	
L87	72982000		V	7,5	9/1	80	875	875		20	20		1	
L87	72869000		H	11,5	8/1/7/1	80	900	900	178	20x56	20x56	249	1AR	
L87	72877000		H	11,5	2/1/1	80	900	900	125	20x56	20x56	134	1BJ	
L87	72897000		H	11,5	8/4	80	900	900		20	20	200	1B	
L87	72891000		Kommunalfahrzeug	H	12	12	80	900	625		20	20	188	1
L87	72979000		Kommunalfahrzeuge	H	13	13	80	900	625		20x57	20x57	195	1
L88	72902000	NA;7,1to Achsl.	V	7,1	3	80	875	875	172	20x56	20x56	81	1L	
L88	72844000	NA;7,5to Achsl.	V	7,5	3	80	875	875	177	20x56	20x56	81	1L	
L90	72980000		V	4,5	2	80					20	20		1L
L90	72858000		V	7,5	9/1	80	875	875	160	20	20	134	1B	
L90	72984000		V	7,5	3	80	875	875		20	20	75	1K	
L90	73020000		H	7,5	10	80	905	905		20	20	130	1E	
L90	73022000		H	7,5	3	80				20	20		1L	
L90	72901000		H	9,2	2/1	80	900	900		20	20	90	1BJ	
L90	72869000		H	11,5	8/1/7/1	80	900	900	178	20x56	20x56	249	1AR	
L90	72897000		H	11,5	8/4	80	900	900		20	20	200	1B	
L90	72909000		H	11,5	3/1	80	900	900		20x55	20x55	157	1BJ	
L90	72979000		Kommunalfahrzeuge	H	13	13	80	900	625		20x57	20x57	195	1
L95	72902000	7,1to Achsl.	V	7,1	3	80	875	875	172	20x56	20x56	81	1L	
L95	72844000	7,5to Achsl.	V	7,5	3	80	875	875	177	20x56	20x56	81	1L	
L95	72982000	7,5to Achsl.	V	7,5	9/1	80	875	875		20	20		1	
L95	72996000	7,5to Achsl.	V	7,5	3	90	875	875	190	20x56	20x56	78	1J	
L95	72959000	1.+2.H-Achse	H	9,5	1/1	100	840	840			20		8BY	
L95	72761000	1.+2.H-Achse	H	10	2/1	100	840	840	88			122	8BY	



M A N Typenliste

Ausgabe:09.06

yp- lr. /pe- o.	Artikel-Nr. art.-no.			Achsl. axle load	Blatt- zahl leaves	Breite width	Länge length		Spr. free arch	Buchsen-Ø bush diameter		Paket total height	Form shape
							vorn front	hinten rear		vorn front	hinten rear		
V31	72842000			V 5,2	2	80	815	945	150	20	16	58	1L
V31	72978000			V 5,2	2	80	875	875		20		56	1L
V31	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
V31	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
V31	72871000	bis 35.95		H 9,2	2/1	80	900	900		20	20	90	1BJ
V31	72875000	ab 36.95		H 9,2	2/1/1	80	900	900	145	20	20	110	1BJ
V32	72842000			V 5,2	2	80	815	945	150	20	16	58	1L
V32	72978000			V 5,2	2	80	875	875		20	16	56	1L
V32	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
V32	72908000			V 6,3	3	80	810	940	170	20x56	16x45	75	1L
V34	72980000	f. Feuerwehr		V 4,5	2	80				20	20		1L
V34	72850000			V 5,2	2	80	875	875		20	20	56	1L
V34	72904000			V 6	7	80	875	875		20	20	1	
V34	72875000			H 9,2	2/1/1	80	900	900	145	20	20	110	1BJ
V34	72901000			H 9,2	2/1	80	900	900		20	20	90	1BJ
V34	72933000			H 10	5/2/1	80	910	910		20	20	158	1B
V34	72877000			H 11,5	2/1/1	80	900	900	125	20x56	20x56	134	1BJ
V38	72902000			V 7,1	3	80	875	875	172	20x56	20x56	81	1L
V38	72844000			V 7,5	3	80	875	875	177	20x56	20x56	81	1L
V38	72982000	ab 16.96		V 7,5	9/1	80	875	875		20	20	0	1
V38	72996000			V 7,5	3	90	875	875	190	20x56	20x56	78	1J
V38	72869000			H 11,5	8/17/1	80	900	900	178	20x56	20x56	249	1AR
V38	72877000			H 11,5	2/1/1	80	900	900	125	20x56	20x56	134	1BJ
V38	72877000			H 11,5	2/1/1	80	900	900	125	20x56	20x56	134	1BJ
V38	72897000			H 11,5	8/4	80	900	900		20	20	200	1B
V38	72891000			H 12	12	80	900	625		20	20	188	1
V39	72900000			V 6,3	3	80	875	875		20x57	20x57	75	1L
V39	72902000			V 7,1	3	80	875	875	172	20x56	20x56	81	1L
V39	72844000			V 7,5	3	80	875	875	177	20x56	20x56	81	1L
V39	72996000			V 7,5	3	90	875	875	190	20x56	20x56	78	1J
V41	72858000	ers. d. 729820		V 7,5	9/1	80	875	875	160	20	20	134	1B
V41	72982000			V 7,5	9/1	80	875	875		20	20	1	
V41	72984000			V 7,5	3	80	875	875		20	20	75	1K
V41	72869000			H 11,5	8/17/1	80	900	900	178	20x56	20x56	249	1AR
V41	72897000			H 11,5	8/4	80	900	900		20	20	200	1B
V41	72909000			H 11,5	3/1	80	900	900		20x55	20x55	157	1BJ
V42	72902000			V 7,1	3	80	875	875	172	20x56	20x56	81	1L
V42	72844000			V 7,5	3	80	875	875	177	20x56	20x56	81	1L
V42	72996000			V 7,5	3	90	875	875	190	20x56	20x56	78	1J
V44	72902000			V 7,1	3	80	875	875	172	20x56	20x56	81	1L
V44	72844000			V 7,5	3	80	875	875	177	20x56	20x56	81	1L
V55	72916000			V 2,8	2	80	825	825		45	45	38	1L
V55	72970000	f. Feuerwehr		V 2,9	1	80	825	825		16x45	16x45		1L
V55	72812000			V 3,2	2	80	825	825	172	16x45	16x45	41	1L
V55	72974000			V 3,2	5	80	825	825		45	45	1	
V55	72814000			V 3,8	2	80	825	825	167	16x45	16x45	46	1L
V55	72968000	re:li dazu 728140 beim Rechtslenker		V 3,8	2	80	825	825		45	45		1L

M A N Typenliste

Ausgabe:09.06

Typ- Nr.	Artikel-Nr.				Achsl.	Blatt- zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
					axle load	leaves		width	length		free	bush diameter		
type- no.	art.-no.							vorn front	hinten rear	arch	vorn front	hinten rear	height	
M55	72856000			V	4	6/1	80	825	825	190	16x45	16x45	62	1B
M55	72847000			H	5,6	2/1/1	80	800	800	173	16x45	16x45	100	1BL
M55	72963000			H	5,6	1	80				16x45	16x45		1
M55	72955000			H	5,6	1/1/1	80	850	850		16x45	16x45	97	1BJ
M55	72699000	bis 12.96		H	6,2	6/2	80	800	800	190	45	45	112	1B
M55	72883000	bis 12.96		H	6,2	6/2/1	80	800	800	192	45	45	120	1B
M55	72903000	ab 13.96		H	6,2	6/2/1	80	800	800		45	45	132	1B
M55	72969000	6,2to Achsl.		H	6,2	8	80	850	850		16x45	16x45	136	1B
M55	72797000	verstärkte Ausf.;bis 12.96		H	6,8	7/2/1	80	800	800	171	45	45	129	1B
M55	72843000	verstärkte Ausf.;bis 11.96		H	6,8	3/1	80	800	800		45	45	100	1BL
M55	72879000	verstärkte Ausf.;ab 13.96		H	6,8	7/2/1	80	800	800		45	45	141	1B
M55	72893000	verstärkte Ausf.;ab 12.96		H	6,8	3/1	80	800	800	192	16x45	16x45	114	1BL
M55	72907000	verstärkte Ausf.		H	6,8	2/1/1	80	845	845	180	16x45	16x45	111	1BJ
M55	72965000	bis 13.00		H	6,8	3/1	80	800	800		16x45	16x45	122	1BL
M55	72967000	ab 14.00		H	6,8	2/1/1	80	850	850	167	16x45	16x45	111	1BL
M55	72973000	verstärkte Ausf.		H	6,8	8	80	850	850		16x45	16x45	0	1
M61	72814000			V	3,8	2	80	825	825	167	16x45	16x45	46	1L
M61	72810000	verstärkte Ausf.		V	4	2	80	825	825	170	16x45	16x45	46	1L
M61	72856000			V	4	6/1	80	825	825	190	16x45	16x45	62	1BL
M61	72976000	re;li dazu 728100 beim Rechtslenker		V	4	2	80	825	825		45	45	0	1L
M61	72797000	bis 12.96		H	6,8	7/2/1	80	800	800	171	45	45	129	1BL
M61	72879000	ab 13.96		H	6,8	7/2/1	80	800	800		45	45	141	1BL
M61	72893000			H	6,8	3/1	80	800	800	192	16x45	16x45	114	1BL
M61	72965000	bis 13.00		H	6,8	3/1	80	800	800		16x45	16x45	122	1BL
M61	72967000	ab 14.00		H	6,8	2/1/1	80	850	850	167	16x45	16x45	111	1BL
M69	72956000			V	4,2	2	80	810	940		20	16	52	1L
M69	72871000	bis 35.95		H	9,2	2/1	80	900	900		20	20	90	1BJ
M69	72875000	ab 36.95-36.97		H	9,2	2/1/1	80	900	900	145	20	20	110	1BJ
M69	72901000	ab 37.97		H	9,2	2/1	80	900	900		20	20	90	1BJ
M70	72956000			V	4,2	2	80	810	940		20	16	52	1L
M70	72871000	bis 35.95		H	9,2	2/1	80	900	900		20	20	90	1BJ
M70	72875000	ab 36.95-36.97		H	9,2	2/1/1	80	900	900	145	20	20	110	1BJ
M70	72901000	ab 37.97		H	9,2	2/1	80	900	900		20	20	90	1BJ
M74	72842000			V	5,2	2	80	815	945	150	20	16	58	1L
M74	72978000			V	5,2	2	80	875	875		20	16	56	1L
M74	72900000			V	6,3	3	80	875	875		20x57	20x57	75	1L
M74	72908000			V	6,3	3	80	810	940	170	20x56	16x45	75	1L
M74	72901000			H	9,2	2/1	80	900	900		20	20	90	1BJ
M78	72980000			V	4,5	2	80				20	20	0	1L
M78	72850000			V	5,2	2	80	875	875		20	20	56	1L
M78	72904000			V	6	7	80	875	875		20	20	0	1
M78	72875000			H	9,2	2/1/1	80	900	900	145	20	20	110	1B.
M78	72901000			H	9,2	2/1	80	900	900		20	20	90	1B.
M78	72933000			H	10	5/2/1	80	910	910		20	20	158	1B
M78	72877000			H	11,5	2/1/1	80	900	900	125	20x56	20x56	134	1B.



M A N Typenliste

Ausgabe: 09.06

yp- nr. type- no.	Artikel-Nr. art.-no.				Achsl.	Blatt- zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
					axle load	leaves	width	length		free arch	bush diameter		total height	shape
								vorn front	hinten rear		vorn front	hinten rear		
M80	72904000			V	6	7	80	875	875		20	20	0	1
M80	72900000			V	6,3	3	80	875	875		20x57	20x57	75	1L
M80	72908000			V	6,3	3	80	810	940	170	20x56	16x45	75	1L
M80	72933000			H	10	5/2/1	80	910	910		20	20	158	1B
M80	72877000			H	11,5	2/1/1	80	900	900	125	20x56	20x56	134	1BJ



M A N Typenliste

Ausgabe:09.06

Typ- Nr. type- no.	ArtikeI-Nr. art.-no.				Achsl.	Blatt-	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form		
					axle load	zahl leaves		width	length		free	bush diameter			total	
									vorn front			hinten rear	arch			vorn front
T01	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ			
T01	72862000	aufgedickte Augen; bis 33.96	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ			
T01	72868000		V	8	10	90	900	900	0	24x68	24x70	131	1E			
T01	72876000	aufgedickte Augen;ab 34.96	V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ			
T01	72864000	aufgeickte Augen;bis 12.97	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ			
T01	72878000	ab 13.97	V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ			
T01	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E			
T01	72859000		H	11,5	2/1	100	900	900		24x68	24x68	104	1BJ			
T01	72861000		H	11,5	3	100	900	900		24	24	95	1J			
T01	72857000		H	13	3	100	900	900	158	24x68	24x68	98	1J			
T01	72863000		H	13	2/1	100	900	900	126	24x68	24x68	108	1BJ			
T01	72865000	aufgedickte Augen	H	13	7/1/5	100	897	897	165	24x68	24x68	195	1AR			
T01	72867000		H	16	7/1/7	100	897	897	165	24x68	24x68	227	1AR			
T02	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ			
T02	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ			
T02	72876000	ab 34.96	V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ			
T02	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ			
T02	72878000	ab 13.97	V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ			
T04	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ			
T04	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ			
T04	72868000		V	8	10	90	900	900	0	24x70	24x70	131	1E			
T04	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ			
T04	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E			
T04	72859000		H	11,5	2/1	100	900	900		24x68	24x68	104	1BJ			
T04	72863000		H	13	2/1	100	900	900	126	24x68	24x68	108	1BJ			
T04	72865000	aufgedickte Augen	H	13	7/1/5	100	897	897	165	24x68	24x68	195	1AR			
T04	72867000		H	16	7/1/7	100	897	897	165	24x68	24x68	227	1AR			
T06	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ			
T06	72862000	aufgedickte Augen;bis 33.96	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ			
T06	72876000	ab 34.96	V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ			
T06	72864000	aufgedickte Augen;bis 12.97	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ			
T06	72878000	ab 13.97	V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ			
T08	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ			
T08	72862000	aufgedickte Augen;bis 33.96	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ			
T08	72876000	ab 34.96	V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ			
T08	72864000	aufgedickte Augen;bis 12.97	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ			
T08	72878000	ab 13.97	V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ			
T09	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ			
T09	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ			
T09	72868000		V	8	10	90	900	900	0	24x68	24x70	131	1E			
T09	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ			
T09	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E			
T09	72761000	1.+2.H-Achse	H	10	2/1	100	840	840	88			122	8BY			
T09	72805000	1.+2.H-Achse	H	10	3/1	100	840	840	70			161	8BY			
T09	72821000	1.+2.H-Achse	H	10	5	100	840	840				130	8Y			
T10	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ			
T10	72862000	aufgedickte Augen; bis 33.96	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ			
T10	72876000	ab 34.96	V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ			



M A N Typenliste

Ausgabe: 09.06

Typ- Nr. type- no.	Artikel-Nr. art.-no.				Achsl.	Blatt-	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form			
					axle load	zahl leaves	width	length			free	bush diameter			total height	shape	
								vorn front	hinten rear			arch					vorn front
T10	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ				
T12	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ				
T12	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ				
T12	72868000	aufgedickte Augen	V	8	10	90	900	900		24x70	24x70	131	1E				
T12	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ				
T12	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E				
T12	72789000	1.+2.H-Achse;Leerlastspr.zw. 4+5.Lg	H	10	7	100	825	825	101			153	8Z				
T12	72845000	1.+2.H-Achse	H	10	14	100	825	825	120			199	8W				
T12	72781000	1.+2.H-Achse;Leerlastspr.zw. 6+7.Lg.	H	13	11	100	825	825	73			235	8Z				
T12	72793000	1.+2.H-Achse;Leerlastspr.zw. 5+6.Lg.	H	13	11	100	825	825	70			234	8Z				
T12	72841000	1.+2.H-Achse;Leerlastspr.zw. 8+9.Lg.	H	16	13	100	825	825	102			269	8Z				
T15	72874000	1.+2.V-Achse	V	7,1	3/1/1	90	900	690	164	24x68	24x68	119	1FL				
T15	72866000	1.+2.V-Achse	V	8	3/1/1	90	900	690	150	24x68	24x68	123	1FL				
T15	72894000	1.+2.V-Achse;ab 25.96	V	9	4/1	90	900	690	150	24x68	24x68	127	1FL				
T15	72896000	1.+2.V-Achse;bis 24.96	V	9	4/1	90	900	690	150	24x68	24x68	123	1FL				
T15	72761000	1.+2.H-Achse	H	10	2/1	100	840	840	88			122	8BY				
T15	72805000	1.+2.H-Achse	H	10	3/1	100	840	840	70			161	8BY				
T16	72874000	1.+2.V-Achse	V	7,1	3/1/1	90	900	690	164	24x68	24x68	119	1FL				
T16	72866000	1.+2.V-Achse	V	8	3/1/1	90	900	690	150	24x68	24x68	123	1FL				
T16	72898000	1.+2.V-Achse	V	8	13	90	900	690	128	24x68	24x68	157	1F				
T16	72894000	1.+2.V-Achse;ab 25.96	V	9	4/1	90	900	690	150	24x68	24x68	127	1FL				
T16	72896000	1.+2.V-Achse;bis 24.96	V	9	4/1	90	900	690	150	24x68	24x68	123	1FL				
T16	72789000	1.+2.H-Achse;Leerlastspr.zw. 4+5.Lg	H	10	7	100	825	825	101			153	8Z				
T16	72781000	1.+2.H-Achse;Leerlastspr.zw. 6+7.Lg.	H	13	11	100	825	825	73			235	8Z				
T16	72793000	1.+2.H-Achse;Leerlastspr.zw. 5+6.Lg.	H	13	11	100	825	825	70			234	8Z				
T16	72841000	1.+2.H-Achse;Leerlastspr.zw. 8+9.Lg.	H	16	13	100	825	825	102			269	8Z				
T18	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ				
T18	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ				
T18	72868000	aufgedickte Augen	V	8	10	90	900	900	0	24x70	24x70	131	1E				
T18	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ				
T18	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E				
T18	72789000	1.+2.H-Achse;Leerlastspr.zw. 4+5.Lg	H	10	7	100	825	825	101			153	8Z				
T18	72845000	1.+2.H-Achse	H	10	14	100	825	825	120			199	8W				
T18	72781000	1.+2.H-Achse;Leerlastspr.zw. 6+7.Lg.	H	13	11	100	825	825	73			235	8Z				
T18	72793000	1.+2.H-Achse;Leerlastspr.zw. 5+6.Lg.	H	13	11	100	825	825	70			234	8Z				
T18	72841000	1.+2.H-Achse;Leerlastspr.zw. 8+9.Lg.	H	16	13	100	825	825	102			269	8Z				
T31	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ				
T31	72862000	aufgedickte Augen;bis 33.96	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ				
T31	72868000	aufgedickte Augen	V	8	10	90	900	900		24x70	24x70	131	1E				
T31	72876000	ab 34.96	V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ				
T31	72864000	aufgedickte Augen;bis 12.97	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ				
T31	72878000	ab 13.97	V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ				
T31	72928000	aufgedickte Augen	V	9	4	90	900	900		24x68	24x68	104	1J				
T31	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E				



M A N Typenliste

Ausgabe:09.06

Typ- Nr. type- no.	Artikel-Nr. art.-no.				Achsel- axle load	Blatt- zahl leaves	Breite width	Länge length		Spr. free arch	Buchsen-Ø bush diameter		Paket total height	Form shape
								vorn front	hinten rear		vorn front	hinten rear		
T31	72859000	aufgedickte Augen	H	11,5	2/1	100	900	900			24x68	24x68	104	1BJ
T31	72861000		H	11,5	3	100	900	900			24	24	95	1J
T31	72857000		H	13	3	100	900	900	158		24x68	24x68	98	1J
T31	72863000		H	13	2/1	100	900	900	126		24x68	24x68	108	1BJ
T31	72865000		H	13	7/1/5	100	897	897	165		24x68	24x68	195	1AR
T31	72937000		H	13	4	100	900	900	130		24x68	24x68	122	1J
T31	72867000		H	16	7/1/7	100	897	897	165		24x68	24x68	227	1AR
T32	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169		24x68	24x68	98	1EJ
T32	72862000	aufgedickte Augen;bis 33.96	V	8	3/1	90	900	900	171		24x68	24x68	101	1EJ
T32	72876000	ab 34.96	V	8	3/1	90	900	900	171		24x68	24x68	104	1EJ
T32	72864000	aufgedickte Augen;bis 12.97	V	9	4/1	90	900	900	169		24x68	24x68	124	1EJ
T32	72878000	ab 13.97	V	9	4/1	90	900	900	135		24x68	24x68	129	1EJ
T32	72928000		V	9	4	90	900	900			24x68	24x68	104	1J
T34	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169		24x68	24x68	98	1EJ
T34	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171		24x68	24x68	101	1EJ
T34	72868000		V	8	10	90	900	900			24x70	24x70	131	1E
T34	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169		24x68	24x68	124	1EJ
T34	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139		24x68	24x68	159	1E
T34	72859000		H	11,5	2/1	100	900	900			24x68	24x68	104	1BJ
T34	72863000		H	13	2/1	100	900	900	126		24x68	24x68	108	1BJ
T34	72865000	aufgedickte Augen	H	13	7/1/5	100	897	897	165		24x68	24x68	195	1AR
T34	72867000		H	16	7/1/7	100	897	897	165		24x68	24x68	227	1AR
T34	72867000		H	16	7/1/7	100	897	897	165		24x68	24x68	227	1AR
T36	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169		24x68	24x68	98	1EJ
T36	72862000	aufgedickte Augen;bis 34.96	V	8	3/1	90	900	900	171		24x68	24x68	101	1EJ
T36	72876000	ab 35.96	V	8	3/1	90	900	900	171		24x68	24x68	104	1EJ
T36	72864000	aufgedickte Augen;bis 12.97	V	9	4/1	90	900	900	169		24x68	24x68	124	1EJ
T36	72878000	ab 13.97	V	9	4/1	90	900	900	135		24x68	24x68	129	1EJ
T38	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169		24x68	24x68	98	1EJ
T38	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171		24x68	24x68	101	1EJ
T38	72876000		V	8	3/1	90	900	900	171		24x68	24x68	104	1EJ
T38	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169		24x68	24x68	124	1EJ
T38	72878000		V	9	4/1	90	900	900	135		24x68	24x68	129	1EJ
T39	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169		24x68	24x68	98	1EJ
T39	72862000	bis 27.96	V	8	3/1	90	900	900	171		24x68	24x68	101	1EJ
T39	72868000		V	8	10	90	900	900			24x70	24x70	131	1E
T39	72876000	ab 28.96	V	8	3/1	90	900	900	171		24x68	24x68	104	1EJ
T39	72878000	ab 34.96	V	9	4/1	90	900	900	135		24x68	24x68	129	1EJ
T39	72928000		V	9	4	90	900	900			24x68	24x68	104	1J
T39	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139		24x68	24x68	159	1E
T39	72761000	1.+2.H-Achse	H	10	2/1	100	840	840	88				122	8BY
T39	72805000	1.+2.H-Achse	H	10	3/1	100	840	840	70				161	8BY
T39	72821000	1.+2.H-Achse	H	10	5	100	840	840					130	8Y
T40	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169		24x68	24x68	98	1EJ
T40	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171		24x68	24x68	101	1EJ
T40	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169		24x68	24x68	124	1EJ



M A N Typenliste

Ausgabe: 09.06

Typ- Nr. type- no.	Artikel-Nr. art.-no.				Achsl.	Blatt-	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form	
					axle load	zahl leaves	width	length			arch	bush diameter			total
								vorn front	hinten rear			vorn front	hinten rear		
T42	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ		
T42	72862000	aufgedickte Augen	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ		
T42	72868000		V	8	10	90	900	900		24x70	24x70	131	1E		
T42	72876000		V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ		
T42	72958000		V	8	4/1	90	900	900		24x68	24x68		1EJ		
T42	72864000	aufgedickte Augen	V	9	4/1	90	900	900	169	24x68	24x68	124	1E		
T42	72878000		V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ		
T42	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E		
T42	73026000		V	9,5	11	90	900	885		24x68	24x68	166	1E		
T42	72789000	1.+2.H-Achse;Leerlastspr.zw. 4+5.Lg	H	10	7	100	825	825	101			153	8Z		
T42	72845000	1.+2.H-Achse;bis 17.98	H	10	14	100	825	825	120			199	8W		
T42	72935000	1.+2.H-Achse;ab 18.98	H	10	15	100	825	825	120			213	8		
T42	72953000	1.+2.H-Achse.;ab 36.94	H	10	6	100	825	825				0	8U		
T42	72981000	1.+2.H-Achse.;ab 36.94;Hlg.u.3.Lg.m.Endlöcher	H	11	2/1	100	825	825				118	8BU		
T42	72781000	1.+2.H-Achse;Leerlastspr.zw. 6.+7.Lg.	H	13	11	100	825	825	73			235	8Z		
T42	72793000	1.+2.H-Achse;Leerlastspr.zw. 5.+6.Lg.	H	13	11	100	825	825	70			234	8Z		
T42	72913000	1.+2.H-Achse;Hlg.m.Endlöcher u. Schrb.	H	13	5	100	810	810				178	8BU		
T42	72921000	1.+2.H-Achse;Hlg.m.Endlöcher	H	13	11	100	810	810	68			234	8XZ		
T42	72925000	1.+2.H-Achse;ab 36.94	H	13	13	100	815	815				234	8QX		
T42	72993000	1.+2.H-Achse.;ab 26.98	H	14,5	12	100	875	875				254	8Z		
T42	72841000	1.+2.H-Achse;Leerlastspr.zw.8.+9.Lg	H	16	13	100	825	825	102			269	8Z		
T42	72889000	1.+2.H-Achse;ab 18.98	H	16	16	100	825	825	92			291	8		
T42	72889000	1.+2.H-Achse;ab 18.98	H	16	16	100	825	825	92			291	8		
T42	72927000	1.+2.-H-Achse;ab 36.94	H	16	16	100	810	810				288	8QX		
T43	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E		
T43	72841000	1.+2.H-Achse	H	16	13	100	825	825	102			269	8Z		
T43	72975000	1.+2.H-Achse	H	20	16	100	825	825				323	8W		
T45	72874000	1.+2.V-Achse	V	7,1	3/1/1	90	900	690	164	24x68	24x68	119	1FL		
T45	72866000	1.+2.V-Achse	V	8	3/1/1	90	900	690	150	24x68	24x68	123	1FL		
T45	72894000	1.+2.V-Achse;ab 25.96	V	9	4/1	90	900	690	150	24x68	24x68	127	1FL		
T45	72896000	1.+2.V-Achse;bis 24.96	V	9	4/1	90	900	690	150	24x68	24x68	123	1FL		
T45	72761000	1.+2.H-Achse	H	10	2/1	100	840	840	88			122	8BY		
T45	72805000	1.+2.H-Achse	H	10	3/1	100	840	840	70			161	8BY		
T46	72874000	1.+2.V-Achse	V	7,1	3/1/1	90	900	690	164	24x68	24x68	119	1FL		
T46	72866000	1.+2.V-Achse	V	8	3/1/1	90	900	690	150	24x68	24x68	123	1FL		
T46	72876000	1.+2.V-Achse	V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ		
T46	72898000	1.+2.V-Achse	V	8	13	90	900	690	128	24x68	24x68	157	1F		
T46	72894000	1.+2.V-Achse;ab 25.96	V	9	4/1	90	900	690	150	24x68	24x68	127	1FL		
T46	72894000	1.+2.V-Achse;ab 25.96	V	9	4/1	90	900	690	150	24x68	24x68	127	1FL		
T46	72896000	1.+2.V-Achse;bis 24.96	V	9	4/1	90	900	690	150	24x68	24x68	123	1FL		
T46	72789000	1.+2.H-Achse;Leerlastspr.zw. 4.+5.Lg.	H	10	7	100	825	825	101			153	8Z		
T46	72935000	1+2.H-Achse	H	10	15	100	825	825	120			213	8		
T46	72981000	1+2.H-Achse;Hlg.u.3.Lg.m.Endlöcher	H	11	2/1	100	825	825				118	8BU		
T46	72781000	1.+2.H-Achse;Leerlastspr.zw. 6.+7.Lg.	H	13	11	100	825	825	73			235	8Z		
T46	72793000	1.+2.H-Achse;Leerlastspr.zw. 5.+6.Lg.	H	13	11	100	825	825	70			234	8Z		
T46	72913000	1.+2.H-Achse;Hlg.m.Endlöcher u. Schrb.	H	13	5	100	810	810				178	8BU		
T46	72921000	1.+2.H-Achse;Hlg.m.Endlöcher;ab 19.95	H	13	11	100	810	810	68			234	8XZ		
T46	72925000	1.+2.H-Achse;Hlg.m.Endlöcher;ab 19.95	H	13	13	100	815	815	0			234	8QX		
T46	72841000	1+2.H-Achse	H	16	13	100	825	825	102			269	8Z		
T46	72889000	1+2.H-Achse	H	16	16	100	825	825	92			291	8		
T46	72927000	1.+2.H-Achse;ab 19.95	H	16	16	100	810	810				288	8QX		



M A N Typenliste

Ausgabe:09.06

Typ- Nr.	Artikel-Nr. art.-no.				Achsl.	Blatt- zahl	Breite	Länge		Spr.	Buchsen-Ø		Paket	Form
					axle load	leaves	width	length		free arch	bush diameter		total height	shape
								vorn front	hinten rear		vorn front	hinten rear		
T48	72860000	aufgedickte Augen		V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ
T48	72862000	aufgedickte Augen		V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ
T48	72868000			V	8	10	90	900	900	0	24x70	24x70	131	1E
T48	72876000			V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ
T48	72864000	aufgedickte Augen		V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ
T48	72878000			V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ
T48	72928000			V	9	4	90	900	900		24x68	24x68	104	1J
T48	72928000			V	9	4	90	900	900		24x68	24x68	104	1J
T48	72870000	aufgedickte Augen		V	9,5	10	90	900	900	139	24x68	24x68	159	1E
T48	73026000			V	9,5	11	90	900	885		24x68	24x68	166	1E
T48	72789000	1.+2.H-Achse;Leerlastspr.zw. 4.+5.Lg.		H	10	7	100	825	825	101			153	8Z
T48	72845000	1+2.H-Achse		H	10	14	100	825	825	120			199	8W
T48	72935000	1+2.H-Achse		H	10	15	100	825	825	120			213	8
T48	72953000	1.+2.H-Achse;ab 33.94		H	10	6	100	825	825					8U
T48	72981000	1.+2.H-Achse;Hlg.u.3.Lg.m.Endlöcher;ab 33.94		H	11	2/1	100	825	825				118	8BU
T48	72781000	1.+2.H-Achse;Leerlastspr.zw. 6.+7.Lg.		H	13	11	100	825	825	73			235	8Z
T48	72793000	1.+2.H-Achse;Leerlastspr.zw. 5.+6.Lg.		H	13	11	100	825	825	70			234	8Z
T48	72913000	1.+2.H-Achse;Hlg.m.Endlöcher u. Schrb.		H	13	5	100	810	810				178	8BU
T48	72921000	1.+2.H-Achse;Hlg.m.Endlöcher;ab 33.94		H	13	11	100	810	810	68			234	8XZ
T48	72925000	1.+2.H-Achse;Hlg.m.Endlöcher;ab 33.94		H	13	13	100	815	815				234	8QX
T48	72771000	1+2.H-Achse		H	16	12	100	825	825	55			256	8W
T48	72841000	1+2.H-Achse;Leerlastspr.zw. 8.+9.Lg.		H	16	13	100	825	825	102			269	8Z
T48	72889000	1+2.H-Achse		H	16	16	100	825	825	92			291	8
T48	72927000	1,+2.H-Achse;ab 33.94		H	16	16	100	810	810				288	8QX
T48	72975000	1,+2.H-Achse;ab 33.94		H	20	16	100	825	825				323	8W
T62	72860000	aufgedickte Augen		V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ
T62	72862000	aufgedickte Augen;bis 33.96		V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ
T62	72876000	ab 34.96		V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ
T62	72864000	aufgedickte Augen		V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ
T70	72860000	aufgedickte Augen		V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ
T70	72862000	aufgedickte Augen;bis 33.96		V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ
T70	72876000	ab 34.96		V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ
T70	72864000	aufgedickte Augen;bis 12.97		V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ
T70	72878000	ab 13.97		V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ
T72	72953000	1.+2.H-Achse		H	10	6	100	825	825					8U
T72	72913000	1.+2.H-Achse;Hlg.m.Endlöcher u. Schrb.		H	13	5	100	810	810				178	8BU



M A N Typenliste

Ausgabe:09.06

Typ- Nr. :type- no.	Artikel-Nr. art.-no.				Achsl. axle load	Blatt- zahl leaves	Breite width	Länge length		Spr. free arch	Buchsen-Ø bush diameter		Paket total height	Form shape
								vorn front	hinten rear		vorn front	hinten rear		
T78	72860000	aufgedickte Augen	V	7,1	3/1	90	900	900	169	24x68	24x68	98	1EJ	
T78	72862000	aufgedickte Augen;bis 33/96	V	8	3/1	90	900	900	171	24x68	24x68	101	1EJ	
T78	72868000		V	8	10	90	900	900		24x70	24x70	131	1E	
T78	72876000	ab 34/96	V	8	3/1	90	900	900	171	24x68	24x68	104	1EJ	
T78	72864000	aufgedickte Augen;bis 12/97	V	9	4/1	90	900	900	169	24x68	24x68	124	1EJ	
T78	72878000	ab 13/97	V	9	4/1	90	900	900	135	24x68	24x68	129	1EJ	
T78	72870000	aufgedickte Augen	V	9,5	10	90	900	900	139	24x68	24x68	159	1E	
T78	72789000	1.+2.H-Achse;Leerlastspr.zw. 4.+5.Lg.	H	10	7	100	825	825	101			153	8Z	
T78	72845000	1.+2.H-Achse	H	10	14	100	825	825	120			199	8W	
T78	72953000	1.+2.H-Achse	H	10	6	100	825	825					8U	
T78	72781000	1.+2.H-Achse;Leerlastspr.zw. 6.+7.Lg.	H	13	11	100	825	825	73			235	8Z	
T78	72793000	1.+2.H-Achse;Leerlastspr.zw. 5.+6.Lg.	H	13	11	100	825	825	70			234	8Z	
T78	72913000	1.+2.H-Achse;Hlg.m.Endlöcher u. Schrb.	H	13	5	100	810	810				178	8BU	
T78	72921000	1.+2.H-Achse;Hlg.m.Endlöcher u. Schrb.	H	13	11	100	810	810	68			234	8XZ	
T78	72925000	1.+2.H-Achse;Hlg.m.Endlöcher	H	13	13	100	815	815				234	8QX	
T78	72841000	1.+2.H-Achse;Leerlastspr.zw. 8.+9.Lg.	H	16	13	100	825	825	102			269	8Z	
T78	72927000	1.+2.H-Achse	H	16	16	100	810	810				288	8QX	



Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
E12	72771000	98507490	E41	72845000	98547430
E12	72773000	98507490	E41	72913000	98527390
E12	72778000	98997330/98997245	E41	72935000	98547...
E12	72781000	98507470			
E12	72789000	98547370	E49	72578000	98897360 oder 98897335
E12	72791000		E49	72598000	98897335
E12	72793000	98507470	E50	72781000	98507410>07.94;98507470> 08.94
E12	72841000	98507490	E50	72789000	98547330> 07.94;98547370 >08.94
			E50	72841000	98507500
E15	72771000	98507440	E50	72859000	98577480
E15	72773000	98507440	E50	72860000	98937420/98937385
E15	72778000	98937420-450	E50	72862000	98937420/98937385
E15	72781000	98507410>10/94 /470>11/94	E50	72863000	98577480
E15	72789000	98547330>10/94 /370>11/94	E50	72864000	98937420/98937385
E15	72791000		E50	72868000	98937420/98937400
E15	72792000	98937450	E50	72870000	98937420/98937440
E15	72793000	98507410>10/94 /470>11/94	E50	72876000	98937420/98937385
E15	72796000	98937420-450	E50	72878000	98937420/98937385
E15	72806000	98937420-440	E50	72889000	98507500
E15	72808000	98937...	E50	72914000	98937440/98937420
E15	72820000	98937...	E50	72946000	98937420/98937385
E15	72830000	98937420-450	E50	72958000	98937440/98937400
E15	72832000	98937420-450			
E15	72841000	98507500	E52	72886000	98937385/98937420
E15	72889000	98507500	E52	72912000	98937440/98937400
			E52	72914000	
E17	72781000	98507410	E52	72946000	98937385/98937420
E17	72784000	98937400-440 oder 98997245-350	E52	72948000	98937385/98937420
E17	72793000	98507410	E52	72952000	98937440/98937400
E17	72819000	98507500-540	E52	73014000	98937440/98937400
E18	72781000	98507470	E53	72860000	98997285/98997180
E18	72784000	98937420-440	E53	72864000	98997290/98997180
E18	72819000	98507540	E53	72876000	98997285/98997180
			E53	72878000	98997285/98997180
E26	72784000	98937400-440	E53	72958000	98997320/98997220
E26	72793000	98507470			
E26	72819000	98507540			
			E58	72781000	98507470
			E58	72789000	98547370
			E58	72793000	98507470
E40	72761000	98547280	E58	72841000	98507500
E40	72781000	98507470	E58	72866000	98997285-320/98997195
E40	72793000	98507470	E58	72874000	98997285-320/98997195
E40	72845000	98547430	E58	72894000	98997285-320/98997195
E40	72860000	98997290/98997180-195	E58	72896000	98997285-320/98997195
E40	72862000	98997290/98997180	E58	72950000	98937420/98937400-420
E40	72868000	98937420/98937400 oder 98997320/98997220			
E40	72870000	98937420/98937440 oder 98997245/98997330	E59	72860000	98997290/98997180
E40	72876000	98997290/98997180	E59	72862000	98997290/98997180
E40	72935000	98547...	E59	72864000	98997320/98997220
			E59	72868000	98997320/98997220
E41	72761000	98547280	E59	72870000	98997245-330/98997245
E41	72781000	98507470	E59	72876000	98997290/98997180-220
E41	72793000	98507470	E59	72878000	98997320/98997220



Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
E60	72862000	98937420/98937385	E67	72878000	98937420/98937385
E60	72876000	98937420/98937385	E67	72886000	98937320
E60	72878000	98937420/98937385	E67	72912000	98937385
E60	72886000	98937420/98937385 oder 98937320	E67	72914000	98937440/98937420
E60	72912000	98937440/98937400 oder 98938385	E67	72946000	98937385/98937420 oder 98937320-350
E60	72913000	98527390	E67	72948000	98937320
E60	72914000	98937440/98937420	E67	72952000	98937385
E60	72925000	98527460	E67	72958000	98937440/98937400
E60	72927000	98527510	E67	73014000	98937385
E60	72946000	98937420/98937385 oder 98937320-350	E68	72781000	98507470
E60	72948000	98937420/98937385 oder 98937320	E68	72784000	98937440-450
E60	72952000	98937440/98937400	E68	72789000	98547370
E60	72953000	98527390	E68	72793000	98507470
E60	72954000	98937420/98937400	E68	72841000	98507500
E60	72981000	98527340	E68	72866000	98997290-320/98997195
E61	72860000	98997290/98997180	E68	72872000	98997290-320/98997195
E61	72862000	98997290/98997180	E68	72874000	98997290-320/98997195
E61	72864000	98997220-320/98997180	E68	72889000	98507500
E61	72868000	98997320/98997220 oder 98997220	E68	72894000	98997290-320/98997195-220
E61	72870000	98997330/98997245 oder 98997245	E68	72896000	98997290-320/98997195-220
E61	72876000	98997290/98997180	E68	72906000	98997290-320/98997195
E61	72878000	98997320/98997180	E68	72915000	98507540
E61	72958000	98997320/98997180	E68	72950000	98937320-420
E62	72886000	98937385/98937420 oder 98937320	E69	72860000	98997180/98997290
E62	72912000	98937440/98937400 oder 98937385	E69	72862000	98997220/98997320 oder 98997180/98997290
E62	72914000	98937420/98937440	E69	72864000	98997220/98997320
E62	72946000	98937385/98937420 oder 98937320-350	E69	72868000	98997220/98997320
E62	72948000	98937385/98937420 oder 98937320-350	E69	72870000	98997245/98997330
E62	72952000	98937440/98937400	E69	72876000	98997220/98997320 oder 98997180/98997290
E62	72954000	98937420/98937400	E69	72878000	98997320/98997220
E62	72960000	98937385/98937420	E69	72928000	98997220/98997320-330
E62	73014000	98937385	E69	72958000	98997180-320/98997220-290
E63	72860000	98997290/98997180-220	E72	72862000	98937420/98937385
E63	72862000	98997290/98997195	E72	72868000	98937420/98937400
E63	72864000	98997290-320/98997195-220	E72	72870000	98937420/98937440
E63	72876000	98997290/98997195	E72	72876000	98937420/98937385
E63	72878000	98997290-320/98997195-220	E72	72878000	98937420/98937385
E63	72928000	98997220/98997320-330	E72	72912000	98937400/98937440
E65	72781000	98507470	E72	72914000	98937420/98937440
E65	72789000	98547370	E72	73014000	98937440/98937400
E65	72866000	98997290-320/98997195	E75	72781000	98507470
E65	72872000	98997290-320/98997195	E75	72793000	98507470
E65	72874000	98997290-320/98997195	E75	72862000	98997180-195/98997290
E65	72894000	98997290-320/98997195-220	E75	72866000	98997195/98997290-320
E65	72896000	98997290-320/98997195-220	E75	72874000	98997195/98997290-320
E65	72898000	98997220/98997330 oder 98997220	E75	72876000	98997180-195/98997285
E67	72862000	98937420/98937385	E75	72878000	98997290-320/98997220
E67	72876000	98937420/98937385	E75	72889000	98507500
			E75	72894000	98997290-320/98997195-220

Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
E75	72896000	98997290-320/98997220			
E75	72906000	98997195/98997290-320			
E75	72964000	98997290-320/98997195-220			
E75	72966000	98997220/98997320			
E76	72768000	98997290 u. 98997180			
E76	72781000	98507410> 07.94;98507470>08.94			
E76	72841000	98507500			
E76	72845000	98547430			
E76	72889000	98507500			
E76	72935000	98547430			
E78	72784000	98937420-440			
E94	72781000	98507470			
E94	72889000	98507500			
E94	72914000	98937440/98937420			
E94	72946000	98937420/98937385			
E94	72948000	98937420/98937385 oder 98937320			
E94	72960000	98937420/98937385			
E95	72781000	98507470			
E95	72793000	98507470			
E95	72862000	98997290/98997195			
E95	72876000	98997290/98997195			
E95	72878000	98997220-320/98997195-220			
E95	72889000	98507500			
E95	72966000	98997320/98997220			
E98	72889000	98507500			
E98	72784000	98937350-450			



Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
H01	72926000	98907205 oder 98907220	H16	72926000	98907205-220
H01	72930000	98907205 oder 98907220	H16	72930000	98907205-220
H01	72939000	98927450	H16	72988000	98907205-220
H01	72945000	98927410-420	H16	72994000	98907205-220 oder 98917210
H01	72947000	98927410-420			
H01	72988000	98907205 oder 98907220	H17	72926000	98907205
H01	72990000	98907205-220 oder 98917210	H17	72930000	98907205
H01	72994000	98917210 oder 98907205-220	H17	72988000	98907205
H01	73004000	98907230	H17	72990000	98907205 oder 98917210
			H17	72994000	98907205
H02	72926000	98907205	H18	72926000	98907205-220
H02	72930000	98907205	H18	72930000	98907205-220
H02	72939000	98927450	H18	72988000	98907205-220
H02	72945000	98927410	H18	72990000	98917210
H02	72947000	98927410	H18	72994000	98917210 oder 98907205-220
H02	72988000	98907205			
H02	72990000	98907205 oder 98917210	H23	72926000	98907205
H02	72994000	98907205 oder 98917210	H23	72930000	98907205
			H23	72988000	98907205
H03	72926000	98907205-220	H23	72994000	98907205 oder 98917210
H03	72930000	98907205-220			
H03	72939000	98927450	H24	72926000	98907205-220
H03	72945000	98927420	H24	72930000	98907205-220
H03	72947000	98927420	H24	72988000	98907205-220
H03	72988000	98907205-220	H24	72994000	98917210 oder 98907205-220
H03	72990000	98907205-220 oder 98917210			
H03	72994000	98917210 oder 98907205-220	H25	72917000	98527390
			H25	72919000	98527340
H04	72926000	98907205	H25	72926000	98907205 oder 98907220
H04	72930000	98907205	H25	72929000	98527390
H04	72988000	98907205	H25	72930000	98907205 oder 98907220
H04	72994000	98907205 oder 98917210	H25	72941000	98527460
			H25	72943000	98527510
H05	72926000	98907205	H25	72951000	98527390
H05	72930000	98907205 oder 98907220	H25	72988000	98907205 oder 98907220
H05	72988000	98907205	H25	72990000	98907205-220 oder 98917210
H05	72990000	98907205 oder 98917210	H25	72994000	98907205-220 oder 98917210
H05	72994000	98907205-220 oder 98917210			
H05	73004000	98907230	H26	72917000	98527390
			H26	72919000	98527340
H06	72926000	98907205	H26	72926000	98907205-220
H06	72930000	98907205	H26	72929000	98527390
H06	72988000	98907205	H26	72930000	98907205-220
H06	72990000	98917210	H26	72941000	98527460
H06	72994000	98907205 oder 98917210	H26	72943000	98527510
			H26	72951000	98527390
H07	72926000	98907205	H26	72988000	98907205-220
H07	72930000	98907205	H26	72990000	98907205-220
H07	72988000	98907205	H26	72994000	98917210 oder 98907205-220
H07	72990000	98907205 oder 98917210			
H07	72994000	98907205 oder 98917210	H27	72926000	98907205-220
H07	73004000	98907230	H27	72930000	98907205-220
			H27	72988000	98907205-220
H08	73004000	98907230			



Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
H27	72990000	98917210	H37	73000000	98907205-220
H27	72994000	98917210 oder 98907205-220	H37	73002000	98917210
			H37	73006000	98907205-220
H28	72917000	98527390	H38	72917000	98527390
H28	72919000	98527340	H38	72919000	98527340
H28	72926000	98907205-220	H38	72929000	98527390
H28	72929000	98527390	H38	72941000	98527460
H28	72930000	98907205-220	H38	72943000	98527510
H28	72941000	98527460			
H28	72943000	98527510	H40	73002000	98917210
H28	72951000	98527390			
H28	72988000	98907205-220	H41	73000000	98907205-220 oder 98917210
H28	72990000	98917210 oder 98907205-220	H41	73002000	98917210
H28	72994000	98917210 oder 98907205-220	H41	73006000	98907205-220 oder 98917210
H29	72926000	98907205 oder 98907220			
H29	72930000	98907205 oder 98907220	H43	72930000	98907205-220
H29	72988000	98907205 oder 98907220	H43	72994000	98917210
H29	72990000	98907205-220 oder 98917210			
H29	72994000	98907205-220 oder 98917210	H46	72917000	98527390
			H46	72929000	98527390
H30	72926000	98907205-220	H46	72941000	98527460
H30	72930000	98907205-220	H46	72943000	98527510
H30	72988000	98907205-220	H46	73000000	98907205-220 oder 98917210
H30	72990000	98917210 oder 98907205-220	H46	73002000	98917210
H30	72994000	98917210 oder 98907205-220	H46	73006000	98907205-220 oder 98917210
H32	72930000	98907205	H48	72917000	98527390
H32	72988000	98907205	H48	73000000	98907205-220 oder 98917210
H32	72994000	98917210	H48	73006000	98907205-220 oder 98917210
H33	72917000	98527390	H51	72930000	98917320
H33	72929000	98527390	H51	72977000	98927450
H33	72930000	98917320	H51	72983000	98927450
H33	72941000	98527460	H51	72985000	98927450
H33	72943000	98527510	H51	72990000	98917320
H33	72990000	98917320	H51	72994000	98917320
H33	72994000	98917320			
			H52	72930000	98917320
H36	72917000	98527390	H52	72977000	98927450
H36	72919000	98527340	H52	72983000	98927450
H36	72929000	98527390	H52	72985000	98927450
H36	72941000	98527460	H52	72990000	98917320
H36	72943000	98527510	H52	72994000	98917320
H36	72995000	98527310	H52	73012000	98917320
H36	73002000	98917210			
H37	72917000	98527390	H54	72917000	98527390
H37	72919000	98527340	H54	72919000	98527340
H37	72929000	98527390	H54	72929000	98527390
H37	72941000	98527460	H54	72930000	98917320
H37	72943000	98527510	H54	72941000	98527460
H37	72995000	98527310	H54	72943000	98527510



Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
H54	72951000	98527390	H73	72941000	98527460
H54	72990000	98917320	H73	72943000	98527510
H54	72994000	98917320	H73	73000000	98917320
			H73	73002000	98917320
H55	72917000	98527390	H73	73006000	98917320
H55	72919000	98527340			
H55	72929000	98527390	H76	72917000	98527390
H55	72930000	98917320	H76	72919000	98527340
H55	72941000	98527460	H76	72929000	98527390
H55	72943000	98527510	H76	72943000	98527510
H55	72951000	98527390	H76	73000000	98917320
H55	72990000	98917320	H76	73002000	98917320
H55	72994000	98917320	H76	73006000	98917320
H56	72917000	98527390	H82	72930000	98917320
H56	72919000	98527340	H82	72990000	98917320
H56	72929000	98527390	H82	72994000	98917320
H56	72930000	98917320			
H56	72941000	98527460	H86	72926000	98907205
H56	72943000	98527510	H86	72930000	98907205
H56	72951000	98527390	H86	72988000	98907205
H56	72990000	98917320	H86	72990000	98917210
H56	72994000	98917320	H86	72994000	98907205 oder 98917210
H57	72917000	98527390	H88	73000000	98917210 oder 98907205-220
H57	72919000	98527340	H88	73002000	98917210
H57	72929000	98527390	H88	73006000	98917210 oder 98907205-220
H57	72930000	98917320			
H57	72941000	98527460	H90	73000000	98917210 oder 98907205-220
H57	72943000	98527510	H90	73002000	98917210
H57	72951000	98527390	H90	73006000	98917210 oder 98907205-220
H57	72990000	98917320			
H57	72994000	98917320	H94	72917000	98527390
			H94	72930000	98907205-220
H61	72988000	98907205-220	H94	72994000	97917210
H61	73028000	98907205-220			
H63	72930000	98907205-220	H95	72917000	98527390
H63	72994000	98907205-220 oder 98917210	H95	72929000	98527390
			H95	72930000	98907205-220
			H95	72994000	98917210
H70	72930000	98917320			
H70	72990000	98917320			
H70	72994000	98917320			
H70	73012000	98917320			
H72	72930000	98917320			
H72	72990000	98917320			
H72	72994000	98917320			
H72	73012000	98917320			
H73	72917000	98527390			
H73	72919000	98527340			
H73	72929000	98527390			



Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
L20	72797000	98867325	L25	72879000	98867355
L20	72810000	98859110			
L20	72812000	98859110	L25	72883000	98867325
L20	72831000	98867310	L25	72893000	98897380-410
L20	72843000	98867310	L25	72903000	98867340
L20	72847000	98867310	L25	72974000	98859125
L20	72856000	98859135			
L20	72879000	98867340	L26	72831000	98897380
L20	72883000	98867325	L26	72838000	98897360/98897310
L20	72893000	98867310	L26	72840000	98897360/98897310
L20	72903000	98867340	L26	72893000	98897380-410
L20	72903000	98867340	L26	72972000	98897360/98897310
L20	72968000	98859110			
L20	72970000	98859110	L27	72838000	98897360/98897310
L20	72974000	98859125	L27	72840000	98897360/98897310
			L27	72893000	98897380-410
L21	72797000	98867325>25.94 .340>26.94	L33	72803000	98867310
L21	72810000	98859110	L33	72810000	98859110
L21	72812000	98859110	L33	72812000	98859110
L21	72814000	98859110	L33	72814000	98859110
L21	72831000	98867310>11.98 .325>12.98	L33	72856000	98859135
L21	72843000	98867310>11.98 .325>12.98	L33	72974000	98859125
L21	72847000	98867310>11.98 .325>12.98			
L21	72856000	98859135	L34	72803000	98867310
L21	72879000	98867355	L34	72810000	98859110>01.99 .135>02.99
L21	72883000	98867325	L34	72812000	98859110>01.99 .135>02.99
L21	72893000	98867310>11.98 .325>12.98	L34	72814000	98859110>01.99 .135>02.99
L21	72903000	98867340	L34	72856000	98859135
L21	72970000	98859110	L34	72974000	98859125
L21	72974000	98859125	L34	72976000	859110>01.99 .135>02.99
			L34	72976000	859110>01.99 .135>02.99
L22	72831000	98897380			
L22	72838000	98897360/98897310	L35	72803000	98867310
L22	72840000	98897360/98897310	L35	72810000	98859110
L22	72843000	98897360	L35	72814000	98859110
L22	72893000	98897360	L35	72856000	98859135
			L35	72974000	98859125
L23	72831000	98897380			
L23	72838000	98897360/98897310	L36	72803000	98837325
L23	72840000	98897360/98897310	L36	72810000	98847135
L23	72843000	98897360	L36	72814000	98847135
L23	72893000	98897360	L36	72856000	98859135>01.99;98847135>02.99
			L36	72931000	98827320 oder 98837325
L24	72810000	98859110	L36	72957000	98827320 oder 98837325
L24	72814000	98859110	L36	72968000	98847135
L24	72843000	98867310	L36	72974000	98859125>01.99;98847135>02.99
L24	72893000	98867310	L36	72976000	98847135
L24	72974000	98859125			
L25	72797000	98867325>25.94 .340>26.94			
L25	72810000	98859110>01.99 .135>02.99			
L25	72814000	98859110>01.99 .135>02.99			
L25	72838000	98897360/98897310			
L25	72856000	98859135			



Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
L50	72797000	98867325	L76	72842000	98897210/98897180
L50	72810000	98859110	L76	72900000	98897145-160/98897200-225
L50	72812000	98859110	L76	72908000	98897145/98897200
L50	72814000	98859110	L76	72978000	98897210/98897180-200
L50	72831000	98867310			
L50	72883000	98867325	L77	72842000	98897210/98897180
L50	72893000	98867310	L77	72900000	98897145/98897200
			L77	72908000	98897145/98897200
L51	72803000	98867310	L77	72978000	98897210/98897180
L51	72810000	98859110			
L51	72812000	98859110	L80	72850000	98897310-360
L51	72814000	98859110	L80	72875000	98897410-46 oder 98817440
			L80	72901000	98897440-465 oder 98817440
L53	72803000	98867310	L80	72904000	98897310-360
L53	72810000	98859110 oder 98847135	L80	72908000	98897220/98897145
L53	72812000	98859110 oder 98847135	L80	72908000	98897220/98897145
L53	72814000	98859110 oder 98847135	L80	72933000	98897465-490
L53	72931000	98867310 oder 98827320	L80	72933000	98897465-490
L53	72957000	98827320	L80	72933000	98897465-490
			L80	72980000	98897335-380
L70	72871000	98847355			
L70	72875000	98847355	L81	72877000	98897440>14.97 /465>15.97
L70	72888000	98859125-135 oder 98847135	L81	72900000	98897220/98897145
L70	72901000	98847355-390	L81	72904000	98897210/98897180
L70	72956000	98859135 oder 98847135	L81	72908000	98897220/98897145
			L81	72933000	98897440>14.97 /465>15.97
L71	72871000	98847355			
L71	72875000	98847355	L82	72877000	98897440-465 oder 98817440
L71	72888000	98859125-135 oder 98847135	L82	72900000	98897220/98897145
L71	72901000	98847355-390	L82	72904000	98897210/98897180
L71	72956000	98859135 oder 98847135	L82	72908000	98897220/98897145
			L82	72933000	98897440-465 oder 98817490
L72	72888000	98859125-135 oder 98847135			
L72	72956000	98859135 oder 98847135	L83	72900000	98897145-160/98897210-220
			L83	72908000	98897220/98897145
L73	72888000	98859125-135 oder 98847135			
L73	72956000	98859135 oder 98847135	L84	72900000	98897220/98897145
			L84	72908000	98897220/98897145
L74	72842000	98897210/98897180			
L74	72871000	98897410 oder 98857440	L87	72844000	98897260/98897200
L74	72875000	98897410 oder 98857440	L87	72869000	98897490-520>30.98;98817590>31.98
L74	72900000	98897145/98897220	L87	72877000	98897465>30/98;98817490>31.98
L74	72901000	98897410 oder 98857440;98817440>31.98	L87	72891000	98897440>30.98;98817590>31.98
L74	72908000	98897145/98897220	L87	72897000	98897490-520>30.98;98817590>31.98
L74	72978000	98897210/98897180-200	L87	72902000	98897260/98897200
			L87	72979000	98817440
L75	72842000	98897210/98897180	L87	72982000	98897260/98897210
L75	72871000	98897410 oder 98897440			
L75	72875000	98897410 oder 98897440	L88	72844000	98897260/98897200
L75	72900000	98897145/98897220	L88	72902000	98897260/98897200
L75	72901000	98897410 oder 98897440			
L75	72908000	98897145/98897220			
L75	72978000	98897210/98897180-200			



Federbriden passend für

Ausgabe: 09.06

Typ- Nr. type- no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ- Nr. type- no.	Artikel-Nr. art.-no.	Briden u-bolt
L90	72858000	98937400>15.00;98937320 >16.00			
L90	72869000	98897520-625>18.98;98817650>19.98			
L90	72897000	98897520-625>18.98;98817650>19.98			
L90	72901000	98857440 >30.98;98817440>31.98			
L90	72909000	98817550			
L90	72980000	98897335-380			
L90	72984000	98937440/98937400 >15.00;98937320>16.00			
L90	73020000				
L90	73022000	98937385			
L95	72761000	98557460			
L95	72844000	98897260/98897200			
L95	72902000	98897260/98897200			
L95	72959000	98547280			
L95	72982000	98897260/98897220			
L95	72996000	98907295/98907205			



Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
M31	72842000	98897210 / 98897180	M55	72699000	98827320
M31	72871000	98897410 oder 98897440	M55	72797000	98827320
M31	72875000	98897410 oder 98897440	M55	72812000	98859110>01/99; 98847135>02/99
M31	72900000	98897145 / 98897200	M55	72814000	98859110>01/99; 98847135>02/99
M31	72908000	98897145 / 98897200	M55	72843000	98827320 oder 98837325
M31	72978000	98897210 / 98897180	M55	72847000	98827320 oder 98837325
			M55	72856000	98859135>01/99; 98847135>02/99
M32	72842000	98897210 / 98897180	M55	72879000	98827355
M32	72900000	98897145 / 98897200	M55	72883000	98827320
M32	72908000	98897145 / 98897200	M55	72893000	98827320 oder 98837325
M32	72978000	98897210 / 98897180	M55	72903000	98827355
			M55	72955000	98837325
M34	72850000	98897310-360 oder 98897360-390 / 98897335	M55	72963000	98827320>13/00; 98827290>14/00
M34	72875000	98857440>30/98; 98817440>31/98	M55	72968000	98859110>01/99; 98847135>02/99
M34	72877000	98817490-510	M55	72969000	98847355
M34	72901000	98857440 oder 98817440	M55	72970000	98847135
M34	72904000	98897310-360	M55	72973000	98847355
M34	72933000	98897465-490 oder 98817490	M55	72974000	98859125>01/99; 98847135>02/99
M34	72980000	98897360-390 / 98897335			
			M61	72797000	98827320<25/94; 98827355>26/94
M38	72844000	98897260 / 98897220	M61	72810000	98859110>01/99; 98847135>02/99
M38	72869000	98897490-520>30/98; 98817590>31/98	M61	72814000	98859110>01/99; 98847135>02/99
V38	72869000	98897490-520>30/98; 98817590>31/98	M61	72856000	98859135>01/99; 98847135>02/99
V38	72877000	98897465>30/98; 98817490>31/98	M61	72879000	98827355
V38	72891000	98897440>30/98; 98817440>31/98	M61	72893000	98827320<13/00; 98837325>14/00
V38	72897000	98897490-590>30/98; 98817590>31/98	M61	72976000	98859110>01/99; 98847135>02/99
V38	72902000	98897260 / 98897220			
V38	72982000	98897260 / 98897210	M69	72871000	98827355
V38	72996000	98907295 / 98907205	M69	72875000	98827355<24/01; 98847355>25/01
			M69	72901000	98827355<24/01; 98847355>25/01 od. 98847390
V39	72844000	98897260 / 98897200	M69	72956000	98847135
V39	72900000	98897225 / 98897200			
V39	72902000	98897260 / 98897200	M70	72871000	98827355
V39	72996000	98907295 / 98907205	M70	72875000	98827355<24/01; 98847355>25/01
			M70	72901000	98827355<24/01; 98847355>25/01 od. 98847390
V41	72858000	98937400>15/00; 98937320>16/0	M70	72956000	98847135
V41	72909000	98817550			
V41	72982000	98937400>15/00; 98937320>16/00	M74	72842000	98897220 / 98897180
V41	72984000	98937440/98937400>15/00; 98937320>16/00	M74	72900000	98897220 / 98897160
			M74	72901000	98817440
V42	72844000	98897260 / 98897200	M74	72978000	98897220 / 98897200
V42	72902000	98897260 / 98897200			
V42	72996000	98907295 / 98907205			
V44	72844000	98897260/98897200			
V44	72902000	98897260/98897200			

Federbriden passend für

Ausgabe: 09.06

Typ- Nr. type- no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ- Nr. type- no.	Artikel-Nr. art.-no.	Briden u-bolt
M78	72850000	98897310-360			
M78	72875000	98857440<30/98;98817440>3198			
M78	72877000	98817490			
M78	72901000	98857440<30/98; 98817440>31/98			
M78	72904000	98897310-360			
M78	72933000	98897490<30/98; 98817490>31/98			
M78	72980000	98897335-390			
M80	72877000	98857440<30/98; 98817440>31/98			
M80	72900000	98897220 / 98897160			
M80	72904000	98897220 / 98897180			
M80	72933000	98897465<30/98; 98817490>31/98			



Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
T01	72857000	98557370	T09	72864000	98997320 / 98997220
T01	72859000	98587390	T09	72868000	98997320 / 98997220 oder 2x98997220
T01	72860000	98997285 / 98997195	T09	72870000	98997330 / 98997245 oder 2x98997245
T01	72861000	98557370			
T01	72862000	98997285 / 98997195	T10	72860000	98997290 / 98997180
T01	72863000	98587390	T10	72862000	98997290 / 98997180
T01	72864000	98997285-320 / 98997195-220	T10	72864000	98997320 / 98997220
T01	72865000	98557440-470	T10	72876000	98997290 / 98997180
T01	72867000	98577470-490			
T01	72868000	98997195 / 98997320	T12	72781000	98507470
T01	72870000	98997220 / 98997320	T12	72789000	98547370
T01	72876000	98997285 / 98997195	T12	72793000	98507470
T01	72878000	98997285-320 / 98997195-220	T12	72841000	98507500
			T12	72845000	98547420
T02	72860000	98997290 / 98997180-195	T12	72860000	98937420 / 98937385
T02	72862000	98997290 / 98997180-195	T12	72862000	98937420 / 98937385
T02	72864000	98997290-320 / 98997195-220	T12	72864000	98937420 / 98937385
T02	72876000	98997290 / 98997180-195	T12	72868000	98937420 / 98937400
T02	72878000	98997290-320 / 98997195-220	T12	72870000	98937420 / 98937440
T04	72859000	98577470	T15	72761000	98547280
T04	72860000	98937420 / 98937385	T15	72805000	98547330
T04	72862000	98937420 / 98937385	T15	72866000	98997290 / 98997195
T04	72863000	98577470	T15	72874000	98997290 / 98997195
T04	72864000	98937420 / 98937385	T15	72894000	98997290 / 98997195
T04	72865000	98577490-510	T15	72896000	98997290 / 98997195
T04	72867000	98577540			
T04	72868000	98937420 / 98937400	T16	72781000	98507470
T04	72870000	98937420 / 98937440	T16	72789000	98547370
			T16	72793000	98507470
T06	72860000	98997290 / 98997180-195	T16	72841000	98507500
T06	72862000	98997290 / 98997180	T16	72866000	98997290 / 98997195
T06	72864000	98997320 / 98997220	T16	72874000	98997290 / 98997195
T06	72876000	98997290 / 98997180	T16	72894000	98997290 / 98997195
T06	72878000	98997290-320 / 98997180-220	T16	72896000	98997290 / 98997195
			T16	72898000	98997330 / 98997220 oder 2x98997220
T08	72860000	98997290 / 98997180-195	T18	72781000	98507470
T08	72862000	98997290 / 98997180-195	T18	72789000	98547370
T08	72864000	98997290-320 / 98997220	T18	72793000	98507470
T08	72876000	98997290 / 98997180-195	T18	72841000	98507500
T08	72878000	98997290-320 / 98997180-220	T18	72845000	98547420
			T18	72860000	98997290 / 98997180
T09	72761000	98547300	T18	72862000	98997290 / 98997180
T09	72805000	98547330	T18	72864000	98997320 / 98997220
T09	72821000	98547300	T18	72868000	98997320 / 98997220 oder 2x98997220
T09	72860000	98997290 / 98997180	T18	72870000	98997245 / 98997330 oder 2x98997245
T09	72862000	98997290 / 98997180			



Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
T31	72857000	98557370	T39	72821000	98547300
T31	72859000	98587390	T39	72860000	98997290 / 98997180-220
T31	72860000	98997290 / 98997180-220	T39	72862000	98997290 / 98997180-195
T31	72861000	98557370	T39	72868000	98997220 / 98997320 oder 2x98997220
T31	72862000	98997290 / 98997180-245	T39	72870000	98997330 / 98997245 oder 2x98997245
T31	72863000	98587390	T39	72876000	98997290 / 98997180-220
T31	72864000	98997290-320 / 98997195-220	T39	72878000	98997290-320 / 98997195-220
T31	72865000	98557440 oder 98577470	T39	72928000	98997220 / 98997320-330
T31	72867000	98577470-490			
T31	72868000	98997320 / 98997195 oder 2x98997320	T40	72860000	98997290 / 98997180
T31	72870000	98997320 / 98997220 oder 2x98997220	T40	72862000	98997290 / 98997180
T31	72876000	98997290 / 98997180-245	T40	72864000	98997320 / 98997220
T31	72878000	98997290-320 / 98997195-220			
T31	72928000	98997220 / 98997320-330	T42	72781000	98507470
T31	72937000	98557410	T42	72789000	98547370
			T42	72793000	98507470
T32	72860000	98997290 / 98997180-220	T42	72841000	98507500
T32	72862000	98997290 / 98997180-245	T42	72845000	98547420
T32	72864000	98997290-320 / 98997195-220	T42	72860000	98937420 / 98937385
T32	72876000	98997290 / 98997180-195	T42	72862000	98937420 / 98937385
T32	72878000	98997290-320 / 98997195-220	T42	72864000	98937420 / 98937385
T32	72928000	98997220 / 98997320-330	T42	72868000	98937420 / 98937400
			T42	72870000	98937420 / 98937440
T34	72859000	98577470	T42	72876000	98937420 / 98937385
T34	72860000	98937420 / 98937385	T42	72878000	98937420 / 98937385
T34	72862000	98937420 / 98937385	T42	72889000	98507500
T34	72863000	98577470	T42	72913000	98527390
T34	72864000	98937420 / 98937385	T42	72921000	98527460
T34	72865000	98577490-510	T42	72925000	98527460
T34	72867000	98577540	T42	72927000	98527510
T34	72868000	98937420 / 98937400	T42	72935000	98547420
T34	72870000	98937420 / 98937440	T42	72953000	98527390
			T42	72958000	98937440 / 98937400
T36	72860000	98997290 / 98997180-195	T42	72981000	98527340
T36	72862000	98997290 / 98997180	T42	72993000	98507500
T36	72864000	98997320 / 98997220	T42	73026000	98937350
T36	72876000	98997290 / 98997180			
T36	72878000	98997290-320 / 98997180-220	T43	72841000	98507500
			T43	72870000	98937420 / 98937440
T38	72860000	98997290 / 98997180-195	T43	72975000	98507540
T38	72862000	98997290 / 98997180-195			
T38	72864000	98997290-320 / 98997220	T45	72761000	98547280
T38	72876000	98997290 / 98997180	T45	72805000	98547330
T38	72878000	98997290-320 / 98997180-220	T45	72866000	98997290 / 98997195
			T45	72874000	98997290 / 98997195
T39	72761000	98547280-330	T45	72894000	98997290 / 98997195
T39	72805000	98547330	T45	72896000	98997290 / 98997195

Federbriden passend für

Ausgabe: 09.06

Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt	Typ-Nr. type-no.	Artikel-Nr. art.-no.	Briden u-bolt
T46	72781000	98507470	T70	72860000	98997290 / 98997180
T46	72789000	98547370	T70	72862000	98997290-320 / 98997180-220
T46	72793000	98507470	T70	72864000	98997320 / 98997220
T46	72841000	98507500	T70	72876000	98997290 / 98997180
T46	72866000	98997290-320 / 98997195	T70	72878000	98997320 / 98997220
T46	72874000	98997290-320 / 98997195			
T46	72876000	98937420 / 98937385 od. 98997290 / 98997180	T72	72913000	98527390
T46	72889000	98507500	T72	72953000	98527390
T46	72894000	98997290-320 / 98997195			
T46	72896000	98997290-320 / 98997195	T78	72781000	98507470
T46	72898000	2x98997220 oder 98997320 / 98997220	T78	72789000	98547370
T46	72913000	98527390	T78	72793000	98507470
T46	72921000	98527460	T78	72841000	98507500
T46	72925000	98527460	T78	72845000	98547420
T46	72927000	98527510	T78	72860000	98997290 / 98997180
T46	72935000	98547420	T78	72862000	98997290 / 98997180
T46	72981000	98527340	T78	72864000	98997320 / 98997220
			T78	72868000	oder 2x98997220; 98997320 / 98997220
T48	72771000		T78	72870000	oder 2x98997245; 98997330 / 98997245
T48	72781000	98507470	T78	72876000	98997290 / 98997180
T48	72789000	98547370	T78	72878000	98997320 / 98997220
T48	72793000	98507470			
T48	72841000	98507500	T78	72913000	98527390
T48	72845000	98547420	T78	72921000	98527460
T48	72860000	98937420 / 98937385 od. 98997290 / 98997220	T78	72925000	98527460
T48	72862000	98937420 / 98937385 od. 98997290 / 98997220	T78	72927000	98527510
T48	72864000	98937420 / 98937385 od. 98997320 / 98997220	T78	72953000	98527390
T48	72868000	98937400 / 98937420 od. 98997320 / 98997220			
T48	72870000	98937440 / 98937420 od. 98997245 / 98997330			
T48	72876000	98937420 / 98937385 od. 98997290 / 98997180			
T48	72878000	98937420 / 98937385 od. 98997320 / 98997220			
T48	72889000	98507500			
T48	72913000	98527390			
T48	72921000	98527460			
T48	72925000	98527460			
T48	72927000	98527510			
T48	72928000	98997220 / 98997320-330			
T48	72935000	98547420			
T48	72953000	98527390			
T48	72975000	98507540			
T48	72981000	98527340			
T48	73026000	98997350 / 98997245			
T62	72860000	98997290 / 98997180-195			
T62	72862000	98997290 / 98997180-195			
T62	72864000	98997290-320 / 98997195-220			
T62	72876000	98997290 / 98997180-195			



Made in Germany

Schomäcker Federnwerk GmbH

Borgholzhausener Straße 1
49324 Melle

DEUTSCHLAND

Telefon +49 5422 108-0

Telefax +49 5422 108-127

E-Mail federnwerk@schomaecker.de

Internet www.schomaecker.de